

4. Cubes And Cube Roots

CUBES * AND * CUBE * ROOTS (Exercise-14.1)

(1) We should find cubes

(i) 7

$$\begin{aligned}\text{cube of } 7 &= 7 \times 7 \times 7 \\ &= 343\end{aligned}$$

(ii) 12

$$\text{cube of } 12 = 12 \times 12 \times 12$$

or

$$\text{Here } a = 1 \quad b = 2$$

Using column method.

column I	column II	column III	column IV
a^3	$3 \times a^2 \times b$	$3 \times a \times b^2$	b^3
$1^3 = 1$	$3 \times 1^2 \times 2 = 6$	$3 \times 1 \times 4 = 12$	$2^3 = 8$
	+ 1		
1	7	2	8

$$12^3 = 1728$$

(iii) 16

$$\text{Here } a = 1 \quad b = 6$$

using column method

column I	column II	column III	column IV
a^3	$3 \times a^2 \times b$	$3 \times a \times b^2$	b^3
$1^3 = 1$	$3 \times 1^2 \times 6 = 18$	$3 \times 1 \times 6^2 = 108$	$6^3 = 216$
+ 3	+ 12	+ 21	
<u>4</u>	<u>30</u>	<u>129</u>	
$16^3 = 4096$			6

iv) 21

Here $a = 2$, $b = 1$

Using column method

column I

a^3

$$2^3 = 8$$

+1

9

9

column II

$3 \times a^2 \times b$

$$3 \times 2^2 \times 1 = 12$$

2

column III

$3 \times a \times b^2$

$$3 \times 2 \times 1 = 6$$

6

column IV

b^3

$$1^3 = 1$$

1

$$21^3 = 9261$$

v) 40

Here $a = 4$, $b = 0$

using column method

column I

a^3

$$4^3 = 64$$

column II

$3 \times a^2 \times b$

$$3 \times 4^2 \times 0 = 0$$

column III

$3 \times a \times b^2$

$$3 \times 4 \times 0^2 = 0$$

column IV

b^3

$$0$$

$$40^3 = 64000$$

vi) 55

Here $a = 5$, $b = 5$

by column method

column I

a^3

$$\begin{array}{r} 5^3 = 125 \\ 41 \\ \hline 166 \end{array}$$

column II

$3a^2b$

$$\begin{array}{r} 3 \times 5^2 \times 5 = 375 \\ + 38 \\ \hline 413 \end{array}$$

$$55^3 = 166375$$

column III

$3ab^2$

$$\begin{array}{r} 3 \times 5 \times 5^2 = 375 \\ + 12 \\ \hline 387 \end{array}$$

column IV

b^3

$$\begin{array}{r} 5^3 = 125 \\ 5 \\ \hline \end{array}$$

$$(vii) \quad (100)^3 = 100 \times 100 \times 100 \\ = 10,00,000$$

$$(viii) \quad (302)^3 = (300+2)^3 \\ (a+b)^3 = a^3 + b^3 + 3ab(a+b) \\ = 300^3 + 2^3 + 2 \cdot 300 \cdot 2 [302] \\ = 27,000,000 + 8 + 362,400 \\ = 27,36,2408$$

$$(ix) \quad (301)^3 = (300+1)^3 \\ (a+b)^3 = a^3 + b^3 + 3ab(a+b) \\ = 300^3 + 1^3 + 2 \cdot 300 \cdot 1 [300+1] \\ = 27,000,000 + 1 + 180,600 \\ = 27,18,0601$$

(2)

Cubes of natural numbers upto 10

$$1^3 = 1 \times 1 \times 1 = 1$$

$$4^3 = 4 \times 4 \times 4 = 64$$

$$2^3 = 2 \times 2 \times 2 = 8$$

$$5^3 = 5 \times 5 \times 5 = 125$$

$$3^3 = 3 \times 3 \times 3 = 27$$

$$6^3 = 6 \times 6 \times 6 = 216$$

$$7^3 = 7 \times 7 \times 7 = 343$$

$$8^3 = 8 \times 8 \times 8 = 512$$

$$9^3 = 9 \times 9 \times 9 = 729$$

$$10^3 = 10 \times 10 \times 10 = 1000$$

(i) cubes of all even numbers are even
and

(ii) cubes of all odd numbers are odd.

(3)

Given pattern.

$$1^3 = 1$$

$$1^3 + 2^3 = (1+2)^2$$

$$1^3 + 2^3 + 3^3 = (1+2+3)^2$$

Now, similarly

$$1^3 + 2^3 + 3^3 + \dots + n^3 = (1+2+3+\dots+n)^2$$

$$\begin{aligned} \Rightarrow (1^3 + 2^3 + 3^3 + \dots + 9^3 + 10^3) &= (1+2+3+\dots+9+10)^2 \\ &= (55)^2 = 55 \times 55 \\ &= 3025 \end{aligned}$$

(4)

First 5 natural numbers which are multiples of 3 are 3, 6, 9, 12, 15.

$$\text{Cube of } 3 = 3^3 = 3 \times 3 \times 3 = 27$$

$$6^3 = 6 \times 6 \times 6 = 216$$

$$9^3 = 9 \times 9 \times 9 = 729$$

$$12^3 = 12 \times 12 \times 12 = 1728$$

$$15^3 = 15 \times 15 \times 15 = 3375$$

all the cubes got are divisible by 27.

Therefore

'the cube of a natural number which is a multiple of 3 is a multiple of 27'.

(5)

first 5 natural numbers in the form of

$(3n+1)$ are :-

4, 7, 10, 13, 16

Cubes of these numbers :-

$$4^3 = 4 \times 4 \times 4 = 64$$

$$7^3 = 7 \times 7 \times 7 = 343$$

$$10^3 = 10 \times 10 \times 10 = 1000$$

(5)
+0

$$13^3 = 13 \times 13 \times 13 = 2197$$

$$16^3 = 16 \times 16 \times 16 = 4096$$

64, 343, 1000, 2197, 4096 gives remainder '1'

when divided by '7'.

$\Rightarrow$ Given statement is true

(6) First five natural numbers in $3n+2$ form are

5, 8, 11, 14, 17

Cubes of given numbers are :-

$$5^3 = 5 \times 5 \times 5 = 125$$

$$8^3 = 8 \times 8 \times 8 = 512$$

$$11^3 = 11 \times 11 \times 11 = 1331$$

$$14^3 = 14 \times 14 \times 14 = 2744$$

$$17^3 = 17 \times 17 \times 17 = 4913$$

125, 512, 1331, 2744, 4913 gives remainder '2'.

when divided by '3'.

$\Rightarrow$ Given statement is true

(7)

First 5 natural numbers which are multiples of 7 are:- 7, 14, 21, 28, 35

Cubes of these numbers

$$7^3 = 7 \times 7 \times 7 = 343$$

$$14^3 = 14 \times 14 \times 14 = 2744$$

$$21^3 = 21 \times 21 \times 21 = 9261$$

$$28^3 = 28 \times 28 \times 28 = 21952$$

$$35^3 = 35 \times 35 \times 35 = 42875$$

343, 2744, 9261, 21952, 42875 are the multiples of 7^3 .

(8)

(i) $64 = 2^6$
 $= 4^3$ (perfect cube)

$$\begin{array}{r} 2 \overline{) 64} \\ 2 \overline{) 32} \\ 2 \overline{) 16} \\ 2 \overline{) 8} \\ 2 \overline{) 4} \\ 2 \end{array}$$

(ii) $216 = 2^3 \times 3^3$
 $= 6^3$
 (perfect cube)

$$\begin{array}{r} 2 \overline{) 216} \\ 2 \overline{) 108} \\ 2 \overline{) 54} \\ 3 \overline{) 27} \\ 3 \overline{) 9} \\ 3 \end{array}$$

(iii)

$$243 = 3^5$$

$$= 3^3 \cdot 3^2$$

(Not a perfect cube).

$$\begin{array}{r} 3 \overline{) 243} \\ 81 \\ 3 \overline{) 27} \\ 9 \\ 3 \end{array}$$

(8)

(iv)

$$1000 = 2 \times 2 \times 2 \times 5 \times 5 \times 5$$

$$= 2^3 \times 5^3$$

$$= 10^3 \text{ (perfect cube).}$$

$$\begin{array}{r} 2 \overline{) 1000} \\ 500 \\ 2 \overline{) 250} \\ 125 \\ 5 \overline{) 125} \\ 25 \\ 5 \overline{) 25} \\ 5 \end{array}$$

(v)

$$1728 = 2^6 \cdot 3^3$$

$$= 2^6 \cdot 3^3$$

$$= (4 \times 3)^3$$

$$= (12)^3$$

(Perfect cube)

$$\begin{array}{r} 2 \overline{) 1728} \\ 864 \\ 2 \overline{) 432} \\ 216 \\ 2 \overline{) 108} \\ 54 \\ 2 \overline{) 27} \\ 13.5 \\ 3 \overline{) 9} \\ 3 \end{array}$$

(vi)

$$3087 = 3^2 \cdot 7^3$$

(Not perfect cube)

$$\begin{array}{r} 3 \overline{) 3087} \\ 1029 \\ 3 \overline{) 343} \\ 49 \\ 7 \overline{) 49} \\ 7 \end{array}$$

(vii)

$$4068 = 2^2 \times 3 \times 113$$

(Not perfect cube)

$$\begin{array}{r} 2 \overline{) 4068} \\ 2034 \\ 2 \overline{) 1017} \\ 339 \\ 3 \overline{) 339} \\ 113 \\ 2 \end{array}$$

(vii) 106480

$$= 2^4 \times 5 \times 11^3$$

= (Not perfect cube)

$$\begin{array}{r} 2 \overline{) 106480} \\ 2 \overline{) 53240} \\ 2 \overline{) 26620} \\ 2 \overline{) 13310} \\ 11 \overline{) 6655} \\ 5 \overline{) 605} \\ 11 \overline{) 121} \\ 11 \end{array}$$

(ix)

166375

$$= 5^3 \times 11^3$$

$$= (55)^3$$

[Perfect - cube]

$$\begin{array}{r} 5 \overline{) 166375} \\ 5 \overline{) 33275} \\ 5 \overline{) 6655} \\ 11 \overline{) 1331} \\ 11 \overline{) 121} \\ 11 \end{array}$$

(x)

456533

$$= 11^3 \times 7^3$$

$$= (11 \times 7)^3$$

(perfect cube)

$$\begin{array}{r} 11 \overline{) 456533} \\ 7 \overline{) 41503} \\ 7 \overline{) 5929} \\ 7 \overline{) 847} \\ 11 \overline{) 121} \\ 11 \end{array}$$

(9)

d, 216 = $2^3 \times 3^3$

$$= (6)^3$$

cube of even natural

$$\begin{array}{r} 2 \overline{) 216} \\ 2 \overline{) 108} \\ 2 \overline{) 54} \\ 3 \overline{) 27} \\ 3 \overline{) 9} \\ 3 \end{array}$$

$$\begin{aligned} \text{(ii), } 512 &= 2^9 \\ &= (2^3)^3 \\ &= (8)^3 \end{aligned}$$

Cube of even natural number

$$\begin{array}{r} 2 \overline{) 512} \\ 2 \overline{) 256} \\ 2 \overline{) 128} \\ 2 \overline{) 64} \\ 2 \overline{) 32} \\ 2 \overline{) 16} \\ 2 \overline{) 8} \\ 2 \overline{) 4} \end{array}$$

$$\begin{aligned} \text{(iii), } 729 &= 3^3 \times 3^3 \\ &= (9)^3 \\ \text{Not a cube of even} \\ \text{Natural number} \end{aligned}$$

$$\begin{array}{r} 3 \overline{) 729} \\ 3 \overline{) 243} \\ 3 \overline{) 81} \\ 3 \overline{) 27} \\ 3 \overline{) 9} \\ 3 \end{array}$$

$$\begin{aligned} \text{(iv), } 1000 &= 2^3 \times 5^3 \\ &= (10)^3 \\ \text{Cube of even natural} \\ \text{number.} \end{aligned}$$

$$\begin{array}{r} 2 \overline{) 1000} \\ 2 \overline{) 500} \\ 2 \overline{) 250} \\ 5 \overline{) 125} \\ 5 \overline{) 25} \\ 5 \end{array}$$

$$\begin{aligned} \text{(V), } 1728 &= 2^6 \times 3^3 \\ &= (12)^3 \\ \text{Cube of even natural} \\ \text{number.} \end{aligned}$$

$$\begin{array}{r} 2 \overline{) 1728} \\ 2 \overline{) 864} \\ 2 \overline{) 432} \\ 2 \overline{) 216} \\ 2 \overline{) 108} \\ 2 \overline{) 54} \\ 3 \overline{) 27} \\ 3 \overline{) 9} \\ 3 \end{array}$$

$$13284 = 2^2 \times 3^4 \times 41$$

[Not even a cube here]

$$\begin{array}{r} 2 \overline{) 13284} \\ 2 \overline{) 6642} \\ 3 \overline{) 3321} \\ 3 \overline{) 1107} \\ 3 \overline{) 369} \\ 3 \overline{) 123} \\ 41 \end{array}$$

(11)

(10)

$$125 = 5 \times 5 \times 5 = 5^3$$

[Cube of odd natural]

$$\begin{array}{r} 5 \overline{) 125} \\ 5 \overline{) 25} \\ 5 \end{array}$$

$$743 = 7^3$$

[Cube of odd natural]

$$\begin{array}{r} 7 \overline{) 343} \\ 7 \overline{) 49} \\ 7 \end{array}$$

$$1728 = 2^6 \times 3^3$$

$$= (4 \times 3)^3$$

$$= (12)^3$$

[Not a cube of odd natural]

$$\begin{array}{r} 2 \overline{) 1728} \\ 2 \overline{) 864} \\ 2 \overline{) 432} \\ 2 \overline{) 216} \\ 2 \overline{) 108} \\ 2 \overline{) 54} \\ 2 \overline{) 27} \\ 3 \overline{) 9} \\ 3 \end{array}$$

$$4096 = 2^{12}$$

$$= (2^6)^2$$

$$= (64)^2$$

[Not a cube of odd natural]

$$\begin{array}{r} 2 \overline{) 4096} \\ 2 \overline{) 2048} \\ 2 \overline{) 1024} \\ 2 \overline{) 512} \\ 2 \overline{) 256} \\ 2 \overline{) 128} \\ 2 \overline{) 64} \\ 2 \overline{) 32} \\ 2 \overline{) 16} \\ 2 \overline{) 8} \\ 2 \overline{) 4} \\ 2 \overline{) 2} \\ 2 \end{array}$$

$$32768 = 2^{15}$$

$$= (2^5)^3$$

$$= (32)^3$$

Not a cube of odd number

$$\begin{array}{r} 2 \overline{) 32768} \\ 2 \overline{) 16384} \\ 2 \overline{) 8192} \\ 2 \overline{) 4096} \\ 2 \overline{) 2048} \\ 2 \overline{) 1024} \\ 2 \overline{) 512} \\ 2 \overline{) 256} \\ 2 \overline{) 128} \\ 2 \overline{) 64} \\ 2 \overline{) 32} \\ 2 \overline{) 16} \\ 2 \end{array}$$