# Chapter - 2

### (Polynomials)

**Key Concepts** 

**Constants**: A symbol having a fixed numerical value is called a constant.

Example: 7, 3, -2, 3/7, etc. are all constants.

**Variables :** A symbol which may be assigned different numerical values is known as variable.

Example :  $C = 2\pi r$  C - circumference of circle

r - radius of circle

Where 2 &  $\pi$  are constants. while C and r are variable

**Algebraic expressions :** A combination of constants and variables. Connected by some or all of the operations +, -, X and  $\div$  is known as algebraic expression.

Example :  $4 + 9x - 5x^2y + \frac{3}{8}xy$  etc.

**Terms**: The several parts of an algebraic expression separated by '+' or '-' operations are called the terms of the expression.

Example :  $x^3 + 2x^2y + 4xy^2 + y^3 + 7$  is an algebraic expression containing 5 terms  $x^3$ ,  $2x^3y$ ,  $-4xy^2$ ,  $y^3 \& 7$ 

**Polynomials**: An algebraic expression in which the variables involved have only non-negative integral powers is called a polynomial.

- (i)  $5x^3 4x^2 6x 3$  is a polynomial in variable x.
- (ii)  $5 + 8x^{3/2} + 4x^{-2}$  is an expression but not a polynomial.

Polynomials are denoted by p(x), q(x) and r(x) etc.

**Coefficients**: In the polynomial  $x^3 + 3x^2 + 3x + 1$ , coefficient of  $x^3$ ,  $x^2$ , x are 1, 3, 3 respectively and we also say that +1 is the constant term in it.

Degree of a polynomial in one variable: In case of a polynomial in one variable the highest power of the variable is called the degree of the polynomial.

Classification of polynomials on the basis of degree.

	degree	Polynomial	Example
(a)	1	Linear	x + 1, $2x + 3$ etc.
(b)	2	Quadratic	$ax^2 + bx + c$ etc.
(c)	3	Cubic	$x^3 - 3x^2 + 1$ etc.
(d)	4	Biquadratic	$x^4 - 1$

Classification of polynomials on the basis of no. of terms

No. of terms		Polynomial & Examples.	
(i)	1	Monomial - $5, 3x, \frac{1}{3}y$ etc.	
(ii)	2	Binomial - $(3 + 6x)$ , $(x - 5y)$ etc.	
(iii)	3	Trinomial- $2x^2 + 4x + 2$ etc.	

**Constant polynomial**: A polynomial containing one term only, consisting a constant term is called a constant polynomial the degree of non-zero constant polynomial is zero. **Zero polynomial**: A polynomial consisting of one term, namely zero only is called a

The degree of zero polynomial is not defined.

**Zeroes of a polynomial :** Let p(x) be a polynomial. If  $p(\alpha) = 0$ , then we say that  $\alpha$  is a zero of the polynomial of p(x).

**Remark :** Finding the zeroes of polynomial p(x) means solving the equation p(x)=0.

**Remainder theorem**: Let f(x) be a polynomial of degree  $n \ge 1$  and let a be any real number. When f(x) is divided by (x - a) then the remainder is f(a)

**Factor theorem**: Let f(x) be a polynomial of degree n > 1 and let a be any real number.

(i) If 
$$f(a) = 0$$
 then  $(x - a)$  is factor of  $f(x)$ 

zero polynomial.

(ii) If 
$$(x - a)$$
 is a factor of  $f(x)$  then  $f(a) = 0$ 

Factor : A polynomial p(x) is called factor of q(x), if p(x) divides q(x) exactly.

**Factorization**: To express a given polynomial as the product of polynomials each of degree less than that of the given polynomial such that no such a factor has a factor of lower degree, is called factorization.

Example : 
$$x^2 - 16 = (x + 4)(x - 4)$$

#### **Methods of Factorization:**

Factorization by taking out the common factor

e.g.

$$36q^3b - 60a^2bc = 12a^2b (3a - 5c)$$

Factorizing by grouping

$$ab + bc + ax + cx = (ab + bc) + (ax + cx)$$
$$= b(a+c) + x(a+c)$$
$$= (a+c)(b+x)$$

Factorization of quadratic trinomials by middle term splitting method.

$$x^{2} + bc + c = x^{2} + (p+q)x + pq$$
$$= (x+p)(x+q)$$

**Identity**: Identity is a equation (trigonometric, algebraic ) which is true for every value of variable.

Some algebraic identities useful in factorization:

(i) 
$$(x+y)^2 = x^2 + 2xy + y^2$$

(ii) 
$$(x-y)^2 = x^2 - 2xy + y^2$$

(iii) 
$$x^2 - y^2 = (x - y)(x + y)$$

(iv) 
$$(x+a)(x+b) = x^2 + (a+b)x + ab$$

(v) 
$$(x + y + z)^2 = x^2 + y^2 + z^2 + 2xy + 2yz + 2zx$$

(vi) 
$$(x+y)^3 = x^3 + y^3 + 3xy(x+y)$$

(vii) 
$$(x-y)^3 = x^3 - y^3 - 3xy(x-y)$$

(viii) 
$$x^3 + y^3 + z^3 - 3xyz = (x + y + z)(x^2 + y^2 + z^2 - xy - yz - zx)$$
  
 $x^3 + y^3 + z^3 = 3xyz$  if  $x + y + z = 0$ 

# Section - A

Which of the following expressions is polynomial? Q.1

(i)  $x^5 - 2x^3 + x + 7$  (ii)  $y^3 - \sqrt{3}y$ 

(iii)  $5\sqrt{z} - 6$  (iv)  $x - \frac{1}{x}$  (v)  $x^{108} - 1$ 

(vi)  $\sqrt[3]{x} - 27$  (vii)  $x^{-2} + 2x^{-1} + 3$ 

Write the degree of each of the following polynomial. Q.2

(i)  $2x - \sqrt{5}$  (ii)  $3 - x + x^2 - 6x^3$ 

(iii) 9

(iv)  $8x^4 - 36x + 5x^7$  (v)  $x^9 - x^5 + 3x^{10} + 8$  (vi)  $2 - 3x^2$ 

- Q.3 (i) Give an example of a binomial of degree 27.
  - (ii) Give an example of a monomial of degree 16.
  - (iii) Give an example of trinomial of degree 3.

### Section - B

- If  $p(x) = 5 4x + 2x^2$  find (i) p(0) (ii) p(3) (iii) p(-2)Q.4
- Q.5 Find the zeros of the polynomials given below:

(i) p(x) = x - 5 (ii) q(x) = x + 4 (iii) h(x) = 6x - 1

(iv) p(x) = ax + b (v)  $r(x) = x^2 + 3x$  (vi)  $l(x) = x^2 + 2x + 1$ 

- Find the remainder when  $f(x) = 12x^3 13x^2 5x + 7$  is divided by (3x + 2)? Q.6
- Q.7 Show that (x + 5) is a factor of the polynomial

 $f(x) = x^3 + x^2 + 3x + 115$ 

Q.8 Find the value of a for which (x - a) is a factor of the polynomial.

 $f(x) = x^5 - a^2x^3 + 2x + a - 3$ 

### **Section - C**

- Factorize the following expressions. Q.9
  - (i)  $5x^2 20xy$
  - (ii) 5a(b+c) 7b(b+c)
  - (iii)  $x(x-y)^2 + 3x^2y(x-y)$
  - (iv)  $6ab b^2 + 12ac 2bc$
  - (v)  $x^2 + \frac{1}{x^2} + 2 2x \frac{2}{x}$
- Q.10 Factorize:
  - (i)  $9x^2 16y^2$
- (ii)  $x^3 x$
- Q.11 Factorize:

$$a(a-1) - b(b-1)$$

- Q.12 Factorize following expressions.
  - (i)  $x^2 + 9x + 18$
  - (ii)  $x^2 4x 21$
  - (iii)  $x^2 9x + 18$
  - (iv)  $x^2 19x + 78$
- Q.13 Calculate (997)<sup>2</sup> using algebraic identities.
- Q.14 Calculate 103 X 107 using algebraic identities.
- Q.15 Expand  $(2a + 3b + 4c)^2$ .
- Q.16 Factorize  $4x^2 + y^2 + z^2 4xy 2yz + 4xz$ .
- Q.17 Expand (i)  $(4a + 5b)^3$  (ii)  $(5x 3y)^3$
- Q.18 Evaluate (i)  $(95)^3$
- (ii)  $(106)^3$
- Q.19 Factorize (i)  $x^3 + 64$  (ii)  $27x^3 + 125y^3$
- (iii)  $8a^3 27b^3$  (iv)  $1 64a^3$

## Section - D

Q.20 Factorize

$$a^3 + 27b^3 + 8c^3 - 18abc$$

Q.21 Factorize

$$(p-q)^3 + (q-r)^3 + (r-p)^3$$

Q.22 Find the product

$$(3x - 5y - 4)(9x^2 + 25y^2 + 15xy + 12x - 20y + 16)$$

Q.23 If If x + y + z = 9 and xy + yz + zx = 23 then find the value of  $(x^3 + v^3 + z^3 - 3xvz)$ ?

#### **Self Evaluation**

Q.24 Which of the following expression is a polynomial?

(a) 
$$\sqrt{x} - 1$$

(b) 
$$\frac{x-1}{x+1}$$

(c) 
$$x^2 - \frac{2}{x^2} + 5$$

(b) 
$$\frac{x-1}{x+1}$$
 (c)  $x^2 - \frac{2}{x^2} + 5$  (d)  $x^2 + \frac{2x^{3/2}}{\sqrt{x}} + 6$ 

Q.25 Degree of zero polynomial is

(a) 1

(b) 0

(c) not defined (d) none of these

Q.26 For what value of k is the polynomial  $p(x) = 2x^3 - kx^2 + 3x + 10$  exactly divisible by (x + 2)?

(a) 
$$\frac{-1}{3}$$

(b) 
$$\frac{1}{3}$$

(d) -3

Q.27 The zeroes of the polynomial  $p(x) = 3x^2 - 1$  are

(a) 
$$\frac{1}{3}$$

(b) 
$$\frac{1}{\sqrt{3}}$$

(c) 
$$\frac{-1}{\sqrt{3}}$$

(a)  $\frac{1}{3}$  (b)  $\frac{1}{\sqrt{3}}$  (c)  $\frac{-1}{\sqrt{3}}$  (d)  $\frac{1}{\sqrt{3}}$  and  $\frac{-1}{\sqrt{3}}$ 

Q.28 If  $\frac{x}{y} + \frac{y}{x} = -1$  where  $x \neq 0$ ,  $y \neq 0$  then find the value of  $x^3 - y^3$ .

Q.29 If (x+2) and (x-1) are factors of  $(x^3+10x^2+mx+n)$  then find value of m & n?

Q.30 Find the value of  $(369)^2 - (368)^2$ 

Q.31 Find value of 104 X 96

Q.32 If a + b + c = 0 find value of  $\left(\frac{a^2}{bc} + \frac{b^2}{ca} + \frac{c^2}{ab}\right)$ ?

# **Answers**

Q.1 (i), (ii), (v)

- Q.2 (i) 1 (ii) 3 (iii) 0 (iv) 4 (v) 9 (vi) 2
- Q.4 (i) p(0) = 5 (ii) p(3) = 11 (iv) 21
- Q.5 (i) x = 5 (ii) x = -4 (iii) x = 1/6 (iv) x = -b/a
  - (v) x = 0, x = -3 (vi) x = -1, -1
- Q.6 remainder = 1
- Q.8 a = 1
- Q.9 (i) 5x(x 4y)
  - (ii) (b + c)(5a 7b)
  - (iii) x(x y)[(x y) + 3xy]
  - (iv) (b + 2c)(6a b)
  - $(\mathsf{V})\left(x+\frac{1}{x}\right)\left(x+\frac{1}{x}-2\right)$
- Q.10 (i) (3x + 4y)(3x 4y) (ii) x(x + 1)(x 1)
- Q.11 (a-b) (a+b-1)
- Q.12 (i) (x + 6)(x + 3)
  - (ii) (x-7)(x+3)
  - (iii) (x 6)(x 3)
  - (iv) (x-6)(x-13)
- Q.13 994009
- Q.14 11021
- Q.15  $4a^2 + 9b^2 + 16c^2 + 12ab + 24bc + 16ac$
- Q.16  $(2x y + z)^2$
- Q.17 (i)  $64a^3 + 125b^3 + 240a^2b + 300ab^2$ 
  - (ii)  $125x^3 27y^3 225x^2y + 135xy^2$
- Q.18 (i) 857375 (ii) 1191016
- Q.19 (i)  $(x + 4)(x^2 4x + 16)$ 
  - (ii)  $(3x+5y)(9x^2-15xy+25y^2)$
  - (iii)  $(2a 3b)(4a^2 + 6ab + 9b^2)$

(iv) 
$$(1-4a)(1+4a+16a^2)$$

Q.20 
$$(a+3b+2c)(a^2+9b^2+4c^2-3ab-6bc-2ac)$$

Q.21 
$$3(p-q)(q-r)(r-p)$$

Q.22 
$$27x^3 - 125y^3 - 64 - 180xy$$
.

Q.23 108

Q.24 (d) 
$$x^2 + \frac{2x^{\frac{3}{2}}}{x^{\frac{1}{2}}} + 6$$

- Q.25 (c) not defined
- Q.26 (d) -3
- Q.27 (d)  $\frac{1}{\sqrt{3}}$  &  $\frac{-1}{\sqrt{3}}$
- Q.28 0
- Q.29 m = 7, n = -18
- Q.30 737
- Q.31 9984
- Q.32 3

-----