

Answer to Some Selected Problems

UNIT 8

8.25 15 g

UNIT 12

12.32 Mass of carbon dioxide formed = 0.505 g

Mass of water formed = 0.0864 g

12.33 % of nitrogen = 56

12.34 % of chlorine = 37.57

12.35 % of sulphur = 19.66

UNIT 13

13.1 Due to the side reaction in termination step by the combination of two $\dot{\text{C}}\text{H}_3$ free radicals.

13.2 (a) 2-Methyl-but-2-ene

(b) Pent-1-ene-3-yne

(c) Buta-1, 3-diene

(d) 4-Phenylbut-1-ene

(e) 2-Methylphenol

(f) 5-(2-Methylpropyl)-decane

(g) 4-Ethyldeca -1,5,8- triene

13.3 (a) (i) $\text{CH}_2 = \text{CH} - \text{CH}_2 - \text{CH}_3$

But-1-ene

(ii) $\text{CH}_3 - \text{CH}_2 = \text{CH} - \text{CH}_3$

But-2-ene

(iii) $\text{CH}_2 = \text{C} - \text{CH}_3$

2-Methylpropene



(b) (i) $\text{HC} \equiv \text{C} - \text{CH}_2 - \text{CH}_2 - \text{CH}_3$

Pent-1-yne

(ii) $\text{CH}_3 - \text{C} \equiv \text{C} - \text{CH}_2 - \text{CH}_3$

Pent-2-yne

(iii) $\text{CH}_3 - \text{CH} - \text{C} \equiv \text{CH}$

3-Methylbut-1-yne



13.4 (i) Ethanal and propanal

(ii) Butan-2-one and pentan-2-one

(iii) Methanal and pentan-3-one


(iv) Propanal and benzaldehyde

13.5 3-Ethylpent-2-ene


13.6 But-2-ene

13.7 4-Ethylhex-3-ene

$\text{CH}_3 - \text{CH}_2 - \text{C} = \text{CH} - \text{CH}_2 - \text{CH}_3$



- 13.8 (a) $C_4H_{10}(g) + 13/2 O_2(g) \xrightarrow{\Delta} 4CO_2(g) + 5H_2O(g)$
 (b) $C_5H_{10}(g) + 15/2 O_2(g) \xrightarrow{\Delta} 5CO_2(g) + 5H_2O(g)$
 (c) $C_6H_{10}(g) + 17/2 O_2(g) \xrightarrow{\Delta} 6CO_2(g) + 5H_2O(g)$
 (d) $C_7H_8(g) + 9O_2(g) \xrightarrow{\Delta} 7CO_2(g) + 4H_2O(g)$




The *cis* form will have higher boiling point due to more polar nature leading to stronger intermolecular dipole-dipole interaction, thus requiring more heat energy to separate them.

13.10 Due to resonance


13.11 Planar, conjugated ring system with delocalisation of $(4n+2)$ π electrons, where, n is an integer

13.12 Lack of delocalisation of $(4n+2)$ π electrons in the cyclic system.




13.13 (i)




(ii)



(iii)



13.14




15 H attached to 1° carbons

4 H attached to 2° carbons

1 H attached to 3° carbons

13.15 More the branching in alkane, lower will be the boiling point.






13.16 Refer to addition reaction of HBr to unsymmetrical alkenes in the text.



All the three products cannot be obtained by any one of the Kekulé's structures. This shows that benzene is a resonance hybrid of the two resonating structures.

13.18 $\text{H} - \text{C} \equiv \text{C} - \text{H} > \text{C}_6\text{H}_6 > \text{C}_6\text{H}_{14}$. Due to maximum s orbital character in ethyne (50 per cent) as compared to 33 per cent in benzene and 25 per cent in n-hexane.

13.19 Due to the presence of 6 π electrons, benzene behaves as a rich source of electrons thus being easily attacked by reagents deficient in electrons.



13.22 (a) Chlorobenzene > *p*-nitrochlorobenzene > 2,4 - dinitrochlorobenzene

(b) Toluene > *p*-CH₃-C₆H₄-NO₂ > *p*-O₂N-C₆H₄-NO₂

13.23 Toluene undergoes nitration most easily due to electron releasing nature of the methyl group.

13.24 FeCl₃

13.25 Due to the formation of side products. For example, by starting with 1-bromopropane and 1-bromobutane, hexane and octane are the side products besides heptane.

- physical properties	400	Conformations, relative stability	384
- preparation	399	Crystallisation	356
- resonance	398		
- stability	398	D	
- structure	397	Deactivating groups	403
- sulphonation	400	Decarboxylation	379
Benzenoid aromatic compounds	339	Decomposition reaction	270
Benzenoids	396	Dehalogenation	388
Beryllium	306	Detection of Carbon	362
- anomalous behaviour	310	Detection of hydrogen	362
- diagonal relationship with aluminium	310	Deuterium	285
Biochemical oxygen demand (BOD)	415	Diamond	325
Biological importance of calcium	312	Diborane	321
Biological importance of magnesium	312	Differential extraction	360
Biological importance of potassium	306	Dihedral angle	383
Biological importance of sodium	306	Dihydrogen	285
Bond line structural formula	336	Dihydrogen, as a fuel	289, 294
Borax	320	Dihydrogen, chemical properties	286
Borohydrides	322	Dihydrogen, commercial production	286
Boron, anomalous properties	320	Dihydrogen, laboratory preparation	286
Boron, uses	322	Dihydrogen, physical properties	286
Branched chain hydrocarbons	341	Dihydrogen, uses	287
		Directive influence of functional groups	402
C		Displacement reaction	270
Calcium	306, 307	Disproportionation reaction	272
- hydroxide	311	Distillation under reduced pressure	358
- oxide	310	Distillation	357
- sulphate (Plaster of Paris)	311	Dry ice	328
- sulphate	311		
Carbocation	349	E	
Carbon	322, 323, 325	Effects of depletion of the ozone layer	414
- allotropes	325	Electrochemical series	267
- anomalous behaviour	325	Electrodes	278
- uses	327	Electrode potential	278
Carbon monoxide	327	Electrode process	277
Carbon dioxide	328	Electromeric effect	355
Carcinogenicity	403	Electron deficient molecules	319
Catenation	325	Electronic configuration,	
Caustic soda	305	- <i>p</i> -block elements	315, 317
Cement	312	- <i>s</i> -block elements	299
Cement, setting	312	Electrophile	350
Cement, uses	312	Electrophilic reaction	350
Chain isomerism	348	Electrophilic substitution reaction	400
Chain isomers, alkanes	375	β -Elimination reaction	388
Characteristic features of double bond	335	Environment pollution, control	418
Chemical pollutants	415	Environmental pollution	406
Chromatography	360	Estimation of halogens, Carius method	367
Chromatography, adsorption	360	Estimation of nitrogen, Dumas method	364
Chromatography, column	360	Estimation of nitrogen, Kjeldahl's method	365
Chromatography, partition	361	Estimation of oxygen	368
Chromatography, thin layer	361	Estimation of phosphorous	368
<i>Cis</i> -isomer	386	Estimation of sulphur	367
Combination reactions	270	Eutrophication	415
Compressed natural gas (CNG)	373		
Condensed Structural formula	336	F	
Conformation	383	Fractional distillation	357
Conformation Eclipsed	383	Fullerenes	325
Conformation Staggered	383		
Conformational isomers	383		

- Functional group isomerism 348
 Functional groups 340
- G**
- Gaseous air pollutants 407
 Global warming 408
 Graphite 326
 Green chemistry 419
 Green house effect 328, 408
 Group 13 elements, atomic radii 317
 – chemical properties 318
 – electronegativity 318
 – ionisation enthalpy 317
 – oxidation states 318
 – physical properties 318
 – reactivity towards acids 319
 – reactivity towards air 319
 – reactivity towards alkalis 319
 – reactivity towards halogens 320
 – trends in chemical reactivity 318
 Group 14 elements, chemical properties 324
 – covalent radius 323
 – electronegativity 323
 – electronic configuration 323
 – ionization enthalpy 323
 – oxidation states 324
 – physical properties 323
 – reactivity towards halogens 324
 – reactivity towards oxygen 324
 – reactivity towards water 324
 – trends in chemical reactivity 324
- H**
- Heavy hydrogen 285
 Heterolytic cleavage 349
 Homologous series 340, 374
 Homolytic cleavage 349, 350
 Hückel rule 399
 Hydrate formation 291
 Hydration enthalpy *s*-block elements 300
 Hydrides 288
 – covalent 288
 – interstitial 289
 – ionic 288
 – electron precise 288
 – electron rich 288
 – metallic 289
 – molecular 288
 – non-stoichiometric 289
 – saline 288
 Hydrogen economy 295
 Hydrogen peroxide 293
 – chemical properties 294
 – oxidising action in acidic medium 294
 – oxidising action in basic medium 294
 – physical properties 293
 – preparation 293
- reducing action in acidic medium 294
 – reducing action in basic medium 294
 – storage 294
 – structure 294
 – uses 294
 Hydrogen storage 289
 Hydrogenation 378
 Hydrolysis 291
 Hyperconjugation 355
- I**
- Ice structure 290
 Inductive effect 352
 Industrial waste 417
 Inert pair effect 315
 Inner core 315
 International standard for drinking water 415
 Ionisation enthalpy, *s*-block elements 300
 Isomerism 348, 374
 Isotopes 285
- K**
- Kekulé, structure 397
 Kharash effect 390
 Kolbe's electrolytic method 379
- L**
- Lassaigne's test 362
 Liquefied petroleum gas (LPG) 373
 Lithium 300, 301, 304
 – anomalous properties 304
 – difference from alkali metals 304
 – points of similarities with magnesium 304
- M**
- Markovnikov rule 389
 Meta directing groups 403
 Metal activity series 267
 Metal carbonyles 328
 Metamerism 349
 Methyl carbocation 350
 Molecular models 338
 Monomers 392
- N**
- Newman projections of ethane 383
 Nomenclature 340
 – alkanes 374
 – alkenes 384
 – arenes 396
 – IUPAC system 340
 – of substituted benzene compounds 346
 Non-benzenoid compound 339
 Nucleophiles 350
 Nucleophilic reaction 350

O

Ortho directing groups	402
Orthoboric acid	320
Oxidant	269
Oxidation number	267
Oxidation state	268
Oxidation	265, 268
Ozone hole	413

P

Para directing groups	402
Particulate pollutant	411
Permanent hardness	292
– removal by calagon's method	292
– removal by ion exchange method	292
– removal by synthetic resins	292
Peroxide effect	390
Photochemical smog	413
Photochemical smog control	413
Photochemical smog, effects	412
Photosynthesis	328
Plaster of paris	311
Polar reaction	350
Polymerisation	391
Portland cement	312
Position isomerism	348
Potassium	300, 301, 306
Producer gas	327
Protium	285

Q

Quantitative analysis for carbon	363
Quantitative analysis for halogens	367
Quantitative analysis for hydrogen	363
Quantitative analysis for nitrogen	364
Quick lime	310

R

Redox couple	278
Redox reactions	263, 269, 291
Redox reactions, type	270
Reducing Agent	265, 269
Reductant	269
Reduction	265, 269
Resonance effect	354
Resonance stabilisation energy	353
Resonance structure	353
R _f value	361
Rotamers	383

S

Sawhorse projections of ethane	383
Sigma complex	401
Silicates	330
Silicic acid	325

Silicon dioxide	328
Silicones	329
Slaked lime	311
Smog	411
Sodium carbonate	304
Sodium carbonate, properties	305
Sodium chloride	305
Sodium hydrogencarbonate	306
Sodium hydroxide	305
Soil pollution	416
Standard electrode potential	278, 279
Steam distillation	359
Stereoisomers, alkenes	349
Stereoisomerisms	349
Stock notation	269
Straight chain hydrocarbons	341
Stratospheric pollution	413
Structural isomerism	348
Structural isomers, alkanes	375
Structure of double bond	384
Structure of triple bond	393
Sublimation	356
Syngas	286
Synthesis gas	286, 327

T

Temporary hardness	292
Test for halogens	363
Test for nitrogen	362
Test for phosphorous	363
Test for sulphur	363
Tortional strain	383, 384
<i>Trans</i> -isomer	386
Tritium	285
Tropospheric pollution	407

W

Washing soda	304
Water, amphoteric nature	291
Water, chemical properties	291
Water, hard	291
Water, heavy	294
Water gas	327
Water pollution	414
Water pollution, causes	414
Water, hydrate formation	291
Water, in hydrolysis reactions	291
Water, physical properties	289
Water, Soft	291
Water, structure	290
Water-gas shift reaction	286
Wurtz reaction	379

Z

Zeolites	330
----------	-----