


CASE STUDY / PASSAGE BASED QUESTIONS

1

Park with Fountain

In a park, four poles are standing at positions A , B , C and D around the fountain such that the cloth joining the poles AB , BC , CD and DA touches the fountain at P , Q , R and S respectively as shown in the figure.



Syllabus

Tangent to a circle at point of contact.

1. (Prove) The tangent at any point of a circle is perpendicular to the radius through the point of contact.

2. (Prove) The lengths of tangents drawn from an external point to a circle are equal.

Based on the above information, answer the following questions.

- (i) If O is the centre of the circular fountain, then $\angle OSA =$
 - (a) 60°
 - (b) 90°
 - (c) 45°
 - (d) None of these
- (ii) Which of the following is correct?
 - (a) $AS = AP$
 - (b) $BP = BQ$
 - (c) $CQ = CR$
 - (d) All of these
- (iii) If $DR = 7$ cm and $AD = 11$ cm, then $AP =$
 - (a) 4 cm
 - (b) 18 cm
 - (c) 7 cm
 - (d) 11 cm
- (iv) If O is the centre of the fountain, with $\angle QCR = 60^\circ$, then $\angle QOR =$
 - (a) 60°
 - (b) 120°
 - (c) 90°
 - (d) 30°
- (v) Which of the following is correct?
 - (a) $AB + BC = CD + DA$
 - (b) $AB + AD = BC + CD$
 - (c) $AB + CD = AD + BC$
 - (d) All of these


Smita always finds it confusing with the concepts of tangent and secant of a circle. But this time she has determined herself to get concepts easier. So, she started listing down the differences between tangent and secant of a circle along with their relation. Here, some points in question form are listed by Smita in her notes. Try answering them to clear your concepts also.



- (i) A line that intersects a circle exactly at two points is called
 (a) Secant (b) Tangent (c) Chord (d) Both (a) and (b)
- (ii) Number of tangents that can be drawn on a circle is
 (a) 1 (b) 0 (c) 2 (d) Infinite
- (iii) Number of tangents that can be drawn to a circle from a point not on it, is
 (a) 1 (b) 2 (c) 0 (d) Infinite
- (iv) Number of secants that can be drawn to a circle from a point on it is
 (a) infinite (b) 1 (c) 2 (d) 0
- (v) A line that touches a circle at only one point is called
 (a) Secant (b) Chord (c) Tangent (d) Diameter

Triangular Backyard

A backyard is in the shape of a triangle with right angle at B , $AB = 6$ m and $BC = 8$ m. A pit was dig inside it such that it touches the walls AC , BC and AB at P , Q and R respectively such that $AP = x$ m.




Based on the above information, answer the following questions.

- (i) The value of $AR =$
 (a) $2x$ m (b) $x/2$ m (c) x m (d) $3x$ m
- (ii) The value of $BQ =$
 (a) $2x$ m (b) $(6 - x)$ m (c) $(2 - x)$ cm (d) $4x$ m
- (iii) The value of $CQ =$
 (a) $(4 + x)$ m (b) $(10 - x)$ m (c) $(2 + x)$ m (d) both (b) and (c)
- (iv) Which of the following is correct?
 (a) Quadrilateral $AROP$ is a square. (b) Quadrilateral $BROQ$ is a square.
 (c) Quadrilateral $CQOP$ is a square. (d) None of these
- (v) Radius of the pit is
 (a) 2 cm (b) 3 cm (c) 4 cm (d) 5 cm

4

In a maths class, the teacher draws two circles that touch each other externally at point K with centres A and B and radii 5 cm and 4 cm respectively as shown in the figure.





Based on the above information, answer the following questions.

- (i) The value of $PA =$
 (a) 12 cm (b) 5 cm (c) 13 cm (d) Can't be determined
- (ii) The value of $BQ =$
 (a) 4 cm (b) 5 cm (c) 6 cm (d) None of these
- (iii) The value of $PK =$
 (a) 13 cm (b) 15 cm (c) 16 cm (d) 18 cm
- (iv) The value of $QY =$
 (a) 2 cm (b) 5 cm (c) 1 cm (d) 3 cm
- (v) Which of the following is true?
 (a) $PS^2 = PA \cdot PK$ (b) $TQ^2 = QB \cdot QK$ (c) $PS^2 = PX \cdot PK$ (d) $TQ^2 = QA \cdot QB$

5

Activity using Straws and Nail

Prem did an activity on tangents drawn to a circle from an external point using 2 straws and a nail for maths project as shown in figure.



Based on the above information, answer the following questions.

- (i) Number of tangents that can be drawn to a circle from an external point is
- (a) 1 (b) 2
(c) infinite (d) any number depending on radius of circle
- (ii) On the basis of which of the following congruency criterion, $\triangle OAP \cong \triangle OBP$?
- (a) ASA (b) SAS (c) RHS (d) SSS
- (iii) If $\angle AOB = 150^\circ$, then $\angle APB =$
- (a) 75° (b) 30° (c) 60° (d) 100°
- (iv) If $\angle APB = 40^\circ$, then $\angle BAO =$
- (a) 40° (b) 30° (c) 50° (d) 20°
- (v) If $\angle ABO = 45^\circ$, then which of the following is correct option?
- (a) $AP \perp BP$ (b) $PAOB$ is square (c) $\angle AOB = 90^\circ$ (d) All of these

6


Online Test

In an online test, Ishita comes across the statement - If a tangent is drawn to a circle from an external point, then the square of length of tangent drawn is equal to difference of squares of distance of the tangent from the centre of circle and radius of the circle.




Help Ishita, in answering the following questions based on the above statement.

- (i) If AB is a tangent to a circle with centre O at B such that $AB = 10$ cm and $OB = 5$ cm, then $OA =$
- (a) $3\sqrt{5}$ cm (b) $5\sqrt{5}$ cm (c) $4\sqrt{5}$ cm (d) $6\sqrt{5}$ cm
- (ii) In the adjoining figure, radius of the circle is



- (a) 8 cm (b) 7 cm (c) 9 cm (d) 10 cm

(iii) In the adjoining figure, length of tangent AP is




- (a) 12 cm (b) 24 cm (c) 30 cm (d) None of these

(iv) PT is a tangent to a circle with centre O and diameter = 40 cm. If $PT = 21$ cm, then $OP =$

- (a) 33 cm (b) 29 cm (c) 37 cm (d) None of these

(v) In the adjoining figure, the length of the tangent is



- (a) 15 cm (b) 9 cm (c) 8 cm (d) 10 cm

7


Theorem on Circles

If a tangent is drawn to a circle from an external point, then the radius at the point of contact is perpendicular to the tangent. Answer the following questions using the above condition.

(i) Two concentric circles are of radii 5 cm and 3 cm. Find the length of the chord of the larger circle which touches the smaller circle.


- (a) 8 cm (b) 4 cm (c) 10 cm (d) 6 cm

(ii) In the given figure, O is the centre of two concentric circles of radii 5 cm and 3 cm. From an external point P tangents PA and PB are drawn to these circles. If $PA = 12$ cm, then $PB =$




- (a) $2\sqrt{10}$ cm (b) $2\sqrt{5}$ cm (c) $4\sqrt{10}$ cm (d) $4\sqrt{5}$ cm

(iii) In the given figure, O is the centre of two concentric circles. From an external point P tangents PA and PB are drawn to these circles such that $PA = 6$ cm and $PB = 8$ cm. If $OP = 10$ cm, then $AB =$



- (a) 1 cm (b) 2 cm (c) 4 cm (d) Can't be determined

(iv) The diameter of two concentric circles are 10 cm and 6 cm. AB is a diameter of the bigger circle and BD is the tangent to the smaller circle touching it at D and intersecting the larger circle at P on producing. Find the length of BP .



- (a) 4 cm (b) 16 cm (c) 10 cm (d) 8 cm

(v) Two concentric circles are such that the difference between their radii is 4 cm and the length of the chord of the larger circle which touches the smaller circle is 24 cm. Then the radius of the smaller circle is

- (a) 16 cm (b) 20 cm (c) 18 cm (d) None of these


8

Assessment Test on Circles

Following are questions of section-A in assessment test on circle that Eswar attend last month in school. He scored 5 out of 5 in this section. Answer the questions and check your score if 1 mark is allotted to each question.



- (i) If two tangents AB and CD drawn to a circle with centre O at P and Q respectively, are parallel to each other, then which of the following is correct?
- (a) $\angle POQ = 180^\circ$ (b) PQ is a diameter
(c) $\angle APQ = \angle PQD = 90^\circ$ (d) All of these
- (ii) If l is a tangent to the circle with centre O and line m is passing through O intersects the tangent l at point of contact, then
- (a) $l \parallel m$ (b) $l \perp m$
(c) line l and line m intersects and makes an angle of 60°
(d) can't be determined
- (iii) Number of tangents that can be drawn to a circle from a point inside it, is
- (a) 1 (b) 2 (c) infinite (d) 0
- (iv) Which of the following is true?



- (a) PQ is a tangent to both the circles
 (c) PQ is a tangent to bigger circle only

- (b) Two circles are concentric
 (d) PQ is a tangent to smaller circle only

- (v) A parallelogram circumscribing a circle is called a
 (a) rhombus
 (c) square

- (b) rectangle
 (d) none of these

9


Teaching through Play-Way Method

For class 10 students, a teacher planned a game for the revision of chapter circles with some questions written on the board, which are to be answered by the students. For each correct answer, a student will get a reward. Some of the questions are given below.



Answer these questions to check your knowledge.

- (i) In the given figure, $x + y =$




- (a) 60° (b) 90° (c) 120° (d) 145°

- (ii) If PA and PB are two tangents drawn to a circle with centre O from P such that $\angle PBA = 50^\circ$, then $\angle OAB =$


- (a) 50° (b) 25° (c) 40° (d) 130°

- (iii) In the given figure, PQ and PR are two tangents to the circle, then $\angle ROQ =$




- (a) 30° (b) 60° (c) 105° (d) 150°

- (iv) In the adjoining figure, AB is a chord of the circle and AOC is its diameter such that $\angle ACB = 55^\circ$, then $\angle BAT =$



- (a) 35° (b) 55° (c) 125° (d) 110°

- (v) In the adjoining figure, if PC is the tangent at A of the circle with $\angle PAB = 72^\circ$ and $\angle AOB = 132^\circ$, then $\angle ABC =$




- (a) 18° (b) 30° (c) 60° (d) can't be determined

10

Raghav loves geometry. So he was curious to know more about the concepts of circle. His father is a mathematician. So, he reached to his father to learn something interesting about tangents and circles. His father gave him knowledge on circles and tangents and ask him to solve the following questions.




- (i) In the given figure, AP , AQ and BC are tangents to the circle such that $AB = 7$ cm, $BC = 5$ cm and $AC = 8$ cm, then AP is equal to




- (a) 12 cm (b) 15 cm (c) 13 cm (d) 10 cm

- (ii) A circle of radius 3 cm is inscribed in a right angled triangle BAC such that $BD = 9$ cm and $DC = 3$ cm. Find the length of AB .



- (a) 6 cm (b) 12 cm (c) 15 cm (d) 10 cm

(iii) In the given figure, the length of CD is




- (a) 11 cm (b) 9 cm (c) 7 cm (d) 13 cm

(iv) If PA and PB are two tangents to a circle with centre O from an external point P such that $\angle OPB = 40^\circ$, then $\angle BPA =$

- (a) 60° (b) 50° (c) 120° (d) 80°


(v) In the given figure, P is an external point from which tangents are drawn to two externally touching circles. If PA = 7 cm, then PC =



- (a) 3.5 cm (b) 4 cm (c) 7 cm (d) Can't be determined

HINTS & EXPLANATIONS

1. (i) (b):



Here, OS the is radius of circle.

Since radius at the point of contact is perpendicular

to tangent.


So, $\angle OSA = 90^\circ$

(ii) (d): Since, length of tangents drawn from an external point to a circle are equal.

$$\therefore AS = AP, BP = BQ, \\ CQ = CR \text{ and } DR = DS \quad \dots(1)$$

$$(iii) (a): AP = AS = AD - DS = AD - DR \quad (\text{Using (1)}) \\ = 11 - 7 = 4 \text{ cm}$$

(iv) (b): In quadrilateral $OQCR$,
 $\angle QCR = 60^\circ$ (Given)
 And $\angle OQC = \angle ORC = 90^\circ$
 [Since, radius at the point of contact is perpendicular to tangent.]



$$\therefore \angle QOR = 360^\circ - 90^\circ - 90^\circ - 60^\circ = 120^\circ$$

(v) (c): From (1), we have, $AS = AP$, $DS = DR$,
 $BQ = BP$ and $CQ = CR$

Adding all above equations, we get

$$AS + DS + BQ + CQ = AP + DR + BP + CR$$

$$\Rightarrow AD + BC = AB + CD$$

2. (i) (a) (ii) (d) (iii) (b)
 (iv) (a) (v) (c)

3. Here in right angled triangle ABC , $AB = 6$ m and
 $BC = 8$ cm.

$$\therefore \text{By Pythagoras theorem, } AC = \sqrt{(AB)^2 + (BC)^2}$$

$$= \sqrt{(8)^2 + (6)^2} = \sqrt{100} = 10 \text{ m}$$

Also, $AP = x$ m.

(i) (c): $AR = AP = x$ m ... (1)

[Since, length of tangents drawn from an external point are equal]

(ii) (b): $BQ = BR = AB - AR = (6 - x)$ m (Using (1))

(iii) (d): $CQ = CP = AC - AP = (10 - x)$ m

Also, $CQ = BC - BQ = BC - BR = 8 - (6 - x) = 2 + x$

(iv) (b): Since, $CQ = 10 - x = 2 + x$

$$\Rightarrow 8 = 2x \Rightarrow x = 4$$

$\therefore AR = AP = 4$ m, $BR = BQ = 2$ m

and $CP = CQ = 6$ m

Also, $OQ \perp BQ$ and $OR \perp BR$

$\therefore BROQ$ is a square.

(v) (a): Radius of the circle, $OR = BR = 2$ cm

4. Here, $AS = 5$ cm, $BT = 4$ cm [\because Radii of circles]

(i) (c): Since, radius at point of contact is perpendicular to tangent.

\therefore By Pythagoras theorem, we have

$$PA = \sqrt{PS^2 + AS^2} = \sqrt{12^2 + 5^2} = \sqrt{169} = 13 \text{ cm}$$

(ii) (b): Again by Pythagoras theorem, we have

$$BQ = \sqrt{TQ^2 + BT^2} = \sqrt{3^2 + 4^2} = \sqrt{25} = 5 \text{ cm}$$

(iii) (d): $PK = PA + AK = 13 + 5 = 18$ cm

(iv) (c): $QY = BQ - BY = 5 - 4 = 1$ cm

$$(v) (c): PS^2 = PA^2 - AS^2 = PA^2 - AK^2$$

$$= (PA + AK)(PA - AK) = PK \cdot PX \quad [\because AK = AX]$$

5. (i) (b)

(ii) (c): In $\triangle OAP$ and $\triangle OBP$,

$$\angle OAP = \angle OBP = 90^\circ$$

[Since, radius at the point of contact is perpendicular to tangent]

$$OP = OP \text{ (Common)}$$

$$OA = OB \text{ (Radii of circle)}$$

So, $\triangle OAP \cong \triangle OBP$ (By RHS congruency criterion)

(iii) (b): In quadrilateral $OAPB$, $\angle AOB = 150^\circ$

[Given]

$$\angle OAP = \angle OBP = 90^\circ$$

$$\therefore \angle APB = 360^\circ - 90^\circ - 90^\circ - 150^\circ = 30^\circ$$

(iv) (d): We have, $\angle APB = 40^\circ$

Now, $PA = PB$

[Since, length of tangents drawn from an external point are equal]

In $\triangle PAB$, $\angle PAB = \angle PBA = 70^\circ$

[Angles opposite to equal sides are equal]

Also, $\angle PAB + \angle BAO = 90^\circ$

[Since, radius at the point of contact is perpendicular to tangent]

$$\Rightarrow \angle BAO = 90^\circ - 70^\circ = 20^\circ$$

(v) (d): We have, $\angle ABO = 45^\circ$

$\therefore AO = OB$ (Radii of circle)

$$\therefore \angle BAO = \angle ABO = 45^\circ$$

[Angles opposite to equal sides are equal]

Now, in $\triangle OAB$,

$$\angle AOB = 180^\circ - 45^\circ - 45^\circ = 90^\circ$$

Since, $\angle APB = 360^\circ - 90^\circ - 90^\circ - 90^\circ = 90^\circ$ i.e., $AP \perp BP$

So, $OAPB$ is a square.

6. (i) (b): $OA^2 = AB^2 + OB^2$




$$\Rightarrow OA = \sqrt{10^2 + 5^2} = 5\sqrt{5} \text{ cm}$$

(ii) (a): $OA = \sqrt{OP^2 - AP^2}$ (Given)


$$= \sqrt{17^2 - 15^2} = \sqrt{64} = 8 \text{ cm}$$

(iii) (b): Length of tangent, $AP = \sqrt{OP^2 - OA^2}$ (Given)

$$= \sqrt{25^2 - 7^2} = \sqrt{576} = 24 \text{ cm}$$



(iv) (b):



Since, $OP = \sqrt{(PT)^2 + (OT)^2} = \sqrt{21^2 + 20^2} = 29$ cm

(v) (a): Since, $OP^2 + PQ^2 = OQ^2$

$$\Rightarrow 8^2 + x^2 = (x + 2)^2 \Rightarrow 64 = 4x + 4 \Rightarrow x = 15$$
 cm


So, length of tangent, $PQ = 15$ cm

7. (i) (a): Here, $OA^2 = OD^2 + AD^2$

$$\Rightarrow AD = \sqrt{25 - 9} = 4$$
 cm

As OD bisects AB , then

$$AB = 2AD = 2 \times 4 = 8$$
 cm



(ii) (c): Here, $PB^2 + OB^2 = OP^2 = PA^2 + OA^2$

$$\text{Then } PB^2 + 9 = 144 + 25 \Rightarrow PB^2 = 160$$

$$\Rightarrow PB = 4\sqrt{10}$$
 cm

(iii) (b): Here, $OP^2 - PB^2 = OB^2$ and $OP^2 - PA^2 = OA^2$

$$\therefore OB = \sqrt{100 - 64} = \sqrt{36} = 6$$
 cm

$$\text{and } OA = \sqrt{100 - 36} = \sqrt{64} = 8$$
 cm

$$\therefore AB = OA - OB = 8 - 6 = 2$$
 cm

(iv) (d): Here, in right angled $\triangle OBD$, $OB = 5$ cm and $OD = 3$ cm.

$$\therefore BD = \sqrt{25 - 9} = \sqrt{16} = 4$$
 cm

Since, chord BP is bisected by radius OD .

$$\therefore BP = 2BD = 8$$
 cm


(v) (a): Let x be the radii of smaller circle.

$$\text{Now, } OA^2 = OD^2 + AD^2$$


$$\Rightarrow (x + 4)^2 = x^2 + 12^2$$

$$\Rightarrow 8x + 16 = 144$$

$$\Rightarrow x = 16$$
 cm



8. (i) (d):



Two tangents of a circle are parallel only when they are drawn at ends of a diameter.

So, PQ is the diameter of the circle.

(ii) (b)

(iii) (d)


(iv) (a): Here, the two circles have a common point of contact T and PQ is the tangent at T . So, PQ is the tangent to both the circles.

(v) (a)

9. (i) (b): In $\triangle OAC$, $\angle OCA = 90^\circ$

[Since, radius at the point of contact is perpendicular to tangent]

$$\therefore \angle OAC + \angle AOC = 90^\circ \Rightarrow x + y = 90^\circ$$



Since, $OB \perp PB$ [Since, radius at the point of contact is perpendicular to tangent]

and $\angle PBA = 50^\circ$ (Given)

$$\therefore \angle OBA = 90^\circ - 50^\circ = 40^\circ$$

Also, $OA = OB$

[Radii of circle]

$$\therefore \angle OAB = \angle OBA = 40^\circ$$

[Angle opposite to equal sides are equal]

(iii) (d): In quadrilateral $OQPR$,

$$\angle ROQ + \angle RPQ = 180^\circ$$

[\because Angle between the two tangents drawn from an external point to a circle is supplementary to the angle subtended by the line segment joining the point of contact at the centre]

$$\Rightarrow \angle ROQ = 180^\circ - 30^\circ = 150^\circ$$

(iv) (b): Here, $\angle ABC = 90^\circ$ (Angle in a semicircle)

So, in $\triangle ABC$, $\angle BAC = 180^\circ - 90^\circ - 55^\circ = 35^\circ$

Also, $\angle OAT = 90^\circ$

$$\Rightarrow \angle BAT + \angle OAB = 90^\circ \Rightarrow \angle BAT = 90^\circ - 35^\circ = 55^\circ$$

(v) (b): Here, $\angle PAB = 72^\circ$

$$\therefore \angle OAB = 90^\circ - 72^\circ = 18^\circ$$

Also, $\angle AOB = 132^\circ$

[Given]

$$\text{Now, in } \triangle OAB, \angle ABC = 180^\circ - 132^\circ - 18^\circ = 30^\circ$$

10. (i) (d): We have, $AP = AQ$, $BP = BD$, $CQ = CD$... (i)

[\because Tangents drawn from an external points are equal in length]

$$\text{Now, } AB + BC + AC = 7 + 5 + 8 = 20$$
 cm

$$\Rightarrow AB + BD + CD + AC = 20$$
 cm

$$\Rightarrow AP + AQ = 20$$
 cm $\Rightarrow 2AP = 20$ cm $\Rightarrow AP = 10$ cm

(ii) (c): Let $AF = AE = x$ cm

[\because Tangents drawn from an external point to a circle are equal in length]

Given, $BD = FB = 9$ cm, $CD = CE = 3$ cm

In $\triangle ABC$, $AB^2 = AC^2 + BC^2$

$$\Rightarrow (AF + FB)^2 = (AE + EC)^2 + (BD + CD)^2$$

$$\Rightarrow (x + 9)^2 = (x + 3)^2 + 12^2$$

$$\Rightarrow 18x + 81 = 6x + 9 + 144$$

$$\Rightarrow 12x = 72 \Rightarrow x = 6$$
 cm

$$\therefore AB = 6 + 9 = 15$$
 cm

(iii) (b): Here, $AP = AS = 4$ cm

$$\therefore DS = DR = 10 - 4 = 6$$
 cm

And $BP = BQ = 2$ cm. So, $CR = CQ = 5 - 2 = 3$ cm

$$\text{So, } CD = DR + CR = 6 + 3 = 9$$
 cm

(iv) (d): Here $\angle OAP = 90^\circ$

In $\triangle AOP$ and $\triangle BOP$

$$\angle OAP = \angle OBP \text{ [} 90^\circ \text{ each]}$$

$OA = OB$ [Radii of circle]

$PA = PB$ [Tangents drawn from an external point are equal]

$\therefore \triangle AOP \cong \triangle BOP$ [By SAS congruency]

$$\therefore \angle APO = \angle OPB \text{ [C.P.C.T]} \\ = 40^\circ$$

$$\therefore \angle BPA = 40^\circ + 40^\circ = 80^\circ$$

(v) (c): For bigger circle, $PA = PB$... (i)

[\therefore Tangents drawn from an external point are equal in length]

Similarly, for smaller circle, $PB = PC$... (ii)

From (i) and (ii), we get

$$PA = PB = PC = 7$$
 cm

