

# Mathematics

(Chapter – 2) (Whole Numbers)  
(Class – VI)

## Exercise 2.1

### Question 1:

Write the next three natural numbers after 10999.

#### Answer 1:

$$10,999 + 1 = 11,000$$

$$11,000 + 1 = 11,001$$

$$11,001 + 1 = 11,002$$

### Question 2:

Write the three whole numbers occurring just before 10001.

#### Answer 2:

$$10,001 - 1 = 10,000$$

$$10,000 - 1 = 9,999$$

$$9,999 - 1 = 9,998$$

### Question 3:

Which is the smallest whole number?

#### Answer 3:

'0' (zero) is the smallest whole number.

### Question 4:

How many whole numbers are there between 32 and 53?

#### Answer 4:

$$53 - 32 - 1 = 20$$

There are 20 whole numbers between 32 and 53.

### Question 5:

Write the successor of:

(a) 2440701

(b) 100199

(c) 1099999

(d) 2345670

#### Answer 5:

(a) Successor of 2440701 is  $2440701 + 1 = 2440702$

(b) Successor of 100199 is  $100199 + 1 = 100200$

(c) Successor of 1099999 is  $1099999 + 1 = 1100000$

(d) Successor of 2345670 is  $2345670 + 1 = 2345671$

### Question 6:

Write the predecessor of:

- (a) 94 (b) 10000  
(c) 208090 (d) 7654321

### Answer 6:

- (a) The predecessor of 94 is  $94 - 1 = 93$   
(b) The predecessor of 10000 is  $10000 - 1 = 9999$   
(c) The predecessor of 208090 is  $208090 - 1 = 208089$   
(d) The predecessor of 7654321 is  $7654321 - 1 = 7654320$

### Question 7:

In each of the following pairs of numbers, state which whole number is on the left of the other number on the number line? Also write them with the appropriate sign ( $>$ ,  $<$ ) between them.

- (a) 530, 503 (b) 370, 307  
(c) 98765, 56789 (d) 9830415, 10023001

### Answer 7:

- (a)  $530 > 503$ ;  
So 503 appear on left side of 530 on number line.  
(b)  $370 > 307$ ;  
So 307 appear on left side of 370 on number line.  
(c)  $98765 > 56789$ ;  
So 56789 appear on left side of 98765 on number line.  
(d)  $9830415 < 10023001$ ;  
So 9830415 appear on left side of 10023001 on number line.

**Question 8:**

Which of the following statements are true (T) and which are false (F):

- (a) Zero is the smallest natural number.
- (b) 400 is the predecessor of 399.
- (c) Zero is the smallest whole number.
- (d) 600 is the successor of 599.
- (e) All natural numbers are whole numbers.
- (f) All whole numbers are natural numbers.
- (g) The predecessor of a two digit number is never a single digit number.
- (h) 1 is the smallest whole number.
- (i) The natural number 1 has no predecessor.
- (j) The whole number 1 has no predecessor.
- (k) The whole number 13 lies between 11 and 12.
- (l) The whole number 0 has no predecessor.
- (m) The successor of a two digit number is always a two digit number.

 **Answer 8:**

- |           |           |           |           |
|-----------|-----------|-----------|-----------|
| (a) False | (b) False | (c) True  | (d) True  |
| (e) True  | (f) False | (g) False | (h) False |
| (i) True  | (j) False | (k) False | (l) True  |
| (m) False |           |           |           |

## Exercise 2.2

### Question 1:

Find the sum by suitable rearrangement:

(a)  $837 + 208 + 363$

(b)  $1962 + 453 + 1538 + 647$

#### Answer 1:

$$\begin{aligned} \text{(a)} \quad & 837 + 208 + 363 \\ &= (837 + 363) + 208 \\ &= 1200 + 208 \\ &= 1408 \end{aligned}$$

$$\begin{aligned} \text{(b)} \quad & 1962 + 453 + 1538 + 647 \\ &= (1962 + 1538) + (453 + 647) \\ &= 3500 + 1100 \\ &= 4600 \end{aligned}$$

### Question 2:

Find the product by suitable arrangement:

(a)  $2 \times 1768 \times 50$

(b)  $4 \times 166 \times 25$

(c)  $8 \times 291 \times 125$

(d)  $625 \times 279 \times 16$

(e)  $285 \times 5 \times 60$

(f)  $125 \times 40 \times 8 \times 25$

#### Answer 2:

$$\begin{aligned} \text{(a)} \quad & 2 \times 1768 \times 50 \\ &= (2 \times 50) \times 1768 \\ &= 100 \times 1768 \\ &= 176800 \end{aligned}$$

$$\begin{aligned} \text{(b)} \quad & 4 \times 166 \times 25 \\ &= (4 \times 25) \times 166 \\ &= 100 \times 166 \\ &= 16600 \end{aligned}$$

$$\begin{aligned} \text{(c)} \quad & 8 \times 291 \times 125 \\ &= (8 \times 125) \times 291 \\ &= 1000 \times 291 \\ &= 291000 \end{aligned}$$

$$\begin{aligned} \text{(d)} \quad & 625 \times 279 \times 16 \\ &= (625 \times 16) \times 279 \\ &= 10000 \times 279 \\ &= 2790000 \end{aligned}$$

$$\begin{aligned} \text{(e)} \quad & 285 \times 5 \times 60 \\ &= 285 \times (5 \times 60) \\ &= 285 \times 300 \\ &= 85500 \end{aligned}$$

$$\begin{aligned} \text{(f)} \quad & 125 \times 40 \times 8 \times 25 \\ &= (125 \times 8) \times (40 \times 25) \\ &= 1000 \times 1000 \\ &= 1000000 \end{aligned}$$

### Question 3:

Find the value of the following:

- (a)  $297 \times 17 + 297 \times 3$
- (b)  $54279 \times 92 + 8 \times 54279$
- (c)  $81265 \times 169 - 81265 \times 69$
- (d)  $3845 \times 5 \times 782 + 769 \times 25 \times 218$

### Answer 3:

- (a)  $297 \times 17 + 297 \times 3$   
 $= 297 \times (17 + 3)$   
 $= 297 \times 20$   
 $= 5940$
- (b)  $54279 \times 92 + 8 \times 54279$   
 $= 54279 \times (92 + 8)$   
 $= 54279 \times 100$   
 $= 5427900$
- (c)  $81265 \times 169 - 81265 \times 69$   
 $= 81265 \times (169 - 69)$   
 $= 81265 \times 100$   
 $= 8126500$
- (d)  $3845 \times 5 \times 782 + 769 \times 25 \times 218$   
 $= 3845 \times 5 \times 782 + 769 \times 5 \times 5 \times 218$   
 $= 3845 \times 5 \times 782 + 3845 \times 5 \times 218$   
 $= 3845 \times 5 \times (782 + 218)$   
 $= 3845 \times 5 \times 1000$   
 $= 19225000$

### Question 4:

Find the product using suitable properties:

- (a)  $738 \times 103$
- (b)  $854 \times 102$
- (c)  $258 \times 1008$
- (d)  $1005 \times 168$

### Answer 4:

- (a)  $738 \times 103$   
 $= 738 \times (100 + 3)$   
 $= 738 \times 100 + 738 \times 3$   
 $= 73800 + 2214$   
 $= 76014$
- (b)  $854 \times 102$   
 $= 854 \times (100 + 2)$   
 $= 854 \times 100 + 854 \times 2$   
 $= 85400 + 1708$   
 $= 87108$
- (c)  $258 \times 1008$   
 $= 258 \times (1000 + 8)$   
 $= 258 \times 1000 + 258 \times 8$   
 $= 258000 + 2064$   
 $= 260064$
- (d)  $1005 \times 168$   
 $= (1000 + 5) \times 168$   
 $= 1000 \times 168 + 5 \times 168$   
 $= 168000 + 840$   
 $= 168840$

### Question 5:

A taxi-driver, filled his car petrol tank with 40 litres of petrol on Monday. The next day, he filled the tank with 50 litres of petrol. If the petrol costs ₹ 44 per litre, how much did he spend in all on petrol?

### Answer 5:

Petrol filled on Monday = 40 litres

Petrol filled on next day = 50 litres

Total petrol filled = 90 litres

Now,

Cost of 1 litre petrol = ₹ 44

Cost of 90 litres petrol =  $44 \times 90$

$$= 44 \times (100 - 10)$$

$$= 44 \times 100 - 44 \times 10$$

$$= 4400 - 440$$

$$= ₹ 3960$$

Therefore, he spent ₹ 3960 on petrol.

### Question 6:

A vendor supplies 32 litres of milk to a hotel in a morning and 68 litres of milk in the evening. If the milk costs ₹15 per litre, how much money is due to the vendor per day?

### Answer 6:

Supply of milk in morning = 32 litres

Supply of milk in evening = 68 litres

Total supply =  $32 + 68 = 100$  litres

Now

Cost of 1 litre milk = ₹15

Cost of 100 litres milk =  $15 \times 100 = ₹1500$

Therefore, ₹1500 is due to the vendor per day.

### Question 7:

Match the following:

(i)  $425 \times 136 = 425 \times (6 + 30 + 100)$

(a) Commutativity under multiplication

(ii)  $2 \times 48 \times 50 = 2 \times 50 \times 49$

(b) Commutativity under addition

(iii)  $80 + 2005 + 20 = 80 + 20 + 2005$

(c) Distributivity multiplication under addition

 **Answer 7:**

- (i)  $425 \times 136 = 425 \times (6 + 30 + 100)$  (c) Distributivity of multiplication over addition
- (ii)  $2 \times 49 \times 50 = 2 \times 50 \times 49$  (a) Commutivity under multiplication
- (iii)  $80 + 2005 + 20 = 80 + 20 + 2005$  (b) Commutivity under addition

## Exercise 2.3

### Question 1:

Which of the following will not represent zero:

(a)  $1 + 0$

(b)  $0 \times 0$

(c)  $\frac{0}{2}$

(d)  $\frac{10-10}{2}$

### Answer 1:

(a) [1 + 0 is equal to 1]

### Question 2:

If the product of two whole numbers is zero, can we say that one or both of them will be zero? Justify through examples.

### Answer 2:

Yes, if we multiply any number with zero the resultant product will be zero.

Example:  $2 \times 0 = 0, 5 \times 0 = 0, 9 \times 0 = 0$

If both numbers are zero, then the result also be zero.

$$0 \times 0 = 0$$

### Question 3:

If the product of two whole number is 1, can we say that one or both of them will be 1? Justify through examples.

### Answer 3:

If only one number be 1 then the product cannot be 1.

Examples:  $5 \times 1 = 5, 4 \times 1 = 4, 8 \times 1 = 8$

If both number are 1, then the product is 1

$$1 \times 1 = 1$$

### Question 4:

Find using distributive property:

(a)  $728 \times 101$

(b)  $5437 \times 1001$

(c)  $824 \times 25$

(d)  $4275 \times 125$

(e)  $504 \times 35$



 **Answer 4:**

$$\begin{aligned} \text{(a) } 728 \times 101 & \\ &= 728 \times (100 + 1) \\ &= 728 \times 100 + 728 \times 1 \\ &= 72800 + 728 \\ &= 73528 \end{aligned}$$

$$\begin{aligned} \text{(b) } 5437 \times 1001 & \\ &= 5437 \times (1000 + 1) \\ &= 5437 \times 1000 + 5437 \times 1 \\ &= 5437000 + 5437 \\ &= 5442437 \end{aligned}$$

$$\begin{aligned} \text{(c) } 824 \times 25 & \\ &= 824 \times (20 + 5) \\ &= 824 \times 20 + 824 \times 5 \\ &= 16480 + 4120 \\ &= 20600 \end{aligned}$$

$$\begin{aligned} \text{(d) } 4275 \times 125 & \\ &= 4275 \times (100 + 20 + 5) \\ &= 4275 \times 100 + 4275 \times 20 + 4275 \times 5 \\ &= 427500 + 85500 + 21375 \\ &= 534375 \end{aligned}$$

$$\begin{aligned} \text{(e) } 504 \times 35 & \\ &= (500 + 4) \times 35 \\ &= 500 \times 35 + 4 \times 35 \\ &= 17500 + 140 \\ &= 17640 \end{aligned}$$

**Question 5:**

Study the pattern:

$$1 \times 8 + 1 = 9;$$

$$12 \times 8 + 2 = 98;$$

$$123 \times 8 + 3 = 987$$

$$1234 \times 8 + 4 = 9876;$$

$$12345 \times 8 + 5 = 98765$$

Write the next two steps. Can you say how the pattern works?

 **Answer 5:**

$$123456 \times 8 + 6 = 987654$$

$$1234567 \times 8 + 7 = 9876543$$

Pattern works like this:

$$1 \times 8 + 1 = 9$$

$$12 \times 8 + 2 = 98$$

$$123 \times 8 + 3 = 987$$

$$1234 \times 8 + 4 = 9876$$

$$12345 \times 8 + 5 = 98765$$

$$123456 \times 8 + 6 = 987654$$

$$1234567 \times 8 + 7 = 9876543$$