# Ex 14.1

## Differentials Errors and Approximation Ex 14.1 Q1

Let 
$$x = \frac{\pi}{2}$$
,  $x + \Delta x = \frac{22}{14}$   

$$\Delta x = \frac{22}{14} - x$$

$$\Delta x = \left(\frac{22}{14} - \frac{\pi}{2}\right)$$

$$y = \sin x$$

$$\frac{dy}{dx} = \cos x$$

$$\left(\frac{dy}{dx}\right)_{x = \frac{\pi}{2}} = \frac{\cos \pi}{2}$$

$$\left(\frac{dy}{dx}\right)_{x = \frac{\pi}{2}} = 0$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x = \frac{\pi}{2}} \times \Delta a x$$
$$= 0 \times \left(\frac{22}{14} - \frac{\pi}{2}\right)$$
$$\Delta y = 0$$

So, there is no change in y.

Let 
$$x = 10$$
,  $x + \Delta x = 9.8$   
 $\Delta x = 9.8 - x$   
 $= 9.8 - 10$   
 $\Delta x = -0.2$   

$$y = \frac{4}{3}\pi x^3$$
 [volume of sphere]  

$$\frac{dy}{dx} = 4\pi r^2$$
  

$$\left(\frac{dy}{dx}\right)_{x=10} = 4\pi (10)^2$$
  

$$\left(\frac{dy}{dx}\right)_{x=10} = 400\pi \text{ cm}^2$$
  

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=10} \times \Delta x$$
  
 $= 400\pi \times (-0.2)$   
 $\Delta y = -80\pi \text{ cm}^3$ 

So, approximate diecocase in volume is  $80\pi$  cm<sup>3</sup>.

## Differentials Errors and Approximation Ex 14.1 Q3

Let 
$$x = 10$$
,  $x + \Delta x = 10 + \frac{k}{100} \times 10$   
 $x + \Delta x = 10 + 0.k$   

$$\Rightarrow \Delta x = 10 + 0.k - 10$$

$$\Delta x = 0.k$$

$$y = \pi r^2$$

$$\frac{dy}{dx} = 2\pi r$$

$$\left(\frac{dy}{dx}\right)_{x=10} = 2\pi \left(10\right)$$

$$\left(\frac{dy}{dx}\right)_{x=10} = 20\pi \text{ cm}$$
So,
$$\Delta y = \left(\frac{dy}{dx}\right)_{x=10} \times \Delta x$$

$$= (20\pi) \times (0.k)$$

$$\Delta y = 2k\pi\text{ cm}^2$$

Area of the plate increases by  $2k\pi$  cm<sup>2</sup>.

## Differentials Errors and Approximation Ex 14.1 Q4

Percentage error in area is 2%.

Let x be the radius of sphere,  $\Delta x = 0.1\%$  of x $\Delta x = 0.001x$ 

Now,

Let y = volume of sphere

$$y = \frac{4}{3}\pi x^3$$

$$\frac{dy}{dx} = 4\pi x^2$$

$$\Delta y = \left(\frac{dy}{dx}\right) \times \Delta x$$
$$= 4\pi x^2 \times 0.001x$$

$$=\frac{4}{3}\pi x^3 (0.003)$$

$$\Delta y = 0.3\% \text{ of } y$$

So, percentage error in volume of error = 0.3%.

#### Differentials Errors and Approximation Ex 14.1 Q6

Given, 
$$\Delta v = -\frac{1}{2}\%$$
  
= -0.5%  
 $\Delta v = -0.005$ 

Here,

$$pv^{1.4} = k$$

Taking log on both the sides,

$$\log \left( p v^{1.4} \right) = \log k$$

$$\log p + 1.4\log v = \log k$$

Differentiate it with respect to v,

$$\frac{1}{p}\frac{dp}{dv} + \frac{1.4}{v} = 0$$

$$\frac{dp}{dv} = -\frac{1.4}{v}p$$

$$\Delta p = \left(\frac{dp}{dv}\right) \Delta v$$

$$= -\frac{1.4p}{v} \times (-0.005)$$

$$\Delta p = \frac{1.4p(0.005)}{v}$$

$$\Delta p \text{ in } \% = \frac{\Delta p}{p} \times 100$$

$$= \frac{1.4p(0.005)}{p} \times 100$$

$$\Delta p \text{ in } \% = \frac{\Delta p}{p} \times 100$$

$$= \frac{1.4p(0.005)}{p} \times 100$$

$$= 0.7\%$$

So, percentage error in p = 0.7%.

Let h be the height of the cone, and  $\alpha$  be the semivertide angle.

Here vertgide angle  $\alpha$  is fixed.

$$\Delta h = k\% \text{ of } h$$

$$= \frac{k}{100} \times h$$

$$\Delta h = (0.0k) h$$

(i) 
$$A = \pi r (r + l)$$

$$= \pi (r^2 + rl)$$

$$= \pi (r^2) + r\sqrt{h^2 + r^2}$$
[Since, in a cone  $l^2 = h^2 + r^2$ ]
$$r = h \tan \alpha$$
[from figure]
$$A = \pi \left[ h^2 \tan^2 \alpha + h \tan \alpha \sqrt{h^2 + h^2 \tan^2 \alpha} \right]$$

$$= \pi \left[ h^2 \tan^2 \alpha + h \tan \alpha \sqrt{h^2 (1 + \tan^2 \alpha)} \right]$$

$$= \pi \left[ h^2 \tan^2 \alpha + h \tan \alpha \times h \sec \alpha \right]$$

$$= \pi h^2 \left[ \frac{\sin^2 \alpha}{\cos^2 \alpha} + \frac{\sin \alpha}{\cos^2 \alpha} \right]$$

$$A = \pi h^2 \frac{\sin \alpha (\sin \alpha + 1)}{\cos^2 \alpha}$$

Differentiating with respect to h as  $\alpha$  is fixed.

$$\frac{dA}{dh} = 2\pi h \, \frac{\sin\alpha \left(\sin\alpha + 1\right)}{\cos^2\alpha}$$

So, 
$$\Delta A = \frac{dA}{dh} \times \Delta h$$

$$\Delta a = \frac{2\pi h (0.0kh) \sin \alpha (\sin \alpha + 1)}{\cos^2 \alpha}$$

$$\Delta A \text{ in \% of } A = \frac{2\pi h (0.0kh) \sin \alpha (\sin \alpha + 1)}{\cos^2 \alpha} \times \frac{100}{A}$$

$$= \frac{2\pi k h^2 \times \sin \alpha (\sin \alpha + 1)}{\cos^2 \alpha} \times \frac{\cos^2 \alpha}{\pi h^2 \sin \alpha (\sin \alpha + 1)}$$

So, percentage increase in area = 2k%.

(ii)  
Let 
$$v = \text{volume of cone}$$
  

$$= \frac{1}{3}\pi r^2 h$$

$$= \frac{1}{3}\pi \left(h \tan \alpha\right)^2 h$$

$$v = \frac{\pi}{3} \tan^2 \alpha h^2$$

Differentiating it with respect to h treating  $\alpha$  as constant,

$$\frac{dv}{dh} = \pi \tan^2 \alpha \times h^2$$

$$\Delta v = \left(\frac{dv}{dh}\right) \Delta h$$

$$= \pi \tan^2 \alpha h^2 \times (0.0kh)$$

$$\Delta v = 0.0k \pi h^3 \tan^2 \alpha$$

Percentage increase in 
$$v = \frac{\Delta v \times 100}{v}$$
$$= \frac{0.0k \pi h^3 \tan^2 \alpha \times 100}{\frac{\pi}{3} \tan^2 \alpha \times h^3}$$
$$= 3k\%$$

So, percentage increase in volume = 3k%.

#### Differentials Errors and Approximation Ex 14.1 Q8

Let error in radius 
$$(r) = x\%$$
 of  $r$   
 $\Delta r = 0.0xr$ 

Let 
$$v = \text{volume of sphere}$$
  
$$v = \frac{4}{3}\pi r^3$$

Differentiating it with respect to r,

$$\frac{dv}{dr} = 4\pi r^2$$

So,

$$\Delta V = \left(\frac{dV}{dr}\right) \times \Delta r$$
$$= \left(4\pi r^2\right) \left(0.0X\right) r$$
$$\Delta V = 0.0X \times 4\pi r^3$$

Percentage of error in volume =  $\frac{\Delta v \times 100}{v}$  =  $\frac{\left(0.0x\right)4\pi r^3 \times 100}{\frac{4}{3}\pi r^3}$ 

Percentage of error in volume = 3 (percentage of error in radius).

#### Differentials Errors and Approximation Ex 14.1 Q9(i)

Let 
$$x = 25$$
,  $x + \Delta x = 25.02$   
 $\Delta x = 25.02 - 25$   
 $\Delta x = 0.02$ 

Let 
$$y = \sqrt{x}$$
$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$
$$\left(\frac{dy}{dx}\right)_{x=25} = \frac{1}{2\sqrt{25}}$$
$$\left(\frac{dy}{dx}\right)_{x=25} = \frac{1}{10}$$

Now,

$$\Delta y = \left(\frac{dy}{dx}\right)_{x-25} \times x$$

$$= \frac{1}{10} (0.02)$$

$$\Delta y = 0.002$$

$$\sqrt{25.02} = y + \Delta y$$

$$= \sqrt{25} + 0.002$$

$$= 5 + 0.002$$

$$\sqrt{25.02} = 5.002$$

Let 
$$x = 0.008, x + \Delta x = 0.009$$
  
 $\Delta x = 0.009 - 0.008$   
 $\Delta x = 0.001$ 

Let 
$$y = x^{\frac{1}{3}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{2}{3x^{\frac{3}{3}}}}$   
 $\left(\frac{dy}{dx}\right)_{x=0.008} = \frac{1}{3(0.008)^{\frac{2}{3}}}$   
 $= \frac{1}{3(0.04)}$   
 $= \frac{100}{12}$   
 $= 0.8333$ 

So,  

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=0.008} \times \Delta x$$

$$= (0.8333)(0.001)$$

$$\Delta y = 0.008333$$

$$(0.009)^{\frac{1}{3}} = y + \Delta y$$

$$= (x)^{\frac{1}{3}} + 0.008333$$

$$= (0.008)^{\frac{1}{3}} + 0.008333$$

$$= 0.52 + 0.008333$$

#### Differentials Errors and Approximation Ex 14.1 Q9(iii)

Let 
$$x = 0.008, x + \Delta x = 0.007$$
  
 $\Delta x = 0.007 - 0.008$   
 $\Delta x = -0.001$ 

 $(0.009)^{\frac{1}{3}} = 0.208333$ 

Let 
$$y = x^{\frac{1}{3}}$$
  
 $\frac{dy}{dx} = \frac{1}{3(x)^{\frac{2}{3}}}$   
 $\left(\frac{dy}{dx}\right)_{x=0.008} = \frac{1}{3(0.008)^{\frac{2}{3}}}$   
 $= \frac{100}{12}$   
 $\left(\frac{dy}{dx}\right)_{x=0.008} = 8.333$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=0.008} \times \Delta x$$

$$= (8.333)(-0.001)$$

$$\Delta y = -0.008333$$

$$(0.007)^{\frac{1}{3}} = y + \Delta y$$

$$= x^{\frac{1}{3}} - 0.008333$$

$$= (0.008)^{\frac{1}{3}} - 0.008333$$

$$= 0.2 - 0.008333$$

$$(0.007)^{\frac{1}{3}} = 0.191667$$

Let 
$$x = 400, x + \Delta x = 401$$
  
 $\Delta x = 401 - 400$   
 $\Delta x = 1$ 

Let 
$$y = \sqrt{x}$$
$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$
$$\left(\frac{dy}{dx}\right)_{x=400} = \frac{1}{2\sqrt{400}}$$
$$= \frac{1}{40}$$
$$\left(\frac{dy}{dx}\right)_{x=400} = 0.025$$

So,  

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=400} \times \Delta x$$

$$= (0.025)(1)$$

$$= 0.025$$

$$\sqrt{401} = y + \Delta y$$

$$= \sqrt{x} + 0.025$$

$$= \sqrt{400} + 0.025$$

$$= 20 + 0.025$$

$$\sqrt{401} = 20.025$$

#### Differentials Errors and Approximation Ex 14.1 Q9(v)

Let 
$$x = 16$$
,  $x + \Delta x = 15$   
 $\Delta x = 15 - 16$   
 $\Delta x = -1$ 

Let 
$$y = x^{\frac{1}{4}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{3}{4x^{\frac{3}{4}}}}$   
 $\left(\frac{dy}{dx}\right)_{x=16} = \frac{1}{4(16)^{\frac{3}{4}}}$   
 $= \frac{1}{32}$   
 $= 0.03125$ 

Now,  

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=16} \times \Delta x$$

$$= (0.03125)(-1)$$

$$\Delta y = -0.03125$$

$$(15)^{\frac{1}{4}} = y + \Delta y$$

$$= (x)^{\frac{1}{4}} - 0.03125$$

$$= (16)^{\frac{1}{4}} - 0.03125$$

$$= 2 - 0.03125$$

$$(15)^{\frac{1}{4}} = 1.96875$$

Let 
$$x = 256, x + \Delta x = 255$$
  
 $\Delta x = 255 - 256$   
 $\Delta x = -1$ 

Let 
$$y = x^{\frac{1}{4}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{3}{4x^{\frac{3}{4}}}}$   
 $\left(\frac{dy}{dx}\right)_{x-256} = \frac{1}{4(256)^{\frac{3}{4}}}$   
 $= \frac{1}{256}$   
 $= 0.00391$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=256} \times \Delta x$$

$$= (0.00391)(-1)$$

$$\Delta y = -0.00391$$

$$(255)^{\frac{1}{4}} = y + \Delta y$$

$$= (x)^{\frac{1}{4}} + (-0.00391)$$

$$= (256)^{\frac{1}{4}} - 0.00391$$

$$= 4 - 0.00391$$

$$(255)^{\frac{1}{4}} = 3.99609$$

## Differentials Errors and Approximation Ex 14.1 Q9(vii)

Let 
$$x = 2$$
,  $x + \Delta x = 2.002$   
 $\Delta x = 2.002 - 2$   
 $\Delta x = 0.002$ 

Let 
$$y = \frac{1}{x^2}$$

$$\frac{dy}{dx} = -\frac{2}{x^3}$$

$$\left(\frac{dy}{dx}\right)_{x=2} = -\frac{2}{8}$$

$$= -0.25$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=2} \times \Delta x$$
$$= \left(-0.25\right)\left(0.002\right)$$
$$\Delta y = -0.0005$$

$$\frac{1}{(2.002)^3} = y + \Delta y$$
$$= \frac{1}{x^2} + (-0.0005)$$
$$= \frac{1}{4} - 0.0005$$
$$= 0.25 - 0.0005$$

$$\frac{1}{(2.002)^3} = 0.2495$$

Let 
$$x = 4, x + \Delta x = 4.04$$
$$\Delta x = 4.04 - 4$$
$$\Delta x = 0.04$$
Let 
$$y = \log x$$
$$\frac{dy}{dx} = \frac{1}{x}$$
$$\left(\frac{dy}{dx}\right)_{x=4} = \frac{1}{4}$$
$$= 0.25$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=4} \times \Delta x$$
$$= (0.25)(0.04)$$
$$\Delta y = 0.01$$

$$\begin{aligned} \log_{e} \ 4.04 &= y + \Delta y \\ &= \log x + (0.01) \\ &= \log_{e} 4 + 0.01 \\ &= \frac{\log_{e} 4}{\log_{10} e} + 0.01 \\ &= \frac{0.6021}{0.4343} + 0.01 \\ &= 1.38637 + 0.01 \end{aligned}$$

$$\left[ \text{Since, log}_a b = \frac{\log_c b}{\log_c a} \right]$$

## Differentials Errors and Approximation Ex 14.1 Q9(ix)

Let 
$$x = 10$$
,  $x + \Delta x = 10.02$   
 $\Delta x = 10.02 - 10$   
 $\Delta x = 0.02$ 

Let 
$$y = \log_e x$$
  
 $\frac{dy}{dx} = \frac{1}{x}$   
 $\left(\frac{dy}{dx}\right)_{x=10} = \frac{1}{10}$   
 $\left(\frac{dy}{dx}\right)_{x=10} = 0.1$ 

Now,

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=10} \times \Delta x$$
$$= (0.1)(0.02)$$
$$\Delta y = 0.002$$

$$\begin{aligned} \log_{\rm e} \left(10.02\right) &= y + \Delta y \\ &= \log_{\rm e} x + 0.002 \\ &= \log_{\rm e} 10 + 0.002 \\ &= 2.3026 + 0.002 \end{aligned}$$

$$\log_e (10.02) = 2.3046$$

 $\log_{10}(10.1) = 1.004343$ 

## Differentials Errors and Approximation Ex 14.1 Q9(xi)

Let 
$$x = 60^{\circ}, x + \Delta x = 61^{\circ}$$
  
 $\Delta x = 61^{\circ} - 60^{\circ}$   
 $\Delta x = 1^{\circ} = \frac{\pi}{18^{\circ}} = 0.01745$   
Let  $y = \cos x$   
 $\frac{dy}{dx} = -\sin x$   
 $\left(\frac{dy}{dx}\right)_{x=60^{\circ}} = -\sin\left(60^{\circ}\right)$   
 $= -\frac{\sqrt{3}}{2}$   
 $= -0.866$   
 $\Delta y = \left(\frac{dy}{dx}\right)_{x=60^{\circ}} \times (\Delta x)$   
 $= (-0.866)(0.01745)$   
 $= -0.01511$   
So,  
 $\cos 61^{\circ} = y + \Delta y$   
 $= \cos 60^{\circ} - 0.01511$   
 $= \frac{1}{2} - 0.01511$   
 $= 0.5 - 0.01511$ 

 $\cos 61^{\circ} = 0.48489$ 

Let 
$$x = 25$$
,  $x + \Delta x = 25.1$   
 $\Delta x = 25.1 - 25$   
 $\Delta x = 0.1$ 

Let 
$$y = \frac{1}{\sqrt{x}}$$
  
 $\frac{dy}{dx} = \frac{2}{2x^{\frac{3}{2}}}$   
 $\left(\frac{dy}{dx}\right)_{x=25} = -\frac{1}{2(25)^{\frac{3}{2}}}$   
 $= -\frac{1}{250}$   
 $= -0.004$ 

Now,

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=25} \times (\Delta x)$$
$$= (-0.004)(0.1)$$
$$= -0.0004$$

$$\frac{1}{\sqrt{25.1}} = y + \Delta y$$

$$= \frac{1}{\sqrt{x}} + (-0.0004)$$

$$= \frac{1}{\sqrt{25}} - 0.0004$$

$$= \frac{1}{5} - 0.0004$$

$$= 0.2 - 0.0004$$

$$\frac{1}{\sqrt{25.1}} = 0.1996$$

#### Differentials Errors and Approximation Ex 14.1 Q9(xiii)

Let 
$$x = \frac{\pi}{2}$$
,  $x + \Delta x = \frac{22}{14}$   
 $\Delta x = \left(\frac{22}{14} - \frac{\pi}{2}\right)$   
 $\Delta x = \sin x$ 

Let 
$$y = \sin x$$
  
 $\frac{dy}{dx} = \cos x$   
 $\left(\frac{dy}{dx}\right)_{x - \frac{\pi}{2}} = \cos \frac{\pi}{2}$   
 $\left(\frac{dy}{dx}\right)_{\frac{\pi}{2}} = 0$   
 $\Delta y = \left(\frac{dy}{dx}\right)_{x - \frac{\pi}{2}} \times (\Delta x)$   
 $= 0 \times \left(\frac{22}{14} - \frac{\pi}{2}\right)$   
 $= 0$ 

So, 
$$\sin\left(\frac{22}{14}\right) = y + \Delta y$$
$$= \sin x + 0$$
$$= \sin\left(\frac{\pi}{2}\right)$$

$$\sin\left(\frac{22}{14}\right) = 1$$

Let 
$$x = \frac{\pi}{3}, x + \Delta x = \frac{11\pi}{36}$$

$$\Delta x = \frac{11\pi}{36} - \frac{\pi}{3}$$

$$= -\frac{\pi}{36}$$

$$= -\frac{22}{7 \times 36}$$

$$= -0.0873$$

Let 
$$y = \cos x$$
$$\frac{dy}{dx} = -\sin x$$
$$\left(\frac{dy}{dx}\right)_{x=\frac{x}{3}} = -\sin\frac{\pi}{3}$$
$$= -\frac{\sqrt{3}}{2}$$
$$= -0.866$$
$$\Delta y = \left(\frac{dy}{dx}\right)_{x=\frac{x}{3}} \times (\Delta x)$$
$$= (-0.866)(-0.0873)$$
$$= 0.0756$$

$$\cos\left(\frac{11\pi}{36}\right) = y + \Delta y$$

$$= \cos x + (0.0756)$$

$$= \cos\frac{\pi}{3} + 0.0756$$

$$= \frac{1}{2} + 0.0756$$

$$= 0.5 + 0.0756$$

$$\cos \frac{11\pi}{36} = 0.7546$$

## Differentials Errors and Approximation Ex 14.1 Q9(xv)

Let 
$$x = 36, x + \Delta x = 37$$
  
 $\Delta x = 37 - 36$   
= 1

Let 
$$y = \sqrt{x}$$
$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$
$$\left(\frac{dy}{dx}\right)_{x=36} = \frac{1}{2\sqrt{36}}$$
$$= \frac{1}{12}$$
$$= 0.0833$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=36} \times (\Delta x)$$
$$= (0.0833)(1)$$
$$= 0.0833$$

$$\sqrt{37} = y + \Delta y = \sqrt{x} + 0.0833 = \sqrt{36} + 0.0833$$

$$\sqrt{37} = 6.0833$$

Let 
$$x = 81, x + \Delta x = 80$$
  
 $\Delta x = 80 - 81$   
 $= -1$   
Let  $y = x^{\frac{1}{4}}$   
 $\frac{dy}{dx} = \frac{1}{4(81)^{\frac{3}{4}}}$   
 $= \frac{1}{108}$   
 $= 0.00926$   
 $\Delta y = (\frac{dy}{dx})_{x=81} \times (\Delta x)$   
 $= (0.00926)(-1)$   
 $= -0.00926$   
 $(80)^{\frac{1}{4}} = y + \Delta y$   
 $= x^{\frac{1}{4}} - 0.00926$   
 $= (81)^{\frac{1}{4}} - 0.00926$   
 $= 3 - 0.00926$ 

## $(80)^{\frac{1}{4}} = 2.99074$

## Differentials Errors and Approximation Ex 14.1 Q9(xvii)

Let 
$$x = 27, x + \Delta x = 29$$
  
 $\Delta x = 29 - 27$   
= 2

Let 
$$y = x^{\frac{1}{3}}$$
  
 $\frac{dy}{dx} = \frac{1}{3(x)^{\frac{2}{3}}}$   
 $\left(\frac{dy}{dx}\right)_{x=27} = \frac{1}{3(27)^{\frac{2}{3}}}$   
 $= \frac{1}{27}$   
 $= 0.03704$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=27} \times (\Delta x)$$
$$= (0.03704)(2)$$
$$\Delta y = 0.07408$$

$$(28)^{\frac{1}{3}} = y + \Delta y$$

$$= x^{\frac{1}{3}} + 0.07408$$

$$= (27)^{\frac{1}{3}} + 0.07408$$

$$= 3 + 0.07408$$

$$(29)^{\frac{1}{3}} = 3.07408$$

Let 
$$x = 64, x + \Delta x = 66$$
  
 $\Delta x = 66 - 64$   
= 2

Let 
$$y = x^{\frac{1}{3}}$$
  
 $\frac{dy}{dx} = \frac{1}{3(x)^{\frac{2}{3}}}$   
 $\left(\frac{dy}{dx}\right)_{x=64} = \frac{1}{3(64)^{\frac{2}{3}}}$   
 $= \frac{1}{48}$   
 $= 0.020833$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=64} \times (\Delta x)$$
$$= (0.020833)(2)$$
$$= 0.041666$$

$$(66)^{\frac{1}{3}} = y + \Delta y$$

$$= x^{\frac{1}{3}} + 0.041666$$

$$= (64)^{\frac{1}{3}} + 0.041666$$

$$= 4 + 0.041666$$

$$(66)^{\frac{1}{3}} = 4.041666$$

## Differentials Errors and Approximation Ex 14.1 Q9(xix)

Let 
$$x = 25$$
,  $x + \Delta x = 26$   
 $\Delta x = 26 - 25$   
 $= 1$ 

Let 
$$y = \sqrt{x}$$
$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$
$$\left(\frac{dy}{dx}\right)_{x=25} = \frac{1}{2\sqrt{25}}$$
$$= \frac{1}{10}$$
$$= 0.1$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x-25} \times (\Delta x)$$
$$= (0.1)(1)$$
$$= 0.1$$

$$\sqrt{26} = y + \Delta y$$
$$= \sqrt{x} + 0.01$$
$$= \sqrt{25} + 0.1$$

$$\sqrt{26} = 5.1$$

Let 
$$x = 0.49, x + \Delta x = 0.487$$
  
 $\Delta x = 0.48 - 0.49$   
 $= -0.01$   
Let  $y = \sqrt{x}$   
 $\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$   
 $\left(\frac{dy}{dx}\right)_{x=0.49} = \frac{1}{2\sqrt{0.49}}$   
 $= \frac{1}{1.4}$   
 $= 0.71428$   
 $\Delta y = \left(\frac{dy}{dx}\right)_{x=0.49} \times (\Delta x)$   
 $= (0.71428)(-0.01)$   
 $\Delta y = -0.0071428$ 

$$\sqrt{37} = y + \Delta y$$

$$= \sqrt{0.49} - 0.0071428$$

$$= 0.7 - 0071428$$

$$\sqrt{0.48} = 0.6928572$$

#### Differentials Errors and Approximation Ex 14.1 Q9(xxi)

Let 
$$x = 81, x + \Delta x = 82$$
  
 $\Delta x = 82 - 81$   
 $= 1$ 

Let 
$$y = x^{\frac{1}{4}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{3}{4x^{\frac{3}{4}}}}$   
 $\left(\frac{dy}{dx}\right)_{x=81} = \frac{1}{4(81)^{\frac{3}{4}}}$   
 $= \frac{1}{108}$   
 $= 0.009259$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=81} \times (\Delta x)$$
$$= (0.008259)(1)$$
$$= 0.009259$$

$$(82)^{\frac{1}{4}} = y + \Delta y$$
$$= x^{\frac{1}{4}} + 0.009259$$
$$= (81)^{\frac{1}{4}} + 0.009259$$

$$(82)^{\frac{1}{4}} = 3.009259$$

Let 
$$x = \frac{16}{81}, x + \Delta x = \frac{17}{81}$$
  
 $\Delta x = \frac{17}{81} - \frac{16}{81}$   
 $= \frac{1}{81}$ 

Let 
$$y = x^{\frac{1}{4}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{3}{4x^{\frac{3}{4}}}}$   
 $\left(\frac{dy}{dx}\right)_{x=\frac{16}{81}} = \frac{1}{4\left(\frac{16}{81}\right)^{\frac{3}{4}}}$   
 $= \frac{27}{32}$   
 $= 0.84375$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x - \frac{16}{81}} \times (\Delta x)$$
$$= (0.84375) \left(\frac{1}{81}\right)$$
$$= 0.01041$$

$$\left(\frac{17}{81}\right)^{\frac{1}{4}} = y + \Delta y$$
$$= \left(\frac{16}{81}\right)^{\frac{1}{4}} + 0.01041$$
$$= 0.6666 + 0.01041$$

$$\left(\frac{17}{81}\right)^{\frac{1}{4}} = 0.67707$$

#### Differentials Errors and Approximation Ex 14.1 Q9(xxiii)

Let 
$$x = 32, x + \Delta x = 33$$
  
 $\Delta x = 33 - 32$   
= 1

Let 
$$y = x^{\frac{1}{5}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{4}{5x^{\frac{1}{5}}}}$   
 $\left(\frac{dy}{dx}\right)_{x=32} = \frac{1}{5(32)^{\frac{4}{5}}}$   
 $= \frac{1}{80}$   
 $= 0.0125$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=32} \times (\Delta x)$$
$$= (0.0125)(1)$$
$$\Delta y = 0.0125$$

$$(33)^{\frac{1}{5}} = y + \Delta y$$
$$= x^{\frac{1}{5}} + 0.0125$$
$$= (32)^{\frac{1}{5}} + 0.0125$$

$$(33)^{\frac{1}{5}} = 2.0125$$

Let 
$$x = 36, x + \Delta x = 36.6$$
  
 $\Delta x = 36.6 - 36$   
 $= 0.6$ 

Let 
$$y = \sqrt{x}$$
$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$
$$\left(\frac{dy}{dx}\right)_{x=36} = \frac{1}{2\sqrt{36}}$$
$$= \frac{1}{12}$$
$$= 0.0833$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=36} \times (\Delta x)$$
$$= (0.0833)(0.6)$$
$$= 0.04998$$

$$\sqrt{36.6} = y + \Delta y$$

$$= \sqrt{x} + 0.04998$$

$$= \sqrt{36} + 0.04998$$

$$\sqrt{36.6} = 6.04998$$

#### Differentials Errors and Approximation Ex 14.1 Q9(xxv)

Let 
$$x = 27$$
,  $x + \Delta x = 25$   
 $\Delta x = 25 - 27$   
 $= -2$ 

Let 
$$y = x^{\frac{1}{3}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{2}{3x^{\frac{3}{3}}}}$   
 $\left(\frac{dy}{dx}\right)_{x-27} = \frac{1}{3(27)^{\frac{2}{3}}}$   
 $= \frac{1}{27}$   
 $= 0.037$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=27} \times (\Delta x)$$
$$= (0.037)(-2)$$
$$= -0.074$$

$$(25)^{\frac{1}{3}} = y + \Delta y$$
$$= x^{\frac{1}{3}} + (-0.074)$$
$$= (27)^{\frac{1}{3}} - 0.074$$
$$= 3 - 0.074$$

$$(25)^{\frac{1}{3}} = 2.926$$

Let 
$$y = f(x) = \sqrt{x}$$
,  $x = 49$  and  $x + \Delta x = 49.5$   
Then  $\Delta x = 0.5$   
For  $x = 49$  we have  $y = \sqrt{49} = 7$   
 $dx = \Delta x = 0.5$   
 $y = \sqrt{x}$   
 $\Rightarrow \frac{dy}{dx} = \frac{1}{2\sqrt{x}}$   
 $\Rightarrow \left(\frac{dy}{dx}\right)_{x=49} = \frac{1}{2 \times 7} = \frac{1}{14}$   
 $\therefore dy = \frac{dy}{dx} dx$   
 $\Rightarrow dy = \frac{1}{14}(0.5) = \frac{5}{140}$   
 $\Rightarrow \Delta y = \frac{1}{28}$   
Hence,  
 $\sqrt{49.5} = y + \Delta y = 7 + \frac{1}{28} = 7 + 0.0357 = 7.0357$ 

### Differentials Errors and Approximation Ex 14.1 Q9(xxvii)

Define a function 
$$y = x^{3/2}$$
  
For  $x = 4$ ,  $y = 8$   
 $x + \Delta x = 3.968 \Rightarrow \Delta x = 3.968 - 4 = -0.032$   
 $\frac{dy}{dx} = \frac{3}{2}x^{1/2}$   
 $\Rightarrow dy = \left(\frac{3}{2}x^{1/2}\right)dx$   
 $\Rightarrow \Delta y|_{x=4} \approx (3)\Delta x$   
 $\Rightarrow \Delta y|_{x=4} \approx 3 \times (-0.032) = -0.096$   
 $(3.968)^{3/2} = y + \Delta y = 8 - 0.096$   
 $= 7.904$ 

## Differentials Errors and Approximation Ex 14.1 Q9(xxviii)

Let 
$$y = f(x) = x^5$$
,  $x = 2$  and  $x + \Delta x = 1.999$   
Then  $\Delta x = -0.001$   
For  $x = 2$  we have
$$y = (2)^5 = 32$$

$$dx = \Delta x = -0.001$$

$$y = x^5$$

$$\Rightarrow \frac{dy}{dx} = 5x^4$$

$$\Rightarrow \left(\frac{dy}{dx}\right)_{x=1} = 5(2)^4 = 80$$

$$\therefore dy = \frac{dy}{dx}dx$$

$$\Rightarrow dy = 80(-0.001) = -0.080$$

$$\Rightarrow \Delta y = -0.080$$
Hence,
$$(1.999)^5 = y + \Delta y = 32 - 0.080 = 31.920$$

Let 
$$y = f(x) = \sqrt{x}$$
,  $x = 0.09$  and  $x + \Delta x = 0.082$   
Then  $\Delta x = -0.008$   
For  $x = 0.09$  we have  $y = \sqrt{0.09} = 0.3$   
 $dx = \Delta x = -0.008$   
 $y = \sqrt{x}$   
 $\Rightarrow \frac{dy}{dx} = \frac{1}{2\sqrt{x}}$   
 $\Rightarrow \left(\frac{dy}{dx}\right)_{x=1} = \frac{1}{2 \times \sqrt{0.09}} = \frac{1}{2 \times 0.3} = \frac{1}{0.6}$   
 $\therefore dy = \frac{dy}{dx} dx$   
 $\Rightarrow dy = \frac{1}{0.6}(-0.008)$   
 $\Rightarrow \Delta y = -\frac{8}{600}$   
Hence,  
 $\sqrt{0.082} = y + \Delta y = 0.3 - \frac{8}{600} = 0.3 - 0.0133 = 0.2867$ 

#### Differentials Errors and Approximation Ex 14.1 Q10

Let x = 2 and  $\Delta x = 0.01$ . Then, we have:

$$f(2.01) = f(x + \Delta x) = 4(x + \Delta x)^2 + 5(x + \Delta x) + 2$$

Now, 
$$\Delta y = f(x + \Delta x) - f(x)$$

 $\therefore f(x + \Delta x) = f(x) + \Delta y$ 

$$\int_{-\infty}^{\infty} f(x) + f'(x) \cdot \Delta x \qquad (as \ dx = \Delta x)$$

$$\Rightarrow f(2.01) \approx (4x^2 + 5x + 2) + (8x + 5) \Delta x$$

$$= \left[4(2)^2 + 5(2) + 2\right] + \left[8(2) + 5\right](0.01) \qquad \text{[as } x = 2, \ \Delta x = 0.01\text{]}$$

$$= (16 + 10 + 2) + (16 + 5)(0.01)$$

$$= 28 + (21)(0.01)$$

$$= 28 + 0.21$$

$$= 28.21$$

Hence, the approximate value of f(2.01) is 28.21.

#### Differentials Errors and Approximation Ex 14.1 Q11

Let x = 5 and  $\Delta x = 0.001$ . Then, we have:

$$f(5.001) = f(x + \Delta x) = (x + \Delta x)^{3} - 7(x + \Delta x)^{2} + 15$$
Now,  $\Delta y = f(x + \Delta x) - f(x)$ 

$$\therefore f(x + \Delta x) = f(x) + \Delta y$$

$$\approx f(x) + f'(x) \cdot \Delta x \qquad \text{(as } dx = \Delta x\text{)}$$

$$\Rightarrow f(5.001) \approx (x^{3} - 7x^{2} + 15) + (3x^{2} - 14x) \Delta x$$

$$= \left[ (5)^{3} - 7(5)^{2} + 15 \right] + \left[ 3(5)^{2} - 14(5) \right] (0.001) \qquad [x = 5, \Delta x = 0.001]$$

$$= (125 - 175 + 15) + (75 - 70)(0.001)$$

$$= -35 + (5)(0.001)$$

$$= -35 + 0.005$$

$$= -34.995$$

Hence, the approximate value of f(5.001) is -34.995.

log<sub>10</sub> 1005 = 3.0021715

#### Differentials Errors and Approximation Ex 14.1 Q13

Let r be the radius of the sphere and  $\Delta r$  be the error in measuring the radius.

Then,

$$r = 9 \text{ m}$$
 and  $\Delta r = 0.03 \text{ m}$ 

Now, the surface area of the sphere (S) is given by,

$$S = 4\pi r^2$$

$$\therefore \frac{dS}{dr} = 8\pi r$$

$$\therefore dS = \left(\frac{dS}{dr}\right) \Delta r$$

$$= (8\pi r) \Delta r$$

$$= 8\pi (9)(0.03) \text{ m}^2$$

$$= 2.16\pi \text{ m}^2$$

Hence, the approximate error in calculating the surface area is  $2.16\pi$  m<sup>2</sup>.

## Differentials Errors and Approximation Ex 14.1 Q14

The surface area of a cube (S) of side x is given by  $S = 6x^2$ .

$$\therefore \frac{dS}{dx} = \left(\frac{dS}{dx}\right) \Delta x$$

$$= (12x) \Delta x$$

$$= (12x)(0.01x) \qquad \text{[as 1% of } x \text{ is } 0.01x\text{]}$$

$$= 0.12x^2$$

Hence, the approximate change in the surface area of the cube is  $0.12x^2$  m<sup>2</sup>.

Let r be the radius of the sphere and  $\Delta r$  be the error in measuring the radius.

Then,

$$r = 7 \text{ m}$$
 and  $\Delta r = 0.02 \text{ m}$ 

Now, the volume V of the sphere is given by,

$$V = \frac{4}{3}\pi r^3$$

$$\therefore \frac{dV}{dr} = 4\pi r^2$$

$$\therefore dV = \left(\frac{dV}{dr}\right)\Delta r$$

$$= \left(4\pi r^2\right)\Delta r$$

$$= 4\pi \left(7\right)^2 \left(0.02\right) \text{ m}^3 = 3.92\pi \text{ m}^3$$

Hence, the approximate error in calculating the volume is  $3.92~\pi~m^3$ .

## Differentials Errors and Approximation Ex 14.1 Q16

The volume of a cube (V) of side x is given by  $V = x^3$ .

$$\therefore dV = \left(\frac{dV}{dx}\right) \Delta x$$

$$= (3x^2) \Delta x$$

$$= (3x^2)(0.01x) \qquad [as 1\% \text{ of } x \text{ is } 0.01x]$$

$$= 0.03x^3$$

Hence, the approximate change in the volume of the cube is 0.03x3 m3.