


EXERCISE. 18 (A)**Question 1:**

The radius of a circle is 8 cm. calculate the length of a tangent draw to this circle from a point at a distance of 10 cm from its centre.

Solution 1:

OP = 10 cm; radius OT = 8 cm

$\therefore OT \perp PT$

In RT. $\triangle OTP$,

$$OP^2 = OT^2 + PT^2$$

$$10^2 = 8^2 + PT^2$$

$$PT^2 = 100 - 64$$


$$PT^2 = 36$$

$$PT = 6$$

Length of tangent = 6 cm.

Question 2:

In the given figure, O is the centre of the circle and AB is a tangent at B. If AB = 15 cm and AC = 7.5 cm, calculate the radius of the circle.

**Solution 2:**

AB = 15 cm, AC = 7.5 cm

Let 'r' be the radius of the circle.

$$\therefore OC = OB = r$$

$$AO = AC + OC = 7.5 + r$$


In $\triangle AOB$,

$$AO^2 = AB^2 + OB^2$$

$$\begin{aligned}(7.5 + r)^2 &= 15^2 + r^2 \\ \Rightarrow \left(\frac{15 + 2r}{2}\right)^2 &= 225 + r^2 \\ \Rightarrow 225 + 4r^2 + 60r &= 900 + 4r^2 \\ \Rightarrow 60r &= 675 \\ \Rightarrow r &= 11.25 \text{ cm} \\ \text{Therefore, } r &= 11.25 \text{ cm}\end{aligned}$$

Question 3:

Two circles touch each other externally at point P. Q is a point on the common tangent through P. Prove that the tangents QA and QB are equal.

**Solution 3:**

From Q, QA and QP are two tangents to the circle with centre O

Therefore, QA = QP.....(i)

Similarly, from Q, QB and QP are two tangents to the circle with centre O'

Therefore, QB = QP(ii)


From (i) and (ii)

QA = QB

Therefore, tangents QA and QB are equal.

Question 4:

Two circles touch each other internally. Show that the tangents drawn to the two circles from any point on the common tangent are equal in length.

Solution 4:

From Q, QA and QP are two tangents to the circle with centre O

Therefore, $QA = QP$ (i)

Similarly, from Q, QB and QP are two tangents to the circle with centre O'

Therefore, $QB = QP$ (ii)

From (i) and (ii)


$QA = QB$

Therefore, tangents QA and QB are equal.

Question 5:

Two circle of radii 5 cm and 3 cm are concentric. Calculate the length of a chord of the outer circle which touches the inner.

Solution 5:



$OS = 5$ cm

$OT = 3$ cm

In Rt. Triangle OST

By Pythagoras Theorem,

$$ST^2 = OS^2 - OT^2$$

$$ST^2 = 25 - 9$$

$$ST^2 = 16$$

$$ST = 4 \text{ cm}$$


Since OT is perpendicular to SP and OT bisects chord SP

So, $SP = 8$ cm

Question 6:

Three circles touch each other externally. A triangle is formed when the centres of these circles are joined together. Find the radii of the circle, if the sides of the triangle formed are 6 cm, 8 cm and 9 cm.

Solution 6:



$AB = 6$ cm, $AC = 8$ cm and $BC = 9$ cm

Let radii of the circles having centers A, B and C be r_1, r_2 and r_3 respectively.

$$r_1 + r_3 = 8$$

$$r_3 + r_2 = 9$$

$$r_2 + r_1 = 6$$

adding

$$r_1 + r_3 + r_3 + r_2 + r_2 + r_1 = 8 + 9 + 6$$

$$2(r_1 + r_2 + r_3) = 23$$

$$r_1 + r_2 + r_3 = 11.5 \text{ cm}$$

$$r_1 + 9 = 11.5 \text{ (Since } r_2 + r_3 = 9)$$

$$r_1 = 2.5 \text{ cm}$$

$$r_2 + 6 = 11.5 \text{ (Since } r_1 + r_3 = 6)$$

$$r_2 = 5.5 \text{ cm}$$

$$r_3 + 8 = 11.5 \text{ (Since } r_2 + r_1 = 8)$$


$$r_3 = 3.5 \text{ cm}$$

Hence, $r_1 = 2.5$ cm, $r_2 = 5.5$ cm and $r_3 = 3.5$ cm


Question 7:

If the sides of a quadrilateral ABCD touch a circle, prove that:

$$AB + CD = BC + AD$$



Solution 7:



Let the circle touch the sides AB, BC, CD and DA of quadrilateral ABCD at P, Q, R and S respectively.

Since AP and AS are tangents to the circle from external point A

$$AP = AS \text{(i)}$$

Similarly, we can prove that:

$$BP = BQ \text{(ii)}$$

$$CR = CQ \text{(iii)}$$

$$DR = DS \text{(iv)}$$

Adding,

$$AP + BP + CR + DR = AS + DS + BQ + CQ$$


$$AB + CD = AD + BC$$

$$\text{Hence, } AB + CD = AD + BC$$

Question 8:

If the sides of a parallelogram touch a circle (refer figure of Q. 7), Prove that the parallelogram is a rhombus.

Solution 8:



From A, AP and AS are tangents to the circle.

$$\text{Therefore, } AP = AS \text{(i)}$$

Similarly, we can prove that:

$$BP = BQ \text{(ii)}$$

$$CR = CQ \text{(iii)}$$

$$DR = DS \text{(iv)}$$

Adding,

$$AP + BP + CR + DR = AS + DS + BQ + CQ$$

$$AB + CD = AD + BC$$

$$\text{Hence, } AB + CD = AD + BC$$

$$\text{But } AB = CD \text{ and } BC = AD \text{(v) Opposite sides of a ||gm}$$

$$\text{Therefore, } AB + AB = BC + BC$$


$$2AB = 2BC$$

$$AB = BC \text{(vi)}$$

From (v) and (vi)
 $AB = BC = CD = DA$
 Hence, ABCD is a rhombus.

Question 9:

From the given figure, prove that:
 $AP + BQ + CR = BP + CQ + AR$



Also show that:

$$AP + BQ + CR = \frac{1}{2} \times \text{Perimeter of } \triangle ABC.$$

Solution 9:

Since from B, BQ and BP are the tangents to the circle

Therefore, $BQ = BP$ (i)

Similarly, we can prove that

$AP = AR$ (ii)

and $CR = CQ$ (iii)

Adding,

$$AP + BQ + CR = BP + CQ + AR \text{(iv)}$$

Adding $AP + BQ + CR$ to both sides

$$2(AP + BQ + CR) = AP + BQ + CQ + QB + AR + CR$$

$$2(AP + BQ + CR) = AB + BC + CA$$

$$\text{Therefore, } AP + BQ + CR = \frac{1}{2} \times (AB + BC + CA)$$

$$AP + BQ + CR = \frac{1}{2} \times \text{perimeter of triangle ABC}$$

Question 10:

In the figure of Question 9; If $AB = AC$ then prove that $BQ = CQ$.

Solution 10:

Since, from A, AP and AR are the tangents to the circle

Therefore, $AP = AR$

Similarly, we can prove that

$$BP = BQ \text{ and } CR = CQ$$

Adding,

$$AP + BP + CQ = AR + BQ + CR$$

$$(AP + BP) + CQ = (AR + CR) + BQ$$

$$AB + CQ = AC + BQ$$

But $AB = AC$

Therefore, $CQ = BQ$ or $BQ = CQ$

Question 11:

Radii of two circles are 6.3 cm and 3.6 cm. State the distance between their centres if:

(i) they touch each other externally


(ii) they touch each other internally

Solution 11:

Radius of bigger circle = 6.3 cm

and of smaller circle = 3.6 cm

i)




Two circles are touching each other at P externally. O and O' are the centers of the circles. Join OP and $O'P$

$$OP = 6.3 \text{ cm, } O'P = 3.6 \text{ cm}$$

Adding,

$$OP + O'P = 6.3 + 3.6 = 9.9 \text{ cm}$$

ii)



Two circles are touching each other at P internally. O and O' are the centers of the circles. Join OP and $O'P$

$$OP = 6.3 \text{ cm, } O'P = 3.6 \text{ cm}$$

$$OO' = OP - O'P = 6.3 - 3.6 = 2.7 \text{ cm}$$


Question 12:

From a point P outside a circle, with centre O, tangents PA and PB are drawn. Prove that:

(i) $\angle AOP = \angle BOP$

(ii) OP is the $\perp$ bisector of chord AB

Solution 12:



i) In $\triangle AOP$ and $\triangle BOP$

$AP = BP$ (Tangents from P to the circle)

$OP = OP$ (Common)

$OA = OB$ (Radii of the same circle)

$\therefore$ By Side – Side – Side criterion of congruence,

$\triangle AOP \cong \triangle BOP$

The corresponding parts of the congruent triangle are congruent

$\Rightarrow \angle AOP = \angle BOP$ [by c.p.c.t.]

ii) In $\triangle OAM$ and $\triangle OBM$

$OA = OB$ (Radii of the same circle)

$\angle AOM = \angle BOM$ (Proved $\angle AOP = \angle BOP$)

$OM = OM$ (Common)

$\therefore$ By side – Angle – side criterion of congruence,

$\triangle OAM \cong \triangle OBM$

The corresponding parts of the congruent triangles are congruent.

$\Rightarrow AM = MB$

And $\angle OMA = \angle OMB$

But,


$\angle OMA + \angle OMB = 180^\circ$

$\therefore \angle OMA = \angle OMB = 90^\circ$

Hence, OM or OP is the perpendicular bisector of chord AB.

Question 13:


In the given figure, two circles touch each other externally at point P. AB is the direct common tangent of these circles. Prove that:



(i) tangent at point P bisects AB,

(ii) angles $\angle APB = 90^\circ$

Solution 13:



Draw TPT' as common tangent to the circles.

i) TA and TP are the tangents to the circle with centre O.

Therefore, $TA = TP$ (i)

Similarly, $TP = TB$ (ii)

From (i) and (ii)

$TA = TB$

Therefore, TPT' is the bisector of AB.

ii) Now in $\triangle ATP$,

$\therefore \angle TAP = \angle TPA$

Similarly in $\triangle BTP$, $\angle TBP = \angle TPB$

Adding,

$\angle TAP + \angle TBP = \angle APB$

But


$\therefore \angle TAP + \angle TBP + \angle APB = 180^\circ$

$\Rightarrow \angle APB = \angle TAP + \angle TBP = 90^\circ$

Question 14:

Tangents AP and AQ are drawn to a circle, with centre O, from an exterior point A. prove that:
 $\angle PAQ = 2\angle OPQ$

Solution 14:



In quadrilateral OPAQ,

$$\angle OPA = \angle OQA = 90^\circ$$

($\because OP \perp PA$ and $OQ \perp QA$)

$$\therefore \angle POQ + \angle PAQ + 90^\circ + 90^\circ = 360^\circ$$

$$\Rightarrow \angle POQ + \angle PAQ = 360^\circ - 180^\circ = 180^\circ \dots\dots\dots(i)$$

In triangle OPQ,

$OP = OQ$ (Radii of the same circle)

$$\therefore \angle OPQ = \angle OQP$$

But

$$\angle POQ + \angle OPQ + \angle OQP = 180^\circ$$

$$\Rightarrow \angle POQ + \angle OPQ + \angle OPQ = 180^\circ$$

$$\Rightarrow \angle POQ + 2\angle OPQ = 180^\circ \dots\dots\dots(ii)$$

From (i) and (ii)


$$\angle POQ + \angle PAQ = \angle POQ + 2\angle OPQ$$

$$\Rightarrow \angle PAQ = 2\angle OPQ$$

Question 15:

Two parallel tangents of a circle meet a third tangent at points P and Q. prove that PQ subtends a right angle at the centre.

Solution 15:



Join OP, OQ, OA, OB and OC.

In $\triangle OAP$ and $\triangle OCP$

$OA = OC$ (Radii of the same circle)

$OP = OP$ (Common)

$PA = PC$ (Tangents from P)

$\therefore$ By side – side – side criterion of congruence,

$\triangle OAP \cong \triangle OCP$ (SSS postulate)

The corresponding parts of the congruent triangles are congruent.

$\Rightarrow \angle APO = \angle CPO$ (cpct)(i)

Similarly, we can prove that

$\therefore \triangle OCQ \cong \triangle OBQ$

$\Rightarrow \angle CQO = \angle BQO$ (ii)

$\therefore \angle APC = 2\angle CPO$ and $\angle CQB = 2\angle CQO$

But,

$\angle APC + \angle CQB = 180^\circ$

(Sum of interior angles of a transversal)

$\therefore 2\angle CPO + 2\angle CQO = 180^\circ$

$\Rightarrow \angle CPO + \angle CQO = 90^\circ$

Now in $\triangle POQ$,

$\angle CPO + \angle CQO + \angle POQ = 180^\circ$


$\Rightarrow 90^\circ + \angle POQ = 180^\circ$

$\therefore \angle POQ = 90^\circ$

Question 16:

ABC is a right angles triangle with $AB = 12$ cm and $AC = 13$ cm. A circle, with centre O, has been inscribed inside the triangle.

Calculate the value of x, the radius of the inscribed circle.



Solution 16:

In $\triangle ABC$, $\angle B = 90^\circ$

$OL \perp AB$, $OM \perp BC$ and $ON \perp AC$

LBNO is a square

$LB = BN = OL = OM = ON = x$

$\therefore AL = 12 - x$

$\therefore AL = AN = 12 - x$

Since ABC is a right triangle

$$AC^2 = AB^2 + BC^2$$

$$\Rightarrow 13^2 = 12^2 + BC^2$$

$$\Rightarrow 169 = 144 + BC^2$$

$$\Rightarrow BC^2 = 25$$

$$\Rightarrow BC = 5$$

$$\therefore MC = 5 - X$$

But $CM = CN$

$$\therefore CN = 5 - X$$

Now, $AC = AN + NC$

$$13 = (12 - x) + (5 - x)$$

$$13 = 17 - 2x$$

$$2x = 4$$

$$x = 2 \text{ cm}$$


Question 17:

In a triangle ABC, the incircle (centre O) touches BC, CA and AB at points P, Q and R respectively. Calculate:

(i) $\angle QOR$ (ii) $\angle QPR$;

Given that $\angle A = 60^\circ$

Solution 17:



The incircle touches the sides of the triangle ABC and $OP \perp BC, OQ \perp AC, OR \perp AB$

i) In quadrilateral AROQ,

$$\angle ORA = 90^\circ, \angle OQA = 90^\circ, \angle A = 60^\circ$$

$$\angle QOR = 360^\circ - (90^\circ + 90^\circ + 60^\circ)$$

$$\angle QOR = 360^\circ - 240^\circ$$

$$\angle QOR = 120^\circ$$

ii) Now arc RQ subtends $\angle QOR$ at the centre and $\angle QPR$ at the remaining part of the circle.

$$\therefore \angle QPR = \frac{1}{2} \angle QOR$$


$$\Rightarrow \angle QPR = \frac{1}{2} \times 120^\circ$$

$$\Rightarrow \angle QPR = 60^\circ$$


Question 18:

In the following figure, PQ and PR are tangents to the circle, with centre O. If $\angle QPR = 60^\circ$, calculate:

- (i) $\angle QOR$ (ii) $\angle OQR$ (iii) $\angle QSR$



Solution 18:



Join QR.

- i) In quadrilateral ORPQ,

$$OQ \perp OP, OR \perp RP$$

$$\therefore \angle OQP = 90^\circ, \angle ORP = 90^\circ, \angle QPR = 60^\circ$$

$$\angle QOR = 360^\circ - (90^\circ + 90^\circ + 60^\circ)$$

$$\angle QOR = 360^\circ - 240^\circ$$

$$\angle QOR = 120^\circ$$

- ii) In $\triangle QOR$,

$$OQ = OR \text{ (Radii of the same circle)}$$

$$\therefore \angle OQR = \angle QRO \text{(i)}$$

$$\text{But, } \angle OQR + \angle QRO + \angle QOR = 180^\circ$$

$$\angle OQR + \angle QRO + 120^\circ = 180^\circ$$

$$\angle OQR + \angle QRO = 60^\circ$$

From (i)

$$2\angle OQR = 60^\circ$$

$$\angle OQR = 30^\circ$$

iii) Now arc RQ subtends $\angle QOR$ at the centre and $\angle QSR$ at the remaining part of the circle.


$$\therefore \angle QSR = \frac{1}{2} \angle QOR$$

$$\Rightarrow \angle QSR = \frac{1}{2} \times 120^\circ$$

$$\Rightarrow \angle QSR = 60^\circ$$

Question 19:

In the given figure, AB is the diameter of the circle, with centre O, and AT is the tangent. Calculate the numerical value of x.



Solution 19:

In $\triangle OBC$,

$OB = OC$ (Radii of the same circle)

$$\therefore \angle OBC = \angle OCB$$

But, Ext. $\angle COA = \angle OBC + \angle OCB$

$$\text{Ext. } \angle COA = 2\angle OBC$$

$$\Rightarrow 64^\circ = 2\angle OBC$$

$$\Rightarrow \angle OBC = 32^\circ$$

Now in $\triangle ABT$

$$\angle BAT = 90^\circ \text{ (OA } \perp \text{ AT)}$$

$$\angle OBC \text{ or } \angle ABT = 32^\circ$$


$$\therefore \angle BAT + \angle ABT + x^\circ = 180^\circ$$

$$\Rightarrow 90^\circ + 32^\circ + x^\circ = 180^\circ$$

$$\Rightarrow x^\circ = 58^\circ$$

Question 20:

In quadrilateral ABCD; angles $D = 90^\circ$, $BC = 38$ cm and $DC = 25$ cm. A circle is inscribed in this quadrilateral which touches AB at point Q such that $QB = 27$ cm, Find the radius of the circle.

Solution 20:

BQ and BR are the tangents from B to the circle.

Therefore, $BR = BQ = 27$ cm.

Also $RC = (38 - 27) = 11$ cm

Since CR and CS are the tangents from C to the circle

Therefore, $CS = CR = 11$ cm

So, $DS = (25 - 11) = 14$ cm

Now DS and DP are the tangents to the circle

Therefore, $DS = DP$

Now, $\angle PDS = 90^\circ$ (given)

and $OP \perp AD, OS \perp DC$

therefore, radius = $DS = 14$ cm

Question 21:


In the given figure, PT touches the circle with centre O at point R. Diameter SQ is produced to meet the tangent TR at P.

Given $\angle SPR = x^\circ$ and $\angle QRP = y^\circ$;

Prove that:

(i) $\angle ORS = y^\circ$

(ii) Write an expression connecting x and y.

**Solution 21:**

$\angle QRP = \angle OSR = y$ (angles in alternate segment)

But $OS = OR$ (Radii of the same circle)

$$\therefore \angle ORS = \angle OSR = y$$

$$\therefore OQ = OR \text{ (radii of same circle)}$$

$$\therefore \angle OQR = \angle ORQ = 90^\circ - y \text{(i) (Since } OR \perp PT \text{)}$$

But in $\triangle PQR$,

$$\text{Ext } \angle OQR = x + y \text{(i)}$$

From (i) and (ii)


$$x + y = 90^\circ - y$$

$$\Rightarrow x + 2y = 90^\circ$$


Question 22:

PT is a tangent to the circle at T. if $\angle ABC = 70^\circ$ and $\angle ACB = 50^\circ$; Calculate:

(i) $\angle CBT$ (ii) $\angle BAT$ (iii) $\angle APT$



Solution 22:



Join AT and BT.

i) TC is the diameter of the circle

$$\therefore \angle CBT = 90^\circ \text{ (Angle in a semi-circle)}$$

$$\text{(ii) } \angle CBA = 70^\circ$$

$$\therefore \angle ABT = \angle CBT - \angle CBA = 90^\circ - 70^\circ = 20^\circ$$

Now, $\angle ACT = \angle ABT = 20^\circ$ (Angle in the same segment of the circle)

$$\therefore \angle TCB = \angle ACB - \angle ACT = 50^\circ - 20^\circ = 30^\circ$$

But, $\angle TCB = \angle TAB$ (Angles in the same segment of the circle)

$$\therefore \angle TAB \text{ or } \angle BAT = 30^\circ$$

(iii) $\angle BTX = \angle TCB = 30^\circ$ (Angles in the same segment)

$$\therefore \angle PTB = 180^\circ - 30^\circ = 150^\circ$$

Now in $\triangle PTB$


$$\angle APT + \angle PTB + \angle ABT = 180^\circ$$

$$\Rightarrow \angle APT + 150^\circ + 20^\circ = 180^\circ$$


$$\Rightarrow \angle APT = 180^\circ - 170^\circ = 10^\circ$$

Question 23:

In the given figure, O is the centre of the circumcircle ABC. Tangents at A and C intersect at P. Given angle AOB = 140° and angle APC = 80° ; find the angle BAC.



Solution 23:



Join OC.

Therefore, PA and PC are the tangents

$\therefore OA \perp PA$ and $OC \perp PC$

In quadrilateral APCO,

$$\angle APC + \angle AOC = 180^\circ$$

$$\Rightarrow 80^\circ + \angle AOC = 180^\circ$$

$$\Rightarrow \angle AOC = 100^\circ$$

$$\angle BOC = 360^\circ - (\angle AOB + \angle AOC)$$

$$\angle BOC = 360^\circ - (140^\circ + 100^\circ)$$

$$\angle BOC = 360^\circ - 240^\circ = 120^\circ$$


Now, arc BC subtends $\angle BOC$ at the centre and $\angle BAC$ at the remaining part of the circle

$$\therefore \angle BAC = \frac{1}{2} \angle BOC$$


$$\angle BAC = \frac{1}{2} \times 120^\circ = 60^\circ$$

EXERCISE. 18 (B)**Question 1:**


(i) In the given figure $3 \times CP = PD = 9\text{cm}$ and $AP = 4.5\text{ cm}$ Find BP.



(ii) In the given figure, $5 \times PA = 3 \times AB = 30\text{ cm}$ and $PC = 4\text{cm}$. find CD.



(iii) In the given figure tangent $PT = 12.5\text{ cm}$ and $PA = 10\text{ cm}$; find AB.

**Solution 1:**

i) Since two chords AB and CD intersect each other at P.

$$\therefore AP \times PB = CP \times PD$$

$$\Rightarrow 4.5 \times PB = 3 \times 9 \quad (3CP = 9\text{cm} \Rightarrow CP = 3\text{cm})$$

$$\Rightarrow PB = \frac{3 \times 9}{4.5} = 6\text{ cm}$$

ii) Since two chords AB and CD intersect each other at P.

$$\therefore AP \times PB = CP \times PD$$

$$\text{But } 5 \times PA = 3 \times AB = 30\text{ cm}$$

$$\therefore 5 \times PA = 30\text{ cm} \Rightarrow PA = 6\text{ cm}$$

$$\text{And } 3 \times AB = 30\text{ cm} \Rightarrow AB = 10\text{ cm}$$

$$\Rightarrow BP = PA + AB = 6 + 10 = 16\text{ cm}$$

Now,

$$AP \times PB = CP \times PD$$

$$\Rightarrow 6 \times 16 = 4 \times PD$$

$$\Rightarrow PD = \frac{6 \times 16}{4} = 24 \text{ cm}$$

$$CD = PD - PC = 24 - 4 = 20 \text{ cm}$$

iii) Since PAB is the secant and PT is the tangent

$$\therefore PT^2 = PA \times PB$$

$$\Rightarrow 12.5^2 = 10 \times PB$$


$$\Rightarrow PB = \frac{12.5 \times 12.5}{10} = 15.625 \text{ cm}$$

$$AB = PB - PA = 15.625 - 10 = 5.625 \text{ cm}$$

Question 2:

In the following figure, PQ is the tangent to the circle at A, DB is the diameter and O is the centre of the circle. If $\angle ADB = 30^\circ$ and $\angle CBD = 60^\circ$, Calculate:

(i) $\angle QAB$, (ii) $\angle PAD$, (iii) $\angle CDB$,



Solution 2:

i) PAQ is a tangent and AB is the chord.

$$\angle QAB = \angle ADB = 30^\circ \text{ (angles in the alternate segment)}$$

ii) $OA = OD$ (radii of the same circle)

$$\therefore \angle OAD = \angle ODA = 30^\circ$$

But, $OA \perp PQ$

$$\therefore \angle PAD = \angle OAP - \angle OAD = 90^\circ - 30^\circ = 60^\circ$$

iii) BD is the diameter.

$$\therefore \angle BCD = 90^\circ \text{ (angle in a semi-circle)}$$

Now in $\triangle BCD$,

$$\angle CDB + \angle CBD + \angle BCD = 180^\circ$$


$$\Rightarrow \angle CDB + 60^\circ + 90^\circ = 180^\circ$$

$$\Rightarrow \angle CDB = 180^\circ - 150^\circ = 30^\circ$$

Question 3:

If PQ is a tangent to the circle at R; calculate:

- (i) $\angle PRS$ (ii) $\angle ROT$



Given O is the centre of the circle and angle $TRQ = 30^\circ$

Solution 3:

PQ is a tangent and OR is the radius.

$$\therefore OR \perp PQ$$

$$\therefore \angle ORT = 90^\circ$$

$$\Rightarrow \angle TRQ = 90^\circ - 30^\circ = 60^\circ$$

But in $\triangle OTR$,

$OT = OR$ (Radii of the same circle)

$$\therefore \angle OTR = 60^\circ \text{ Or } \angle STR = 60^\circ$$

But,

$$\angle PRS = \angle STR = 60^\circ \text{ (Angle in the alternate segment)}$$

In $\triangle OTR$,

$$\angle ORT = 60^\circ$$

$$\angle OTR = 60^\circ$$


$$\therefore \angle ROT = 180^\circ - (60^\circ + 60^\circ)$$

$$\angle ROT = 180^\circ - 120^\circ = 60^\circ$$

Question 4:

AB is the diameter and AC is a chord of a circle with centre O such that angle $BAC = 30^\circ$. The tangent to the circle at C intersects AB produced in D. show that $BC = BD$.

Solution 4:



Join OC,

$$\angle BCD = \angle BAC = 30^\circ \text{ (angles in alternate segment)}$$

Arc BC subtends $\angle DOC$ at the centre of the circle and $\angle BAC$ at the remaining part of the circle.

$$\therefore \angle BOC = 2\angle BAC = 2 \times 30^\circ = 60^\circ$$

Now in $\triangle OCD$,

$$\angle BOC \text{ or } \angle DOC = 60^\circ$$

$$\angle OCD = 90^\circ \text{ (OC} \perp \text{CD)}$$

$$\therefore \angle DCO + \angle ODC = 90^\circ$$

$$\Rightarrow 60^\circ + \angle ODC = 90^\circ$$

$$\Rightarrow \angle ODC = 90^\circ - 60^\circ = 30^\circ$$

Now in $\triangle BCD$,


$$\therefore \angle ODC \text{ or } \angle BDC = \angle BCD = 30^\circ$$

$$\therefore BC = BD$$

Question 5:

Tangent at P to the circumcircle of triangle PQR is drawn. If the tangent is parallel to side, QR show that $\triangle PQR$ is isosceles.

Solution 5:



DE is the tangent to the circle at P.

DE $\parallel$ QR (Given)

$$\angle EPR = \angle PRQ \text{ (Alternate angles are equal)}$$

$$\angle DPQ = \angle PQR \text{ (Alternate angles are equal) (i)}$$

Let $\angle DPQ = x$ and $\angle EPR = y$

Since the angle between a tangent and a chord through the point of contact is equal to the angle in the alternate segment

$\therefore \angle DPQ = \angle PRQ$ (ii) (DE is tangent and PQ is chord)

from (i) and (ii)


$$\angle PQR = \angle PRQ$$

$$\Rightarrow PQ = PR$$


Hence, triangle PQR is an isosceles triangle.

Question 6:

Two circles with centres O and O' are drawn to intersect each other at points A and B. Centre O of one circle lies on the circumference of the other circle and CD is drawn tangent to the circle with centre O' at A. prove that OA bisects angle BAC.



Solution 6:



Join OA, OB, O'A, O'B and O'O.

CD is the tangent and AO is the chord.

$$\angle OAC = \angle OBA \text{ (angles in alternate segment)}$$

In $\triangle OAB$,

$$OA = OB \text{ (Radii of the same circle)}$$

$$\therefore \angle OAB = \angle OBA \text{(ii)}$$



From (i) and (ii)

$$\angle OAC = \angle OAB$$

Therefore, OA is bisector of $\angle BAC$

Question 7:

Two circles touch each other internally at a point P. A chord AB of the bigger circle intersects the other circle in C and D. Prove that $\angle CPA = \angle DPB$.

**Solution 7:**

Draw a tangent TS at P to the circles given.

Since TPS is the tangent, PD is the chord.

$\therefore \angle PAB = \angle BPS$ (i) (Angles in alternate segment)

Similarly,

$\angle PCD = \angle DPS$ (ii)

Subtracting (i) from (ii)

$\angle PCD - \angle PAB = \angle DPS - \angle BPS$

But in ΔPAC ,


Ext. $\angle PCD = \angle PAB + \angle CPA$

$\therefore \angle PAB + \angle CPA - \angle PAB = \angle DPS - \angle BPS$

$\Rightarrow \angle CPA = \angle DPB$

Question 8:

In a cyclic quadrilateral ABCD, the diagonal AC bisects the angle BCD. Prove that the diagonal BD is parallel to the tangent to the circle at point A.

Solution 8:

$\angle ADB = \angle ACB$ (i) (Angles in same segment)

Similarly,

$\angle ABD = \angle ACD$ (ii)

But, $\angle ACB = \angle ACD$ (AC is bisector of $\angle BCD$)

$\therefore \angle ADB = \angle ABD$ (from (i) and (ii))

TAS is a tangent and AB is a chord

$\therefore \angle BAS = \angle ADB$ (angles in alternate segment)

But, $\angle ADB = \angle ABD$

$\therefore \angle BAS = \angle ABD$

But these are alternate angles


Therefore, $TS \parallel BD$

Question 9:


In the figure, ABCD is a cyclic quadrilateral with $BC = CD$. TC is tangent to the circle at point C and DC is produced to point G. If $\angle BCG = 108^\circ$ and O is the centre of the circle, find:

(i) Angle BCT

(ii) angle DOC



Solution 9:



Join OC, OD and AC

i)

$\angle BCG + \angle BCD = 180^\circ$ (Linear pair)

$\Rightarrow 180^\circ + \angle BCD = 180^\circ$

$\Rightarrow \angle BCD = 180^\circ - 180^\circ = 72^\circ$

$BC = CD$

$\therefore \angle DCP = \angle BCT$

But, $\angle BCT + \angle BCD + \angle DCP = 180^\circ$

$\therefore \angle BCT + \angle BCT + 72^\circ = 180^\circ$

$2\angle BCT = 180^\circ - 72^\circ$

$\angle BCT = 54^\circ$

ii)

PCT is a tangent and CA is a chord.


$$\angle CAD = \angle BCT = 54^\circ$$

But arc DC subtends $\angle DOC$ at the centre and $\angle CAD$ at the remaining part of the circle.

$$\therefore \angle DOC = 2\angle CAD = 2 \times 54^\circ = 108^\circ$$

Question 10:

Two circles intersect each other at points A and B. A straight line PAQ cuts the circles at P and Q. If the tangents at P and Q intersect at point T; show that the points P, B, Q and T are concyclic.

Solution 10:

Join AB, PB and BQ

TP is the tangent and PA is a chord

$$\therefore \angle TPA = \angle ABP \dots\dots (i) \text{ (angles in alternate segment)}$$

Similarly,

$$\angle TQA = \angle ABQ \dots\dots (ii)$$

Adding (i) and (ii)

$$\angle TPA + \angle TQA = \angle ABP + \angle ABQ$$

But, $\triangle PTQ$,

$$\angle TPA + \angle TQA + \angle PTQ = 180^\circ$$

$$\Rightarrow \angle PBQ = 180^\circ - \angle PTQ$$

$$\Rightarrow \angle PBQ + \angle PTQ = 180^\circ$$

But they are the opposite angles of the quadrilateral


Therefore, PBQT are cyclic.

Hence, P, B, Q and T are concyclic.

Question 11:

In the figure; PA is a tangent to the circle, PBC is secant and AD bisects angle BAC. Show that triangle PAD is an isosceles triangle. Also, show that:

$$\angle CAD = \frac{1}{2}(\angle PBA - \angle PAB)$$

**Solution 11:**

i) PA is the tangent and AB is a chord

$\therefore \angle PAB = \angle C$ (i) (angles in the alternate segment)

AD is the bisector of $\angle BAC$

$\therefore \angle 1 = \angle 2$ (ii)

In $\triangle ADC$,

Ext. $\angle ADP = \angle C + \angle 1$

$\Rightarrow \text{Ext } \angle ADP = \angle PAB + \angle 2 = \angle PAD$

Therefore, $\triangle PAD$ is an isosceles triangle.

ii) In $\triangle ABC$,

Ext. $\angle PBA = \angle C + \angle BAC$

$\angle BAC = \angle PBA - \angle C$

$\Rightarrow \angle 1 + \angle 2 = \angle PBA - \angle PAB$

(from (i) part)


$2\angle 1 = \angle PBA - \angle PAB$


$\angle 1 = \frac{1}{2}(\angle PBA - \angle PAB)$

$\Rightarrow \angle CAD = \frac{1}{2}(\angle PBA - \angle PAB)$

Question 12:

Two circles intersect each other at points A and B. their common tangent touches the circles at points P and Q as shown in the figure. Show that the angles PAQ and PBQ are supplementary.

**Solution 12:**



Join AB.

PQ is the tangent and AB is a chord

$\therefore \angle QPA = \angle PBA$ (i) (angles in alternate segment)

Similarly,

$\angle PQA = \angle QBA$ (ii)

Adding (i) and (ii)

$\angle QPA + \angle PQA = \angle PBA + \angle QBA$

But, in $\triangle PAQ$,

$\angle QPA + \angle PQA = 180^\circ - \angle PAQ$ (iii)

And $\angle PBA + \angle QBA = \angle PBQ$ (iv)

From (iii) and (iv)

$\angle PBQ = 180^\circ - \angle PAQ$

$\Rightarrow \angle PBQ + \angle PAQ = 180^\circ$

$\Rightarrow \angle PBQ + \angle PBQ = 180^\circ$

Hence $\angle PAQ$ and $\angle PBQ$ are supplementary

Question 13:

In the figure, chords AE and BC intersect each other at point D.

(i) If $\angle CDE = 90^\circ$,


AB = 5 cm,

BD = 4 cm and


CD = 9 cm

Find DE.

(ii) If AD = BD, show that AE = BC



Solution 13:



Join AB.

i) In Rt. $\triangle ADB$,

$$AB^2 = AD^2 + DB^2$$

$$5^2 = AD^2 + 4^2$$

$$AD^2 = 25 - 16$$

$$AD^2 = 9$$

$$AD = 3$$

Chords AE and CB intersect each other at D inside the circle

$$AD \times DE = BD \times DC$$

$$3 \times DE = 4 \times 9$$

$$DE = 12 \text{ cm}$$

ii) If $AD = BD$ (i)

We know that:

$$AD \times DE = BD \times DC$$

But $AD = BD$

Therefore, $DE = DC$ (ii)


Adding (i) and (ii)

$$AD + DE = BD + DC$$


Therefore, $AE = BC$

Question 14:

Circles with centres P and Q intersect at points A and B as shown in the figure. CBD is a segment and EBM is tangent to the circle with centre Q, at point B. If the circles are congruent; show that $CE = BD$



Solution 14:



Join AB and AD

EBM is a tangent and BD is a chord.

$\angle DBM = \angle BAD$ (angles in alternate segments)

But, $\angle DBM = \angle CBE$ (Vertically opposite angles)


$\therefore \angle BAD = \angle CBE$

Since in the same circle or congruent circles, if angles are equal, then chords opposite to them are also equal.

Therefore, $CE = BD$

Question 15:

In the adjoining figure, O is the centre of the circle and AB is a tangent to it at point B. $\angle BDC = 65^\circ$ Find $\angle BAO$.



Solution 15:

AB is a straight line.

$\therefore \angle ADE + \angle BDE = 180^\circ$

$\Rightarrow \angle ADE + 65^\circ = 180^\circ$

$\Rightarrow \angle ADE = 115^\circ$ (i)

AB i.e. DB is tangent to the circle at point B and BC is the diameter.

$\therefore \angle DB\angle = 90^\circ$

In $\triangle BDC$,

$\angle DBC + \angle BDC + \angle DCB = 180^\circ$

$\Rightarrow 90^\circ + 65^\circ + \angle DCB = 180^\circ$

$\Rightarrow \angle DCB = 25^\circ$

Now, $OE = OC$ (radii of the same circle)

$\therefore \angle DCB$ or $\angle OCE = \angle OEC = 25^\circ$

Also,

$\angle OEC = \angle DEC = 25^\circ$

(vertically opposite angles)

In $\triangle ADE$,

$$\angle ADE + \angle DEA + \angle DAE = 180^\circ$$

From (i) and (ii)

$$115^\circ + 25^\circ + \angle DAE = 180^\circ$$

$$\Rightarrow \angle DAE \text{ or } \angle BAO = 180^\circ - 140^\circ = 40^\circ$$


$$\therefore \angle BAO = 40^\circ$$

EXERCISE. 18 (C)

Question 1:

Prove that, of any two chords of a circle, the greater chord is nearer to the centre.

Solution 1:



Given: A circle with centre O and radius r. $OM \perp AB$ and $ON \perp CD$ Also $AB > CD$

To prove: $OM < ON$

Proof: Join OA and OC.

In Rt. $\triangle AOM$,

$$AO^2 = AM^2 + OM^2$$

$$\Rightarrow r^2 = \left(\frac{1}{2}AB\right)^2 + OM^2$$

$$\Rightarrow r^2 = \frac{1}{4}AB^2 + OM^2 \quad \dots\dots\dots(i)$$

Again in Rt. $\triangle ONC$,

$$OC^2 = NC^2 + ON^2$$

$$\Rightarrow r^2 = \left(\frac{1}{2}CD\right)^2 + ON^2$$

$$\Rightarrow r^2 = \frac{1}{4}CD^2 + ON^2 \quad \dots\dots\dots(ii)$$

From (i) and (ii)

$$\frac{1}{4}AB^2 + OM^2 = \frac{1}{4}CD^2 + ON^2$$

But, $AB > CD$ (given)

$\therefore ON > OM$

$\Rightarrow OM < ON$

Hence, AB is nearer to the centre than CD.


Question 2:

OABC is a rhombus whose three vertices A, B and C lie on a circle with centre O.

(i) If the radius of the circle is 10 cm, find the area of the rhombus

(ii) If the area of the rhombus is $32\sqrt{3} \text{ cm}^2$ find the radius of the circle.

Solution 2:



i) Radius = 10 cm

In rhombus OABC,

$OC = 10 \text{ cm}$

$$\therefore OE = \frac{1}{2} \times OB = \frac{1}{2} \times 10 = 5 \text{ cm}$$

In Rt. $\triangle OCE$,

$$OC^2 = OE^2 + EC^2$$

$$\Rightarrow 10^2 = 5^2 + EC^2$$

$$\Rightarrow EC^2 = 100 - 25 = 75$$

$$\Rightarrow EC = 5\sqrt{3}$$

$$\therefore AC = 2 \times EC = 2 \times 5\sqrt{3} = 10\sqrt{3}$$

$$\text{Area of rhombus} = \frac{1}{2} \times OB \times AC$$

$$= \frac{1}{2} \times 10 \times 10\sqrt{3}$$

$$= 50\sqrt{3} \text{ cm}^2 \approx 86.6 \text{ cm}^2 (\sqrt{3} = 1.73)$$

(ii) Area of rhombus = $32\sqrt{3} \text{ cm}^2$

But area of rhombus OABC = 2 x area of $\triangle OAB$

$$\text{Area of rhombus OABC} = 2 \times \frac{\sqrt{3}}{4} r^2$$

Where r is the side of the equilateral triangle OAB .

$$2 \times \frac{\sqrt{3}}{4} r^2 = 32\sqrt{3}$$

$$\Rightarrow \frac{\sqrt{3}}{2} r^2 = 32\sqrt{3}$$

$$\Rightarrow r^2 = 64$$


$$\Rightarrow r = 8$$

Therefore, radius of the circle = 8 cm

Question 3:

Two circles with centres A and B , and radii 5 cm and 3 cm, touch each other internally. If the perpendicular bisector of the segment AB meets the bigger circle in P and Q ; find the length of PQ .

Solution 3:



If two circles touch internally, then distance between their centres is equal to the difference of their radii. So, $AB = (5 - 3) \text{ cm} = 2 \text{ cm}$.

Also, the common chord PQ is the perpendicular bisector of AB . Therefore, $AC = CB = \frac{1}{2} AB$

$$= 1 \text{ cm}$$

In right $\triangle ACP$, we have $AP^2 = AC^2 + CP^2$

$$\Rightarrow 5^2 = 1^2 + CP^2$$

$$\Rightarrow CP^2 = 25 - 1 = 24$$

$$\Rightarrow CP = \sqrt{24} = 2\sqrt{6} \text{ cm}$$


Now, $PQ = 2 CP$

$$= 2 \times 2\sqrt{6} \text{ cm}$$

$$= 4\sqrt{6} \text{ cm}$$

Question 4:

Two chords AB and AC of a circle are equal. Prove that the centre of the circle lies on the bisector of angle BAC.

Solution 4:

Given: AB and AC are two equal chords of $\odot (O, r)$.

To prove: Centre, O lies on the bisector of $\angle BAC$.

Construction: Join BC. Let the bisector of $\angle BAC$ intersects BC in P.

Proof:

In $\triangle APB$ and $\triangle APC$,

$AB = AC$ (Given)

$\angle BAP = \angle CAP$ (Given)

$AP = AP$ (Common)

$\therefore \triangle APB \cong \triangle APC$ (SAS congruence criterion)

$\Rightarrow BP = CP$ and $\angle APB = \angle APC$ (CPCT)

$\angle APB + \angle APC = 180^\circ$ (Linear pair)

$\Rightarrow 2 \angle APB = 180^\circ$ ($\angle APB = \angle APC$)

$\Rightarrow \angle APB = 90^\circ$


Now, $BP = CP$ and $\angle APB = 90^\circ$

$\therefore AP$ is the perpendicular bisector of chord BC.

$\Rightarrow AP$ passes through the centre, O of the circle.

Question 5:

The diameter and a chord of a circle have a common end-point. If the length of the diameter is 20 cm and the length of the chord is 12 cm, how far is the chord from the centre of the circle?

Solution 5:

AB is the diameter and AC is the chord.

Draw $OL \perp AC$

Since $OL \perp AC$ and hence it bisects AC , O is the centre of the circle.

Therefore, $OA = 10$ cm and $AL = 6$ cm

Now, in Rt. $\triangle OLA$,

$$AO^2 = AL^2 + OL^2$$

$$\Rightarrow 10^2 = 6^2 + OL^2$$

$$\Rightarrow OL^2 = 100 - 36 = 64$$


$$\Rightarrow OL = 8 \text{ cm}$$

Therefore, chord is at a distance of 8 cm from the centre of the circle.

Question 6:

$ABCD$ is a cyclic quadrilateral in which BC is parallel to AD , angle $ADC = 110^\circ$ and angle $BAC = 50^\circ$. Find angle DAC and angle DCA .

Solution 6:



$ABCD$ is a cyclic quadrilateral in which $AD \parallel BC$

$$\angle ADC = 110^\circ, \angle BAC = 50^\circ$$

$$\angle B + \angle D = 180^\circ$$

(Sum of opposite angles of a quadrilateral)

$$\Rightarrow \angle B + 110^\circ = 180^\circ$$

$$\Rightarrow \angle B = 70^\circ$$

Now in $\triangle ABC$,

$$\angle BAC + \angle ABC + \angle ACB = 180^\circ$$

$$\Rightarrow 50^\circ + 70^\circ + \angle ACB = 180^\circ$$

$$\Rightarrow \angle ACB = 180^\circ - 120^\circ = 60^\circ$$

$$\therefore AD \parallel BC$$

$$\therefore \angle DAC = \angle ACB = 60^\circ \text{ (alternate angles)}$$

Now in $\triangle ADC$,


$$\angle DAC + \angle ADC + \angle DCA = 180^\circ$$

$$\Rightarrow 60^\circ + 110^\circ + \angle DCA = 180^\circ$$

$$\Rightarrow \angle DCA = 180^\circ - 170^\circ = 10^\circ$$

Question 7:

In the given figure, C and D are points on the semi-circle described on AB as diameter. Given angle $\angle BAD = 70^\circ$ and angle $\angle DBC = 30^\circ$, calculate angle BDC.

**Solution 7:**

Since ABCD is a cyclic quadrilateral, therefore, $\angle BCD + \angle BAD = 180^\circ$
(since opposite angles of a cyclic quadrilateral are supplementary)

$$\Rightarrow \angle BCD + 70^\circ = 180^\circ$$

$$\Rightarrow \angle BCD = 180^\circ - 70^\circ = 110^\circ$$

In $\triangle BCD$, we have,

$$\angle CBD + \angle BCD + \angle BDC = 180^\circ$$


$$\Rightarrow 30^\circ + 110^\circ + \angle BDC = 180^\circ$$

$$\Rightarrow \angle BDC = 180^\circ - 140^\circ$$

$$\Rightarrow \angle BDC = 40^\circ$$

Question 8:

In cyclic quadrilateral ABCD, $\angle A = 3\angle C$ and $\angle D = 5\angle B$. Find the measure of each angle of the quadrilateral.

Solution 8:

ABCD is a cyclic quadrilateral.

$$\therefore \angle A + \angle C = 180^\circ$$

$$\Rightarrow 3\angle C + \angle C = 180^\circ$$

$$\Rightarrow 4\angle C = 180^\circ$$

$$\Rightarrow \angle C = 45^\circ$$

$$\because \angle A = 3\angle C$$

$$\Rightarrow \angle A = 3 \times 45^\circ$$

$$\Rightarrow \angle A = 135^\circ$$

Similarly,

$$\therefore \angle B + \angle D = 180^\circ$$

$$\Rightarrow \angle B + 5\angle B = 180^\circ$$

$$\Rightarrow 6\angle B = 180^\circ$$

$$\Rightarrow \angle B = 30^\circ$$

$$\therefore \angle D = 5\angle B$$

$$\Rightarrow \angle D = 5 \times 30^\circ$$


$$\Rightarrow \angle D = 150^\circ$$

$$\text{Hence, } \angle A = 135^\circ, \angle B = 30^\circ, \angle C = 45^\circ, \angle D = 150^\circ$$

Question 9:

Show that the circle drawn on any one of the equal sides of an isosceles triangle as diameter bisects the base.

Solution 9:



Join AD.

AB is the diameter.

$\therefore \angle ADB = 90^\circ$ (Angle in a semi-circle)

But, $\angle ADB + \angle ADC = 180^\circ$ (linear pair)

$$\Rightarrow \angle ADC = 90^\circ$$

In $\triangle ABD$ and $\triangle ACD$,

$\angle ADB = \angle ADC$ (each 90°)

$AB = AC$ (Given)

$AD = AD$ (Common)

$\triangle ABD \cong \triangle ACD$ (RHS congruence criterion)

$$\Rightarrow BD = DC \text{ (C.P.C.T)}$$


Hence, the circle bisects base BC at D.

Question 10:

Bisectors of vertex angles A, B, and C of a triangle ABC intersect its circumcircle at the points

D, E and F respectively. Prove that angle $EDF = 90^\circ - \frac{1}{2}\angle A$

Solution 10:



Join ED, EF and DF. Also join BF, FA, AE and EC.

$$\angle EBF = \angle ECF = \angle EDF \dots\dots\dots(i) \text{ (angles in the same segment)}$$

In cyclic quadrilateral AFBE,

$$\angle EBF + \angle EAF = 180^\circ \dots\dots\dots(ii) \text{ (sum of opposite angles)}$$

Similarly in cyclic quadrilateral CEAF,

$$\angle EAF + \angle ECF = 180^\circ \dots\dots\dots(iii)$$

Adding (ii) and (iii)

$$\Rightarrow \angle EDF + \angle ECF + 2\angle EAF = 360^\circ$$

$$\Rightarrow \angle EDF + \angle EDF + 2\angle EAF = 360^\circ \quad (\text{from (i)})$$

$$\Rightarrow 2\angle EDF + 2\angle EAF = 360^\circ$$

$$\Rightarrow \angle EDF + \angle EAF = 180^\circ$$

$$\Rightarrow \angle EDF + \angle 1 + \angle BAC + \angle 2 = 180^\circ$$

But $\angle 1 = \angle 3$ and $\angle 2 = \angle 4$

(angles in the same segment)

$$\therefore \angle EDF + \angle 3 + \angle BAC + \angle 4 = 180^\circ$$

$$\text{But } \angle 4 = \frac{1}{2}\angle C, \angle 3 = \frac{1}{2}\angle B$$

$$\therefore \angle EDF + \frac{1}{2}\angle B + \angle BAC + \frac{1}{2}\angle C = 180^\circ$$

$$\Rightarrow \angle EDF + \frac{1}{2}\angle B + 2 \times \frac{1}{2}\angle A + \frac{1}{2}\angle C = 180^\circ$$

$$\Rightarrow \angle EDF + \frac{1}{2}(\angle A + \angle B + \angle C) + \frac{1}{2}\angle A = 180^\circ$$

$$\Rightarrow \angle EDF + \frac{1}{2}(180^\circ) + \frac{1}{2}\angle A = 180^\circ$$

$$\Rightarrow \angle EDF + 90^\circ + \frac{1}{2}\angle A = 180^\circ$$



$$\Rightarrow \angle EDF = 180^\circ - \left(90^\circ + \frac{1}{2}\angle A\right)$$

$$\Rightarrow \angle EDF = 180^\circ - 90^\circ - \frac{1}{2} \angle A$$

$$\Rightarrow \angle EDF = 90^\circ - \frac{1}{2} \angle A$$

Question 11:

In the figure, AB is the chord of a circle with centre O and DOC is a line segment such that BC = DO. If $\angle C = 20^\circ$, find angle AOD.

**Solution 11:**

Join OB,

In $\triangle OBC$,

$BC = OD = OB$ (Radii of the same circle)

$$\therefore \angle BOC = \angle BCO = 20^\circ$$

And Ext. $\angle ABO = \angle BCO + \angle BOC$

$$\Rightarrow \text{Ext. } \angle ABO = 20^\circ + 20^\circ = 40^\circ \quad \dots\dots (i)$$

In $\triangle OAB$,

$OA = OB$ (radii of the same circle)

$$\therefore \angle OAB = \angle OBA = 40^\circ \quad (\text{from (i)})$$

$$\angle AOB = 180^\circ - \angle OAB - \angle OBA$$

$$\Rightarrow \angle AOB = 180^\circ - 40^\circ - 40^\circ = 100^\circ$$

Since DOC is a straight line

$$\therefore \angle AOD + \angle AOB + \angle BOC = 180^\circ$$


$$\Rightarrow \angle AOD + 100^\circ + 20^\circ = 180^\circ$$

$$\Rightarrow \angle AOD = 180^\circ - 120^\circ$$

$$\Rightarrow \angle AOD = 60^\circ$$

Question 12:

Prove that the perimeter of a right triangle is equal to the sum of the diameter of its incircle and twice the diameter of its circumcircle.

Solution 12:

Join OL, OM and ON.

Let D and d be the diameter of the circumcircle and incircle.

and let R and r be the radius of the circumcircle and incircle.

In circumcircle of $\triangle ABC$,

$$\angle B = 90^\circ$$

Therefore, AC is the diameter of the circumcircle i.e. $AC = D$

Let radius of the incircle = r

$$\therefore OL = OM = ON = r$$

Now, from B , BL , BM are the tangents to the incircle.

$$\therefore BL = BM = r$$

Similarly,

$$AM = AN \text{ and } CL = CN = R$$

(Tangents from the point outside the circle)

Now,

$$AB + BC + CA = AM + BM + BL + CL + CA$$

$$= AN + r + r + CN + CA$$

$$= AN + CN + 2r + CA$$

$$= AC + AC + 2r$$


$$= 2AC + 2r$$

$$= 2D + d$$

Question 13:

P is the mid – point of an arc APB of a circle. Prove that the tangent drawn at P will be parallel to the chord AB .

Solution 13:



Join AP and BP.

Since TPS is a tangent and PA is the chord of the circle.

$\angle BPT = \angle PAB$ (angles in alternate segments)

But

$\angle PBA = \angle PAB$ ($\because PA = PB$)


$\therefore \angle BPT = \angle PBA$

But these are alternate angles

$\therefore TPS \parallel AB$

Question 14:

In the given figure, MN is the common chord of two intersecting circles and AB is their common tangent.



Prove that the line NM produced bisects AB at P.

Solution 14:

From P, AP is the tangent and PMN is the secant for first circle.

$\therefore AP^2 = PM \times PN$ (i)

Again from P, PB is the tangent and PMN is the secant for second circle.

$\therefore PB^2 = PM \times PN$ (ii)

From (i) and (ii)

$AP^2 = PB^2$


$\Rightarrow AP = PB$

Therefore, P is the midpoint of AB.

Question 15:

In the given figure, ABCD is a cyclic quadrilateral, PQ is tangent to the circle at point C and BD is its diameter. If $\angle DCQ = 40^\circ$ and $\angle ABD = 60^\circ$, find;

- (i) $\angle DBC$ (ii) $\angle BCP$ (iii) $\angle ADB$



Solution 15:


i) PQ is tangent and CD is a chord
 $\therefore \angle DCQ = \angle DBC$ (angles in the alternate segment)
 $\therefore \angle DBC = 40^\circ$ ($\because \angle DCQ = 40^\circ$)

ii)
 $\angle DCQ + \angle DCB + \angle BCP = 180^\circ$
 $\Rightarrow 40^\circ + 90^\circ + \angle BCP = 180^\circ$ ($\because \angle DCB = 90^\circ$)
 $\Rightarrow \angle BCP = 180^\circ - 130^\circ = 50^\circ$


iii) In $\triangle ABD$,
 $\angle BAD = 90^\circ$, $\angle ABD = 60^\circ$
 $\therefore \angle ADB = 180^\circ - (90^\circ + 60^\circ)$
 $\Rightarrow \angle ADB = 180^\circ - 150^\circ = 30^\circ$

Question 16:

The given figure shows a circle with centre O and BCD is tangent to it at C. Show that: $\angle ACD + \angle BAC = 90^\circ$



Solution 16:



Join OC.

BCD is the tangent and OC is the radius.

$$\therefore OC \perp BD$$

$$\Rightarrow \angle OCD = 90^\circ$$

$$\Rightarrow \angle OCA + \angle ACD = 90^\circ$$

But in $\triangle OCA$

$$OA = OC \text{ (radii of same circle)}$$

$$\therefore \angle OCA = \angle OAC$$

Substituting (i)

$$\angle OAC + \angle ACD = 90^\circ$$

$$\Rightarrow \angle BAC + \angle ACD = 90^\circ$$

Question 17:

ABC is a right triangle with angle $B = 90^\circ$, A circle with BC as diameter meets hypotenuse AC at point D. prove that:

(i) $AC \times AD = AB^2$

(ii) $BD^2 = AD \times DC$

Solution 17:

i) In $\triangle ABC$,

$\angle B = 90^\circ$ and BC is the diameter of the circle.

Therefore, AB is the tangent to the circle at B.

Now, AB is tangent and ADC is the secant

$$\therefore AB^2 = AD \times AC$$

ii) In $\triangle ADB$,

$$\angle D = 90^\circ$$

$$\therefore \angle A + \angle ABD = 90^\circ \dots\dots\dots(i)$$

But in $\triangle ABC$, $\angle B = 90^\circ$

$$\therefore \angle A + \angle C = 90^\circ \dots\dots\dots(ii)$$

From (i) and (ii)

$$\angle C = \angle ABD$$

Now in $\triangle ABD$ and $\triangle CBD$

$$\angle BDA = \angle BDA = 90^\circ$$

$$\angle ABD = \angle BCD$$

$$\therefore \triangle ABD \sim \triangle CBD \text{ (AA postulate)}$$

$$\therefore \frac{BD}{DC} = \frac{AD}{BD}$$


$$\Rightarrow BD^2 = AD \times DC$$

Question 18:

In the given figure, $AC = AE$ Show that:

(i) $CP = EP$

(ii) $BP = DP$



Solution 18:

In $\triangle ADC$ and $\triangle ABE$,

$\angle ACD = \angle AEB$ (angles in the same segment)

$AC = AE$ (Given)

$\angle A = \angle A$ (common)

$\therefore \triangle ADC \cong \triangle ABE$ (ASA postulate)

$$\Rightarrow AB = AD$$

But $AC = AE$

$$\therefore AC - AB = AE - AD$$

$$\Rightarrow BC = DE$$

In $\triangle BPC$ and $\triangle DPE$

$\angle C = \angle E$ (angles in the same segment)

$$BC = DE$$

$\angle CBP = \angle CDE$ (angles in the same segment)

$\therefore \triangle BPC \cong \triangle DPE$ (ASA Postulate)

$$\Rightarrow BP = DP \text{ and } CP = PE \text{ (cpct)}$$


Question 19:

ABCDE is a cyclic pentagon with centre of its circumcircle at point O such that $AB = BC = CD$ and angle $ABC = 120^\circ$

Calculate:

(i) $\angle BEC$ (ii) $\angle BED$

Solution 19:



i) Join OC and OB.

$AB = BC = CD$ and $\angle ABC = 120^\circ$

$\therefore \angle BCD = \angle ABC = 120^\circ$

OB and OC are the bisectors of $\angle ABC$ and $\angle BCD$ respectively.

$\therefore \angle OBC = \angle BCO = 60^\circ$

In $\triangle BOC$,

$$\angle BOC = 180^\circ - (\angle OBC + \angle BCO)$$

$$\Rightarrow \angle BOC = 180^\circ - (60^\circ + 60^\circ)$$

$$\Rightarrow \angle BOC = 180^\circ - 120^\circ = 60^\circ$$

Arc BC subtends $\angle BOC$ at the centre and $\angle BEC$ at the remaining part of the circle.

$$\therefore \angle BEC = \frac{1}{2} \angle BOC = \frac{1}{2} \times 60^\circ = 30^\circ$$

ii) In cyclic quadrilateral BCDE,

$$\angle BED + \angle BCD = 180^\circ$$


$$\Rightarrow \angle BED + 120^\circ = 180^\circ$$

$$\therefore \angle BED = 60^\circ$$

Question 20:

In the given figure, O is the centre of the circle. Tangents at A and B meet at C. If $\angle ACO = 30^\circ$, find:

(i) $\angle BCO$ (ii) $\angle AOB$ (iii) $\angle APB$



Solution 20:

In the given fig, O is the centre of the circle and CA and CB are the tangents to the circle from C. Also, $\angle ACO = 30^\circ$

P is any point on the circle. P and PB are joined.

To find: (i) $\angle BCO$

(ii) $\angle AOB$

(iii) $\angle APB$

Proof:

(i) In $\triangle OAC$ and OBC

$OC = OC$ (Common)

$OA = OB$ (radius of the circle)

$CA = CB$ (tangents to the circle)

$\therefore \triangle OAC \cong \triangle OBC$ (SSS congruence criterion)

$\therefore \angle ACO = \angle BCO = 30^\circ$

(ii) $\therefore \angle ACB = 30^\circ + 30^\circ = 60^\circ$

$\therefore \angle AOB + \angle ACB = 180^\circ$

$\Rightarrow \angle AOB + 60^\circ = 180^\circ$

$\Rightarrow \angle AOB = 180^\circ - 60^\circ$


$\Rightarrow \angle AOB = 120^\circ$


(iii) Arc AB subtends $\angle AOB$ at the centre and $\angle APB$ is in the remaining part of the circle.

$\therefore \angle APB = \frac{1}{2} \angle AOB = \frac{1}{2} \times 120^\circ = 60^\circ$

Question 21:

ABC is a triangle with $AB = 10$ cm, $BC = 8$ cm and $AC = 6$ cm (not drawn to scale). Three circles are drawn touching each other with the vertices as their centres. Find the radii of the three circles.

**Solution 21:**



E

Given: ABC is a triangle with $AB = 10$ cm, $BC = 8$ cm, $AC = 6$ cm. Three circles are drawn with centre A, B and C touch each other at P, Q and R respectively.

We need to find the radii of the three circles.

Let

$$PA = AQ = x$$

$$QC = CR = y$$

$$RB = BP = z$$

$$\therefore x + z = 10 \dots\dots (1)$$

$$z + y = 8 \dots\dots\dots (2)$$

$$y + x = 6 \dots\dots\dots (3)$$

Adding all the three equations, we have

$$2(x + y + z) = 24$$

$$\Rightarrow x + y + z = \frac{24}{2} = 12 \dots\dots\dots (4)$$

Subtracting (1) (2) and (3) from (4)

$$y = 12 - 10 = 2$$

$$x = 12 - 8 = 4$$

$$z = 12 - 6 = 6$$

Therefore, radii are 2 cm, 4 cm and 6 cm

Question 22:

In a square ABCD, its diagonals AC and BD intersect each other at point O. the bisector of angle DAO meets BD at point M and the bisector of angle ABD meets AC at N and AM at L. Show that:


$$(i) \angle ONL + \angle OML = 180^\circ$$

$$(ii) \angle BAM = \angle BMA$$

(iii) ALOB is a cyclic quadrilateral

Solution 22:

ABCD is a square whose diagonals AC and BD intersect each other at right angles at O.



i)

$$\therefore \angle AOB = \angle AOD = 90^\circ$$

In $\triangle ANB$,

$$\angle ANB = 180^\circ - (\angle NAB + \angle NBA)$$

$$\Rightarrow \angle ANB = 180^\circ - \left(45^\circ + \frac{45^\circ}{2} \right) \text{ (NB is bisector of } \angle ABD \text{)}$$

$$\Rightarrow \angle ANB = 180^\circ - 45^\circ - \frac{45^\circ}{2} = 135^\circ - \frac{45^\circ}{2}$$

But, $\angle LNO = \angle ANB$ (vertically opposite angles)

$$\therefore \angle LNO = 135^\circ - \frac{45^\circ}{2} \dots\dots (i)$$

Now in $\triangle AMO$,

$$\angle AMO = 180^\circ - (\angle AOM + \angle OAM)$$

$$\Rightarrow \angle AMO = 180^\circ - \left(90^\circ + \frac{45^\circ}{2} \right) \text{ (MA is bisector of } \angle DAO \text{)}$$

$$\Rightarrow \angle AMO = 180^\circ - 90^\circ - \frac{45^\circ}{2} = 90^\circ - \frac{45^\circ}{2} \dots\dots(ii)$$

Adding (i) and (ii)

$$\angle LNO + \angle AMO = 135^\circ - \frac{45^\circ}{2} + 90^\circ - \frac{45^\circ}{2}$$

$$\Rightarrow \angle LNO + \angle AMO = 225^\circ - 45^\circ = 180^\circ$$

$$\Rightarrow \angle ONL + \angle OML = 180^\circ$$

ii)

$$\angle BAM = \angle BAO + \angle OAM$$

$$\Rightarrow \angle BAM = 45^\circ + \frac{45^\circ}{2} = 67\frac{1}{2}$$

And

$$\Rightarrow \angle BMA = 180^\circ - (\angle AOM + \angle OAM)$$

$$\Rightarrow \angle BMA = 180^\circ - 90^\circ - \frac{45^\circ}{2} = 90^\circ - \frac{45^\circ}{2} = 67\frac{1}{2}$$

$$\therefore \angle BAM = \angle BMA$$



iii) In quadrilateral ALOB,

$$\therefore \angle ABO + \angle ALO = 45^\circ + 90^\circ + 45^\circ = 180^\circ$$

Therefore, ALOB is a cyclic quadrilateral.

Question 23:

The given figure shows a semi-circle with centre O and diameter PQ. If $PA = AB$ and $\angle BCQ = 140^\circ$; Find measures of angles PAB and AQB. Also, show that AO is parallel to BQ.

**Solution 23:**

Join PB.

i) In cyclic quadrilateral PBCQ,

$$\angle BPQ + \angle BCQ = 180^\circ$$

$$\Rightarrow \angle BPQ + 140^\circ = 180^\circ$$

$$\Rightarrow \angle BPQ = 40^\circ \quad \dots\dots (1)$$

Now in $\triangle PBQ$,

$$\angle PBQ + \angle BPQ + \angle BQP = 180^\circ$$

$$\Rightarrow 90^\circ + 40^\circ + \angle BQP = 180^\circ$$

$$\Rightarrow \angle BQP = 50^\circ$$

In cyclic quadrilateral PQBA,

$$\angle PQB + \angle PAB = 180^\circ$$

$$\Rightarrow 50^\circ + \angle PAB = 180^\circ$$

$$\Rightarrow \angle PAB = 130^\circ$$

ii) Now in $\triangle PAB$,

$$\angle PAB + \angle APB + \angle ABP = 180^\circ$$

$$\Rightarrow 130^\circ + \angle APB + \angle ABP = 180^\circ$$

$$\Rightarrow \angle APB + \angle ABP = 50^\circ$$

But

$$\angle APB = \angle ABP \quad (\because PA = PB)$$

$$\therefore \angle APB = \angle ABP = 25^\circ$$

$$\angle BAQ = \angle BPQ = 40^\circ$$

$$\angle APB = 25^\circ = \angle AQB \quad (\text{angles in the same segment})$$

$$\therefore \angle AQB = 25^\circ \quad \dots\dots\dots (2)$$

iii) Arc AQ subtends $\angle AOQ$ at the centre and $\angle APQ$ at the remaining part of the circle.

We have,

$$\angle APQ = \angle APB + \angle BPQ \dots\dots (3)$$

From (1), (2) and (3), we have

$$\angle APQ = 25^\circ + 40^\circ = 65^\circ$$

$$\therefore \angle AOQ = 2\angle APQ = 2 \times 65^\circ = 130^\circ$$

Now in $\triangle AOQ$,

$$\angle OAQ = \angle OQA = (\because OA = OQ)$$

But

$$\angle OAQ + \angle OQA + \angle AOQ = 180^\circ$$

$$\Rightarrow \angle OAQ + \angle OAQ + 130^\circ = 180^\circ$$

$$\Rightarrow 2\angle OAQ = 50^\circ$$

$$\Rightarrow \angle OAQ = 25^\circ$$

$$\therefore \angle OAQ = \angle AQB$$


But these are alternate angles.

Hence, AO is parallel to BQ.


Question 24:

The given figure shows a circle with centre O such that chord RS is parallel to chord QT, angle $PRT = 20^\circ$ and angle $POQ = 100^\circ$. Calculate:

- (i) angle QTR
- (ii) angle QRP
- (iii) angle QRS
- (iv) angle STR



Solution 24:



Join PQ, RQ and ST.

i)

$$\angle POQ + \angle QOR = 180^\circ$$

$$\Rightarrow 100^\circ + \angle QOR = 180^\circ$$

$$\Rightarrow \angle QOR = 80^\circ$$

Arc RQ subtends $\angle QOR$ at the centre and $\angle QTR$ at the remaining part of the circle.

$$\therefore \angle QTR = \frac{1}{2} \angle QOR$$

$$\Rightarrow \angle QTR = \frac{1}{2} \times 80^\circ = 40^\circ$$

ii) Arc QP subtends $\angle QOP$ at the centre and $\angle QRP$ at the remaining part of the circle.

$$\therefore \angle QRP = \frac{1}{2} \angle QOP$$

$$\Rightarrow \angle QRP = \frac{1}{2} \times 100^\circ = 50^\circ$$

iii) $RS \parallel QT$

$$\therefore \angle SRT = \angle QTR \text{ (alternate angles)}$$

But $\angle QTR = 40^\circ$

$$\therefore \angle SRT = 40^\circ$$

Now,

$$\angle QRS = \angle QRP + \angle PRT + \angle SRT$$

$$\Rightarrow \angle QRS = 50^\circ + 20^\circ + 40^\circ = 110^\circ$$

iv) Since RSTQ is a cyclic quadrilateral

$$\therefore \angle QRS + \angle QTS = 180^\circ \text{ (sum of opposite angles)}$$

$$\Rightarrow \angle QRS + \angle QTS + \angle STR = 180^\circ$$

$$\Rightarrow 110^\circ + 40^\circ + \angle STR = 180^\circ$$

$$\Rightarrow \angle STR = 30^\circ$$


Question 25:

In the given figure, PAT is tangent to the circle with centre O at point A on its circumference and is parallel to chord BC. If CDQ is a line segment, show that:

(i) $\angle BAP = \angle ADQ$

(ii) $\angle AOB = 2\angle ADQ$

(iii) $\angle ADQ = \angle ADB$

**Solution 25:**

i) Since $PAT \parallel BC$

$\therefore \angle PAB = \angle ABC$ (alternate angles)(i)

In cyclic quadrilateral ABCD,

Ext $\angle ADQ = \angle ABC$ (ii)

From (i) and (ii)

$\angle PAB = \angle ADQ$

ii) Arc AB subtends $\angle AOB$ at the centre and $\angle ADB$ at the remaining part of the circle.

$\therefore \angle AOB = 2\angle ADB$

$\Rightarrow \angle AOB = 2\angle PAB$ (angles in alternate segments)

$\Rightarrow \angle AOB = 2\angle ADQ$ (proved in (i) part)

iii)

$\therefore \angle BAP = \angle ADB$ (angles in alternate segments)


But

$\angle BAP = \angle ADQ$ (proved in (i) part)

$\therefore \angle ADQ = \angle ADB$

Question 26:

AB is a line segment and M is its mid – point three semi circles are drawn with AM, MB and AB as diameter on the same side of the line AB. A circle with radius r unit is drawn so that it touches all the three semi circles show that : $AB = 6 \times r$

Solution 26:

Let O, P and Q be the centers of the circle and semicircles.

Join OP and OQ.

$OR = OS = r$

and $AP = PM = MQ = QB = \frac{AB}{4}$

Now, $OP = OR + RP = r + \frac{AB}{4}$ (since $PM=RP$ =radii of same circle)

Similarly, $OQ = OS + SQ = r + \frac{AB}{4}$

$$OM = LM \text{ ; } OL = \frac{AB}{2} - r$$

Now in Rt. $\triangle OPM$,

$$OP^2 = PM^2 + OM^2$$

$$\Rightarrow \left(r + \frac{AB}{4}\right)^2 = \left(\frac{AB}{4}\right)^2 + \left(\frac{AB}{2} - r\right)^2$$

$$\Rightarrow r^2 + \frac{AB^2}{16} + \frac{rAB}{2} = \frac{AB^2}{16} + \frac{AB^2}{4} + r^2 - rAB$$

$$\Rightarrow \frac{rAB}{2} = \frac{AB^2}{4} - rAB$$

$$\Rightarrow \frac{AB^2}{4} = \frac{rAB}{2} + rAB$$

$$\Rightarrow \frac{AB^2}{4} = \frac{3rAB}{2}$$

$$\Rightarrow \frac{AB}{4} = \frac{3}{2}r$$


$$\Rightarrow AB = \frac{3}{2}r \times 4 = 6r$$

Hence $AB = 6 \times r$

Question 27:

TA and TB are tangents to a circle with centre O from an external point T. OT intersects the circle at point P. Prove that AP bisects the angle TAB.

Solution 27:



Join PB.

In $\triangle TAP$ and $\triangle TBP$,

$TA = TB$ (tangents segments from an external points are equal in length)

Also, $\angle ATP = \angle BTP$. (since OT is equally inclined with TA and TB) $TP = TP$ (common)

$\Rightarrow \triangle TAP \cong \triangle TBP$ (by SAS criterion of congruency)

$\Rightarrow \angle TAP = \angle TBP$ (corresponding parts of congruent triangles are equal)


But $\angle TBP = \angle BAP$ (angles in alternate segments)

Therefore, $\angle TAP = \angle BAP$.

Hence, AP bisects $\angle TAB$.

Question 28:

Two circles intersect in points P and Q. A secant passing through P intersects the circles in A and B respectively. Tangents to the circles at A and B intersect at T. Prove that A, Q, B and T lie on a circle.

Solution 28:

Join PQ.

AT is tangent and AP is a chord.

$\therefore \angle TAP = \angle AQP$ (angles in alternate segments)(i)

Similarly, $\angle TBP = \angle BQP$ (ii)

Adding (i) and (ii)

$$\angle TAP + \angle TBP = \angle AQP + \angle BQP$$

$$\Rightarrow \angle TAP + \angle TBP = \angle AQB \quad \text{.....(iii)}$$

Now in $\triangle TAB$,

$$\angle ATB + \angle TAP + \angle TBP = 180^\circ$$


$$\Rightarrow \angle ATB + \angle AQB = 180^\circ$$

Therefore, AQBT is a cyclic quadrilateral.

Hence, A, Q, B and T lie on a circle.

Question 29:

Prove that any four vertices of a regular pentagon are concyclic (lie on the same circle)

Solution 29:

ABCDE is a regular pentagon.

$$\therefore \angle BAE = \angle ABC = \angle BCD = \angle CDE = \angle DEA = \left(\frac{5-2}{5} \right) \times 180^\circ = 108^\circ$$

In $\triangle AED$,

AE = ED (Sides of regular pentagon ABCDE)

$$\therefore \angle EAD = \angle EDA$$

In $\triangle AED$,

$$\angle AED + \angle EAD + \angle EDA = 180^\circ$$

$$\Rightarrow 108^\circ + \angle EAD + \angle EAD = 180^\circ$$

$$\Rightarrow 2\angle EAD = 180^\circ - 108^\circ = 72^\circ$$

$$\Rightarrow \angle EAD = 36^\circ$$

$$\therefore \angle EDA = 36^\circ$$

$$\angle BAD = \angle BAE - \angle EAD = 108^\circ - 36^\circ = 72^\circ$$

In quadrilateral ABCD,


$$\angle BAD + \angle BCD = 108^\circ + 72^\circ = 180^\circ$$

$\therefore$ ABCD is a cyclic quadrilateral

Question 30:

Chords AB and CD of a circle when extended meet at point X. Given AB = 4 cm, BX = 6 cm and XD = 5 cm, calculate the length of CD.

Solution 30:



We know that $XB \cdot XA = XD \cdot XC$

$$\text{Or, } XB \cdot (XB + BA) = XD \cdot (XD + CD)$$

$$\text{Or, } 6(6 + 4) = 5(5 + CD)$$


$$\text{Or, } 60 = 5(5 + CD)$$

$$\text{Or, } 5 + CD = \frac{60}{5} = 12$$

$$\text{Or, } CD = 12 - 5 = 7 \text{ cm.}$$

Question 31:

In the given figure, find TP if AT = 16 cm and AB = 12 cm.



Solution 31:

PT is the tangent and TBA is the secant of the circle.


Therefore, $TP^2 = TA \times TB$

$$TP^2 = 16 \times (16 - 12) = 16 \times 4 = 64 = (8)^2$$

Therefore, $TP = 8$ cm

Question 32:

In the following figure, a circle is inscribed in the quadrilateral ABCD.



If $BC = 38$ cm, $QB = 27$ cm, $DC = 25$ cm and that AD is perpendicular to DC , find the radius of the circle.

Solution 32:

From the figure we see that $BQ = BR = 27$ cm (since length of the tangent segments from an external point are equal)

As $BC = 38$ cm

$$\begin{aligned}\Rightarrow CR &= CB - BR = 38 - 27 \\ &= 11 \text{ cm}\end{aligned}$$

Again,

$CR = CS = 11$ cm (length of tangent segments from an external point are equal)

Now, as $DC = 25$ cm

$$\begin{aligned}\therefore DS &= DC - SC \\ &= 25 - 11 \\ &= 14 \text{ cm}\end{aligned}$$

Now, in quadrilateral DSOP,

$\angle PDS = 90^\circ$ (given)

$\angle OSD = 90^\circ$, $\angle OPD = 90^\circ$ (since tangent is perpendicular to the radius through the point of contact)

$\Rightarrow$ DSOP is a parallelogram

$\Rightarrow OP \parallel SD$ and $\Rightarrow PD \parallel OS$


Now, as $OP = OS$ (radii of the same circle)

$\Rightarrow$ OPDS is a square. $\therefore DS = OP = 14$ cm

$\therefore$ radius of the circle = 14 cm

Question 33:

In the given figure, XY is the diameter of the circle and PQ is a tangent to the circle at Y .



If $\angle AXB = 50^\circ$ and $\angle ABX = 70^\circ$ and $\angle BAY$ and $\angle APY$

Solution 33:

In $\triangle AXB$,

$$\angle XAB + \angle AXB + \angle ABX = 180^\circ \text{ [Triangle property]}$$

$$\Rightarrow \angle XAB + 50^\circ + 70^\circ = 180^\circ$$

$$\Rightarrow \angle XAB = 180^\circ - 120^\circ = 60^\circ$$

$$\Rightarrow \angle XAY = 90^\circ \text{ [Angle of semi-circle]}$$

$$\therefore \angle BAY = \angle XAY - \angle XAB = 90^\circ - 60^\circ = 30^\circ$$

and $\angle BXY = \angle BAY = 30^\circ$ [Angle of same segment]

$$\angle ACX = \angle BXY + \angle ABX \text{ [External angle = Sum of two interior angles]}$$

$$= 30^\circ + 70^\circ$$

$$= 100^\circ$$

also,

$$\angle XYP = 90^\circ \text{ [Diameter } \perp \text{ tangent]}$$


$$\angle APY = \angle ACX - \angle CYP$$

$$\angle APY = 100^\circ - 90^\circ$$

$$\angle APY = 10^\circ$$

Question 34:

In the given figure, QAP is the tangent at point A and PBD is a straight line.



If $\angle ACB = 36^\circ$ and $\angle APB = 42^\circ$, find:

(i) $\angle BAP$ (ii) $\angle ABD$ (iii) $\angle QAD$ (iv) $\angle BCD$

Solution 34:

PAQ is a tangent and AB is a chord of the circle.

i) $\therefore \angle BAP = \angle ACB = 36^\circ$ (angles in alternate segment)

ii) In $\triangle APB$

$$\text{Ext } \angle ABD = \angle APB + \angle BAP$$

$$\Rightarrow \text{Ext } \angle ABD = 42^\circ + 36^\circ = 78^\circ$$

iii) $\angle ADB = \angle ACB = 36^\circ$ (angles in the same segment)

Now in $\triangle PAD$

Ext. $\angle QAD = \angle APB + \angle ADB$

$$\Rightarrow \text{Ext } \angle QAD = 42^\circ + 36^\circ = 78^\circ$$

iv) PAQ is the tangent and AD is chord

$\therefore \angle QAD = \angle ACD = 78^\circ$ (angles in alternate segment)


And $\angle BCD = \angle ACB + \angle ACD$

$$\therefore \angle BCD = 36^\circ + 78^\circ = 114^\circ$$

Question 35:

In the given figure, AB is the diameter. The tangent at C meets AB produced at Q .

If $\angle CAB = 34^\circ$, Find:



(i) $\angle CBA$ (ii) $\angle CQB$

Solution 35:

i) AB is diameter of circle.

$$\therefore \angle ACB = 90^\circ$$

In $\triangle ABC$,

$$\angle A + \angle B + \angle C = 180^\circ$$

$$\Rightarrow 34^\circ + \angle CBA + 90^\circ = 180^\circ$$

$$\Rightarrow \angle CBA = 56^\circ$$

ii) QC is tangent to the circle

$$\therefore \angle CAB = \angle QCB$$

Angle between tangent and chord = angle in alternate segment

$$\therefore \angle QCB = 34^\circ$$

ABQ is a straight line

$$\Rightarrow \angle ABC + \angle CBQ = 180^\circ$$

$$\Rightarrow 56^\circ + \angle CBQ = 180^\circ$$

$$\Rightarrow \angle CBQ = 124^\circ$$

Now,

$$\angle CQB = 180^\circ - \angle QCB - \angle CBQ$$


$$\Rightarrow \angle CQB = 180^\circ - 34^\circ - 124^\circ$$

$$\Rightarrow \angle CQB = 22^\circ$$

Question 36:

In the given figure, O is the centre of the circle. The tangents at B and D intersect each other at point P.

If AB is parallel to CD and $\angle ABC = 55^\circ$, find:



- (i) $\angle BOD$ (ii) $\angle BPD$

Solution 36:

i)

$$\angle BOD = 2\angle BCD$$

$$\Rightarrow \angle BOD = 2 \times 55^\circ = 110^\circ$$

ii) Since, BPDO is cyclic quadrilateral, opposite angles are supplementary.

$$\therefore \angle BOD + \angle BPD = 180^\circ$$

$$\Rightarrow \angle BPD = 180^\circ - 110^\circ = 70^\circ$$

Question 37:

In two concentric circles, prove that all chords of the outer circle, which touch the inner circle, are of equal length.

Solution 37:

i) $PQ = RQ$

$\therefore \angle PRQ = \angle QPR$ (opposite angles of equal sides of a triangle)

$$\Rightarrow \angle PRQ + \angle QPR + 68^\circ = 180^\circ$$

$$\Rightarrow 2\angle PRQ = 180^\circ - 68^\circ$$

$$\Rightarrow \angle PRQ = \frac{112^\circ}{2} = 56^\circ$$

Now, $\angle QOP = 2 \angle PRQ$ (angle at the centre is double)

$$\Rightarrow \angle QOP = 2 \times 56^\circ = 112^\circ$$

ii) $\angle PQC = \angle PRQ$ (angles in alternate segments are equal)

$\angle QPC = \angle PRQ$ (angles in alternate segments)

$\therefore \angle PQC = \angle QPC = 56^\circ$ ($\because \angle PRQ = 56^\circ$ from (i))


$$\angle PQC + \angle QPC + \angle QCP = 180^\circ$$

$$\Rightarrow 56^\circ + 56^\circ + \angle QCP = 180^\circ$$

$$\Rightarrow \angle QCP = 68^\circ$$

Question 38:

In the following figure, $PQ = QR$, $\angle RQP = 68^\circ$, PC and CQ are tangents to the circle with centre O




(i) $\angle QOP$

(ii) $\angle QCP$

Solution 38:

Consider two concentric circles with centres at O . Let AB and CD be two chords of the outer circle which touch the inner circle at the points M and N respectively.



To prove the given question, it is sufficient to prove $AB = CD$.

For this join OM , ON , OB and OD .

Let the radius of outer and inner circles be R and r respectively.

AB touches the inner circle at M .

AB is a tangent to the inner circle

$\therefore OM \perp AB$

$$\Rightarrow BM = \frac{1}{2} AB$$

$$\Rightarrow AB = 2BM$$

Similarly $ON \perp CD$, and $CD = 2DN$

Using Pythagoras theorem in $\triangle OMB$ and $\triangle OND$

$$OB^2 = OM^2 + BM^2, OD^2 = ON^2 + DN^2$$

$$\Rightarrow BM = \sqrt{R^2 - r^2}, DN = \sqrt{R^2 - r^2}$$

Now,


$$AB = 2BM = 2\sqrt{R^2 - r^2}, CD = 2DN = 2\sqrt{R^2 - r^2}$$

$$\therefore AB = CD$$


Hence proved.

Question 39:

In the figure, given below, AC is a transverse common tangent to two circles with centres P and Q and of radii 6 cm and 3 cm respectively.



Given that $AB = 8$ cm, calculate PQ.

Solution 39:

Since AC is tangent to the circle with center P at point A.

$$\therefore \angle PAB = 90^\circ$$

Similarly, $\angle QCB = 90^\circ$

In $\triangle PAB$ and $\triangle QCB$

$$\angle PAB = \angle QCB = 90^\circ$$

$$\angle PBA = \angle QBC \text{ (vertically opposite angles)}$$

$$\therefore \triangle PAB \sim \triangle QCB$$

$$\Rightarrow \frac{PA}{QC} = \frac{PB}{QB} \quad \dots\dots\dots (i)$$

Also in Rt. $\triangle PAB$,

$$PB = \sqrt{PA^2 + AB^2}$$

$$\Rightarrow PB = \sqrt{6^2 + 8^2} = \sqrt{36 + 64} = \sqrt{100} = 10 \text{ cm} \quad \dots\dots\dots (ii)$$

From (i) and (ii)

$$\frac{6}{3} = \frac{10}{QB}$$


$$\Rightarrow QB = \frac{3 \times 10}{6} = 5 \text{ cm}$$

Now,


$$PQ = PB + QB = (10 + 5) \text{ cm} = 15 \text{ cm}$$

Question 40:

In the figure, given below, O is the centre of the circumcircle of triangle XYZ.



Tangents at X and Y intersect at point T. Given $\angle XTY = 80^\circ$, and $\angle XOZ = 140^\circ$, calculate the value of $\angle ZXY$.

Solution 40:

In the figure, a circle with centre O, is the circum circle of triangle XYZ.

$$\angle XOZ = 140^\circ$$

Tangents at X and Y intersect at point T, such that $\angle XTY = 80^\circ$

$$\therefore \angle XOY = 180^\circ - 80^\circ = 100^\circ$$

But, $\angle XOY + \angle YOZ + \angle ZOX = 360^\circ$ [Angles at a point]

$$\Rightarrow 100^\circ + \angle YOZ + 140^\circ = 360^\circ$$

$$\Rightarrow 240^\circ + \angle YOZ = 360^\circ$$

$$\Rightarrow \angle YOZ = 360^\circ - 240^\circ$$

$$\Rightarrow \angle YOZ = 120^\circ$$

Now arc YZ subtends $\angle YOZ$ at the centre and $\angle YXZ$ at the remaining part of the circle.


$$\therefore \angle YOZ = 2\angle YXZ$$

$$\Rightarrow \angle YXZ = \frac{1}{2} \angle YOZ$$

$$\Rightarrow \angle YXZ = \frac{1}{2} \times 120^\circ = 60^\circ$$


Question 41:

In the given figure, AE and BC intersect each other as point D.



If $\angle CDE = 90^\circ$, $AB = 5\text{cm}$, $BD = 4\text{cm}$ and $CD = 9\text{ cm}$ find AE .

Solution 41:



From Rt. $\triangle ADB$,

$$AD = \sqrt{AB^2 - DB^2} = \sqrt{5^2 - 4^2} = \sqrt{25 - 16} = \sqrt{9} = 3\text{cm}$$

Now, since the two chords AE and BC intersect at D ,

$$AD \times DE = CD \times DB$$

$$3 \times DE = 9 \times 4$$

$$DE = \frac{9 \times 4}{3} = 12$$

$$\text{Hence, } AE = AD + DE = (3 + 12) = 15\text{ cm}$$