

Chapter - 3

Pair of Linear Equations in Two Variables

(Assertion and Reasoning Questions)

In the following questions, a statement of assertion (A) is followed by a statement of reason (R). Mark the correct choice as:

- (a) Both assertion (A) and reason (R) are true and reason (R) is the correct explanation of assertion (A).
- (b) Both assertion (A) and reason (R) are true but reason (R) is not the correct explanation of assertion (A).
- (c) Assertion (A) is true but reason (R) is false.
- (d) Assertion (A) is false but reason (R) is true.

Q.1. Assertion (A) : The graph of the linear equations $3x+2y=12$ and $5x-2y=4$ gives a pair of intersecting lines.

Reason (R) : The graph of linear equations $a_1x+b_1y+c_1=0$ and $a_2x+b_2y+c_2=0$ gives a pair of intersecting lines if $a_1/a_2 \neq b_1/b_2$

Q.2. Assertion (A) : If the pair of lines are coincident, then we say that pair of lines is consistent and it has a unique solution.

Reason (R) : If the pair of lines are parallel, then the pairs has no solution and is called inconsistent pair of equations.

Q.3. Assertion (A) : The linear equations $x-2y-3=0$ and $3x+4y-20=0$ have exactly one solution

Reason (R) : The linear equation $2x+3y-9=0$ and $4x+6y-18=0$ have a unique solution.

Q.4. Assertion (A) : The graphical representation of the equations $x+2y=3$ and $2x+4y+7=0$ gives a pair of coincident lines.

Reason (R) : The graph of linear equations $a_1x+b_1y+c_1=0$ and $a_2x+b_2y+c_2=0$ gives a pair of intersecting lines if $a_1/a_2 \neq b_1/b_2$

Q.5. Assertion (A) : The value of k for which the system of equations $3x+ky=0$ and $2x-y=0$ has a unique solution is $k \neq -3/2$

Reason (R) : The graph of linear equations $a_1x+b_1y+c_1=0$ and $a_2x+b_2y+c_2=0$ gives a pair of intersecting lines if $a_1/a_2 \neq b_1/b_2$

Q.6. Assertion (A) : The number of common solutions for the system of linear equations $5x+4y+6=0$ and $10x+8y=12$ is zero.

Reason (R) : The graph of linear equations $a_1x+b_1y+c_1=0$ and $a_2x+b_2y+c_2=0$ gives a pair of intersecting lines if $a_1/a_2 \neq b_1/b_2$

Q.7. Assertion (A) : The value of k for which the system of linear equations $3x-4y=7$ and $6x-8y=k$ have infinite number of solution is 14.

Reason (R) : The graph of linear equations $a_1x+b_1y+c_1=0$ and $a_2x+b_2y+c_2=0$ gives a pair of intersecting lines if $a_1/a_2 \neq b_1/b_2$

Q.8. Assertion (A) : A pair of linear equations has no solution (s) if it is represented by intersecting lines graphically.

Reason (R) : If the pair of lines are intersecting, then the pair has unique solution and is called consistent pair of equations.

Q.9. Assertion (A) : The value of $q=\pm 2$, if $x=3$, $y=1$ is the solution of the line $2x+y-q^2-3=0$.

Reason (R) : The solution of the line will satisfy the equation of the line.

Q.10. Assertion (A) : The value of k for which the system of linear equations $kx-y=2$ and $6x-2y=3$ has a unique solution is 3.

Reason (R) : The graph of linear equations $a_1x+b_1y+c_1=0$ and $a_2x+b_2y+c_2=0$ gives a pair of intersecting lines if $a_1/a_2 \neq b_1/b_2$

-X-X-X-

ANSWER KEY

Q.1 : (a)

Q.2 : (d)

Q.3 : (c)

Q.4 : (d)

Q.5 : (a)

Q.6 : (b)

Q.7 : (c)

Q.8 : (d)

Q.9 : (a)

Q.10 : (d)