
# **Chapter 17. Circles**

# Ex 17.1

# Answer 1.

(i)



AC = CB ----(1) (Perpendicular from centre to a chord bisects the chord)

In right  $\Delta$  ACO,

By Pythagoras theorem,  $OA^2 = OC^2 + AC^2$ 


$$13^2 - 12^2 = AC^2$$

$$AC^2 = 169 - 144 = 25$$

$$AC = 5cm$$

: length of chord AB = 2AC (from (1))

(ii)



AC = CB ----(1) (Perpendicular from centre to a chord bisects the chord)

In right  $\Delta$  ACO,

By Pythagoras theorem,  $OA^2 = OC^2 + AC^2$ 


$$AC^{2} = (1.7)^{2} - (1.5)^{2}$$
$$= 2.89 - 2.25$$
$$= .64$$

AC = 0.8cm

.. length of chord AB = 2AC (from (1))

$$= 2(0.8) = 1.6$$
cm

(iii)



BA = AC ----(1) (Perpendicular from centre to a chord bisects the chord)

In right  $\Delta$  OAB,

By Pythagoras theorem,  $OB^2 = OA^2 + AB^2$ 


$$AB^{2} = 6.5^{2} + 2.5^{2}$$
$$= 42.25 - 6.25$$
$$= 36$$

$$AB = 6cm$$

: length of chord BC = 2AB (from (1))

$$= 2(6) = 12cm$$

# Answer 2.



AD = DB = 1.6cm (Perpendicular from centre to a chord bisects the chord)

In right  $\Delta$  ODA,

By Pythagoras theorem,  $OA^2 = OD^2 + AD^2$ 


$$= 1.6^2 + 1.2^2$$

$$OA^2 = 4$$

$$OA = 2cm$$

Diameter(AP) = 2(OA) = 2(1) = 4cm

# Answer 3.



$$AF = FB = 8.4cm$$

And DE = EC ----(1) (Perpendicular from centre to a chord bisects the chord)

In right  $\Delta$  ODA,

By Pythagoras theorem,  $OA^2 = OF^2 + AF^2$ 

$$= (11.2)^2 + (8.4)^2$$

$$OA^2 = 196$$

$$OA = 14cm$$

OA = OD = 14cm (radii of same circle)

Similarly,  $\operatorname{In} \Delta$  DEO

$$OD^2 = OE^2 + DE^2$$

$$DE^2 = 14^2 + 8.4^2$$


$$DE^2 = 125.44$$

$$DE = 11.2cm$$

$$= 2(11.2)$$

$$= 22.4cm$$

#### Answer 4.



AF = FB = 3cm

CE = ED = 7.2cm (Perpendicular from centre to a chord bisects the chord)

In right  $\Delta$  AFO, By Pythagoras theorem,

$$OA^{2} = OF^{2} + AF^{2}$$
  
 $OA^{2} = (7.2)^{2} + (3)^{2}$   
 $OA^{2} = 51.84 + 9$   
 $OA^{2} = 60.84$   
 $OA = 7.8cm$ 

OA = OC = 7.8cm (radii of same circle)


Similarly, In right  $\Delta$  OFC,

$$OC^2 = OE^2 + EC^2$$
 $OE^2 = (7.8)^2 - (7.2)^2$ 

$$= 60.84 - 51.84$$
 $OE^2 = 9$ 
 $OE = 3cm$ 

Distance from centre of chord CD with length 14.4cm is 3cm.

# Answer 5.



AC = CB = 4cm (Perpendicular from centre to a chord bisects the chord)

In right  $\Delta$  ABO,


By Pythagoras theorem,  $OA^2 = OC^2 + AC^2$ 

$$OC^2 = 6^2 + 4^2$$

$$OC^2 = 2\sqrt{5}cm$$

Perpendicular distance of chord from centre is  $2\sqrt{5}$ cm

Answer 6.



$$OA = OQ = 5cm$$
 (Radius of bigger circle)

$$OP = 2cm$$

Perpendicular bisector of OP, i.e. AB meets OP at M.

$$OM = MP = \frac{1}{2}OP = 1cm$$

In right  $\Delta$  OMA,

By Pythagoras theorem,

$$OA^2 = OM^2 + MA^2$$


$$MA^2 = 5^2 - 1^2$$

$$AM = 2\sqrt{6}cm$$

$$AM = MB = 2\sqrt{6} cm$$

$$AB = AM + MB = 2\sqrt{6} + 2\sqrt{6} = 4\sqrt{6}$$

# Answer 7.



AP = PB = 3cm

CQ = QD = 6cm (Perpendicular from centre to a chord bisects the chord)

$$OA = OC = r (say)$$

Let 
$$OP = x$$
,  $\therefore OQ = 3 - x$ 

In right  $\Delta$  OQC,

By Pythagoras theorem,

$$OC^2 = OQ^2 + CQ^2$$

$$r^2 = (3 - x)^2 + 6^2 - (1)$$

Similarly, In  $\Delta$  OPA,

$$OA^2 = AP^2 + PO^2$$

$$r^2 = 3^2 + x^2 - (2)$$

From (1) and (2)

$$(3-x)^2 + 6^2 = 3^2 + x^2$$

$$-6x + 36 = 0$$

$$x = 6$$


from (2)

$$r^2 = 3^2 + 6^2 = 9 + 36 = 45$$

$$r = 3\sqrt{5}$$

Thus, radius of the circle is  $3\sqrt{5}$  cm





$$CP = PO = 12cm$$

Let 
$$OA = OC = r (say)$$

Also, let 
$$OQ = x$$
,  $\therefore OP = 17 - x$ 

In right △OPC,

By Pythagoras theorem,

$$OC^2 = OP^2 + PC^2$$

$$r^2 = (17 - x)^2 + 12^2 - (1)$$

Similarly, In AOQA,

$$OA^2 = AQ^2 + QO^2$$

$$r^2 = 5^2 + x^2 - (2)$$

From (1) and (2)

$$(17 - x)^2 + 12^2 = 5^2 + x^2$$

$$289 - 34x + 144 - 25 = 0$$

$$34x = 408$$

$$x = 12$$

From (2)

$$r^2 = 5^2 + 12^2$$


$$r = 13$$

The radius of the circle is 13cm.

# Answer 9.

Given: AB = 18cm, MQ = 3cm

To find: PQ



$$OQ = OA = r cm(say)$$

$$:: OM = OQ = MQ = (r - 3)cm$$

$$AM = MB = 9cm (PQ \perp AB)$$

In right ∆OMA,

$$OM^2 + MA^2 = OA^2$$

$$\Rightarrow (r-3)^2 + 9^2 = r^2$$

$$\Rightarrow r^2 - 6r + 9 + 81 = r^2$$

$$\Rightarrow$$
 6r = 90

$$\Rightarrow$$
 r = 15cm


$$PQ = 2r$$

(Perpendicular bisector of a chord passes through the centre of the circle)

$$PQ = 2(15)$$

$$PQ = 30cm$$

#### Answer 10.



Draw perpendiculars OR and OS to CD and AB respectively.

In triangle ORP and triangle OSP

OP = OP

OR = OS (Distance of equal chords from centre are equal)


 $\angle PRO = \angle PSO$  (right angles)

Therefore, △ORP ≃ △OSP

Hence, ∠RPO = ∠SPO

Thus OP bisects ∠CPB.

#### Answer 11.



Given: PQ = RS

To Prove: TP = TR and TQ = TS.

Construction: Draw ON  $\perp$  PQ and OM  $\perp$  RS.

Proof: Since equal chords are equidistant from the circle therefore

$$PQ = RS \Rightarrow ON = OM$$
 ... (1)

Also perpendicular drawn from the centre bisects the chord.

So, PN = NQ = 
$$\frac{1}{2}$$
PQ and RM = MS =  $\frac{1}{2}$ RS

ButPQ = RS, we get

$$PN = RM$$
 ...(2)

And, 
$$NQ = MS$$
 ... (3)

Now in ATMO and ATNO,

$$MO = NO$$
 (By (1))

$$\angle TMO = \angle TNO$$
 (Each 90 degrees)

Therefore,  $\triangle TMO \cong \triangle TNO$  (By RHS)

$$\Rightarrow$$
 TN = TM (By CPCT) .... (4)

Subtracting, (2) from (4), we get

$$TN - PN = TM - RM$$


$$\Rightarrow$$
TP = TR

Adding (3) and (4), we get

$$TN + NQ = TM + MS$$

Hence Proved.

#### Answer 12.



Let QT be the diameter of ∠PQR

Since, 
$$PQ = QR$$

In △OMQ and △ONQ

OM = ON (equal chords are equidistant from the centre)

$$\angle$$
OMQ =  $\angle$ ONQ (90° each)


OQ = OQ (common)

ΔOMQ ≅ ΔONQ (RHS)

 $\therefore \angle OQM = \angle OQN (CPCT)$ 

Thus QT i.e. diameter of the circle bisects ∠PQR

#### Answer 13.



AM = MB

CN = ND

∴OM ⊥ AB


and ON  $\perp$ CD (A line bisecting the chord and passing through the centre of the circle is perpendicular to the chord)

 $\therefore \angle OMA = \angle OND = 90^{\circ} each$ 

But these are alternate interior angles

:. AB || CD

# Answer 14.



Given: AB and CD are two chords of a circle with centre 0.

AB||CD, M and N are midpoints of AB and CD respectively.

To prove: MN passes through centre O.

Construction: Join OM, CN, and through O, draw a straight line EF parallel to AB.

Proof: CM^ AB (line joining the midpoint of a chord to the centre of a circle is perpendicular to it)

Q EMOE = 90" [cointerior angle of EAMO]


▶ ĐNOE = 90\* [corresponding angle of ĐAMO]

\ DMOE+ DNOE = 180°

MON is a straight line.

Hence, MN passes through centre O.

#### Answer 15.



Given: Two congruent circles with centre O and P. M is the mid-point of OP

To prove: Chord AB and CD are equal.

Construction: Draw OQ LAB and PR LCD.

Proof: In AOOM and APRM

 $\angle OQM = \angle PRC$  (Each 90°)

OM = MP (As M is the mid-point)

 $\angle OMQ = \angle PMR$  (Vertically opposite angles)

Therefore, △OQM ≅ △PRM (By AAS)


 $\Rightarrow$  OQ = PR (By CPCT)

Now the perpendicular distances of two chords in two congruent circles are equal, therefore chords are also equal.

 $\Rightarrow AB = CD.$ 

Hence Proved.

Answer 16.



Given: Two circles with centres O and P, and MN||OP||RQ

To prove: (i) MN = 20P (ii) MN = RQ.

Construction: OX LMN, PY LMN, OW LRZ, PZ LRQ

Proof: Since each angle of the quadrilateral XYZW is a right angle, XYZW is a rectangle.

Also, XYPO is a rectangle. ...(1)

Now, perpendicular drawn from the centre to the chord bisects the chord

Therefore, MA = 2 XA and AN = 2 AY ...(2)

Now, MN = MA + AN = 2 XA + 2 AY [from (2)]

 $\Rightarrow$  MN = 2(XA + AY) = 2 XY

 $\Rightarrow$  MN = 2 OP [As XYPO is a rectangle, XY = OP] ... (3)

This proves part (i).

By similar arguments, we have RQ = 2 OP ... (4)

Using (3) and (4), we get

MN = RQ.

This proves part (ii).

#### Answer 17.

ABC is an equilateral triangle,

$$AB = AC$$

Also AN = MB (radii of same circle)

$$\Rightarrow$$
 NC = MB

In ∆BNC and ∆CMB

NC = MB (proved above)

 $\angle B = \angle C$  (60°each)

BC = BC (Common)

∴ ∆BNC ≅ ∆CMB (SAS)

: BN = CM (CPCT)

# Answer 18.

In ΔDAM and ΔBAN


AN = AM (radii of same circle)

AD = AB (sides of square ABCD)

 $\angle DAM = \angle BAN (Common)$ 

∴ ADAM≅ ABAN (SAS)

#### Answer 19.



and N are mid points of equal chords AB and CD respectively.

N L CD and OM L AB

 $\angle$ ONC =  $\angle$ OMA (90° each) ----(1) (A line bisecting the chord and passing rough the centre of the circle is perpendicular to the chord)

AB = CD

ON = OM (equal chords are equidistant from the centre)

A MON,

MO = NO


 $\therefore$   $\angle$ ONM =  $\angle$ OMN ----(2)

ubtracting (2) from (1)

ONC - ∠ONM = ∠OMA - ∠OMN

∠CNM = ∠AMN

# Answer 20.



Join OX and OZ

In ΔXOY and ΔZOY

OX = YZ (radii of same circle)

XY = YZ (given)


OY = OY (common)

 $\triangle XOY \cong \triangle ZOY (SSS)$ 

∴ ∠OYX = ∠OYZ (CPCT)

Hence, OY is the bisector of ∠XYZ passing through O

#### Answer 21.



ince ABC is an isosceles triangle, AOD is the perpendicular bisector of BC.

n triangle ADC, by Pythagoras theorem we have

$$\sqrt{D^2} = AC^2 - DC^2 = 13^2 - 5^2 = 169 - 25 = 144$$

$$\Rightarrow$$
 AD = 12 cm  $\Rightarrow$  AO + OD = 12  $\Rightarrow$ AO = 12 - x (Assuming OD = x cm)

gain in triangle OBD,

$$O^2 = BD^2 + OD^2 = 25 + x^2$$

$$(As BD = 5 cm)$$


$$\Rightarrow (12 - x)^2 = 25 + x^2$$

$$(As AO = BO = radius)$$

$$\Rightarrow 144 + x^2 - 24x = 25 + x^2$$

$$\Rightarrow$$
 AO = 12 - 4.96 = 7.04 cm

#### Answer 22.



Given: AB = AC,  $\angle ABO = \angle CBO$ 

To Prove: AB = BC

Construction: Draw ON ±AB and OM±BC

Proof: In triangles BNO and BMO,

 $\angle NBO = \angle MBO$  (Given)

 $\angle BNO = \angle BMO$  (Each 90°)

BO = BO (Common)

Thus, ∆BNO ≅ ∆BMO (By AAS)

 $\Rightarrow$ BN = BM

⇒2BN =2BM (Since perpendicular drawn from the centre bisects the

chord)

 $\Rightarrow AB = BC$ 

Hence Proved.

# Ex 17.2

#### Answer 1.

Since arc AB makes  $\angle$ AOB at the centre and  $\angle$ APB = 50° on the remaining part of the circle.

$$\angle$$
AOB = 2 $\angle$ APB  
 $\angle$ AOB = 2(50)  
= 100°  
AO = OB = x (radii of same circle)  
In  $\triangle$ AOB  
 $\angle$ AOB +  $\angle$ BAO +  $\angle$ ABO = 180  
180 + x + x = 180  
2x = 80

$$x = 40$$

#### Answer 2.

$$\angle AOC = 150^{\circ}$$

Reflex 
$$\angle AOC = 360^{\circ} - 150^{\circ} = 210^{\circ}$$

$$\angle ABC = \frac{1}{2} \text{ reflex } \angle AOC = \frac{1}{2} (210^{\circ})$$

$$\angle ABC = 105^{\circ}$$

#### Answer 3.

BOC is the diameter of circle,

Since arc BC makes  $\angle$ BOA at the centre and  $\angle$ BAC on the remaining part of the circle

$$\therefore \angle BAC = \frac{1}{2} \angle BOC$$

$$\therefore \angle BAC = \frac{1}{2}(180)$$
$$= 90^{\circ}$$

#### Answer 4.

Since arc BC makes  $\angle$ BOC at the centre and  $\angle$ BDC on the remaining part of the circle

$$\therefore \angle BDC = \frac{1}{2}\angle BOC = \frac{1}{2}(x) = \frac{1}{2}x$$

$$\angle BDC = \angle BEC = \angle \frac{x}{2}$$
 (angles in the same segment)

$$\angle ADB = AEP = 180 - \angle \frac{x}{2}$$

Also, 
$$\angle BPC = \angle DPE = \angle y$$
 (vertically opposite)

In quadrilateral ADPE,

$$\angle$$
ADP +  $\angle$ DEP +  $\angle$ PEA +  $\angle$ EAD = 360°

$$180 - \angle \frac{x}{2} + \angle y + 180 - \angle \frac{x}{2} + z = 360^{\circ}$$

$$-\angle x + \angle y + \angle z = 0$$

$$\angle x = \angle y + \angle z$$

# Answer 5.

: Let O be the centre of the circle on diameter AC of the circle

Since, EC make ∠EOC at the centre and ∠EBC on the remaining part of the circle

$$\angle EOC = 2\angle EBC$$

$$= 2(65)$$

$$= 130^{\circ}$$
In  $\triangle EOC$ ,
$$\angle EOC + \angle OCE + \angle CEO = 180^{\circ}$$

$$130 + x + x = 180^{\circ} (OE = OC, :: \angle OEC = \angle OCE = x)$$

$$2x = 50$$

$$x = 25$$

$$\angle OCE = \angle OEC = 25^{\circ}$$

Also,  $\angle$ OCE =  $\angle$ CED = 25° (alternate interior angles)

$$\angle AOB = q$$

Answer 6.

Reflex 
$$\angle AOB = 360 - q$$

Since arc AB subtends reflex  $\angle$ AOB = (360 - q)° at the centre and  $\angle$ ACB on the remaining part of the circle.

$$\therefore \angle ACB = \frac{1}{2}(reflex \angle AOB)$$

If OACB is a parallelogram

$$\angle AOB = \angle ACB$$

$$q = p$$

$$360 - 2p = p$$

$$3p = 360$$

$$P = 120^{\circ}$$

# Answer 7.

In ΔPQR,

$$PQ = PR$$

$$\therefore$$
  $\angle$ PQR =  $\angle$ PRQ = 35°

Also, 
$$\angle PQR + \angle PRQ + \angle QPR = 180^{\circ}$$

$$35 + 35 + \angle QPR = 180$$

$$\angle$$
QPR = 110°

In cyclic quadrilateral PQSR,

$$\angle$$
QPR +  $\angle$ QSR = 180

$$110 + \angle QSR = 180$$

$$\angle$$
QSR = 70

Also, 
$$\angle$$
QSR =  $\angle$ QTR = 70° ( Angles in the same segment)

# Answer 8.

In cyclic quadrilateral ABCD,

$$\angle$$
BCD +  $\angle$ DAB = 180° (Opposite angles of a cyclic quadrilateral)

$$\angle DAB = 80^{\circ}$$

In ∆DAB,

$$\angle$$
DAB +  $\angle$ ABD +  $\angle$ BDA = 180°

# Answer 9.

It is given that ∠AOC = 100°

Arc AC subtends ∠AOC at the centre of circle and ∠APC on the circumference of the circle.

$$\Rightarrow$$
 ZAPC =  $\frac{100^{\circ}}{2}$  =  $50^{\circ}$ 

It can be seen that APCB is a cyclic quadrilateral.

$$\therefore$$
  $\angle$ APC +  $\angle$ ABC = 180° (Sum of opposite angles of a cyclic quadrilateral)

$$\Rightarrow$$
  $\angle$ ABC = 180° - 50° = 130°

Now, 
$$\angle ABC + \angle CBD = 180^{\circ}$$
 (Linear pair angles)

$$\Rightarrow$$
  $\angle$ CBD = 180° - 130° = 50°

# Answer 10.

PQ is a diameter of the circle

$$\angle$$
RPQ = 40° (given)

In ΔPQR,

$$\angle$$
PRQ +  $\angle$ RQP +  $\angle$ QPR = 180 (Angle sum property)

$$90 + \angle RQP + 40 = 180$$


$$\angle$$
RQP = 50°

# Answer 11.

$$\angle$$
B = 65°( given)  
 $\angle$ B +  $\angle$ D = 180 (Opposite angles of a cyclic quadrilateral)  
65 +  $\angle$ D = 180  
 $\angle$ D = 115  
Also, AB || CD  
 $\therefore$   $\angle$ B +  $\angle$ C = 180 (Sum of angles on same side of transversal)  
 $\angle$ C = 180 - 65 = 115  
Again,  $\angle$ A+  $\angle$ C = 180° (Opposite angles of a cyclic quadrilateral)  
 $\angle$ A = 180 - 115

# Answer 12.

= 65°



$$m \angle A = 3 (m \angle C)$$

 $\angle$ A +  $\angle$ C = 180 (Opposite angles of a cyclic quadrilateral)

$$3\angle C + \angle C = 180$$

$$4 \angle C = 180$$

$$\angle C = 45$$


$$m \angle A = 3(m \angle C)$$

$$= 3 \times 45$$

$$= 135$$

$$m\angle A = 135^{\circ}$$

#### Answer 13.



Arc AC subtends ∠AOC at the centre of circle and ∠ABC on the circumference of the circle.

$$\therefore \angle AOC = 2 \angle ABC \dots (1)$$

Similarly, ∠BOD and ∠DCB are the angles subtended by the arc DB at the centre and on the dircumference of the circle respectively.

Adding (1) and (2),


In triangle ECB,

$$\angle AEC = \angle ECB + \angle EBC = \angle DCB + \angle ABC$$

From (3),

Hence Proved.

# Answer 14.



If two chords of a circle interest internally then the products of the lengths of segments are equal, then

$$AP \times BP = CP \times DP$$
 ...(1)

But, 
$$AP = CP$$
 (Given) ... (2)

Then from (1) and (2), we have

$$BP = DP$$
 ... (3)

Adding (2) and (3),

$$AP + BP = CP + DP$$

$$\Rightarrow AB = CD$$

Hence Proved.

# Answer 15.

$$\angle NYB = 50^{\circ}$$

$$\angle$$
YNB = 20°

In ΔNYB,

$$20^{\circ} + \angle NBY + 50^{\circ} = 180^{\circ}$$

$$\Rightarrow$$
  $\angle$ NBY = 180° - 70° = 110°

Now,  $\angle$ MAN =  $\angle$ NBM = 110° (Angles in the same segment)

 $\angle$ MON =  $2\angle$ MAN (Arc MN subtends  $\angle$ MON at centre and  $\angle$ MAN at remaining part of the circle)

$$\angle$$
MON = 2(110°) = 220°

$$= 360^{\circ} - 220^{\circ}$$

Reflex  $\angle$ MON = 140°.

#### Answer 16.

Given AP and AQ are diameters of circles with centre O and O1 respectively.

$$\therefore$$
  $\angle$ APB = 90° ---(1) (Angle in a semidrde is a right angle)

Similarly, 
$$\angle ABQ = 90^{\circ} ---(2)$$

Adding (1) and (2)

$$\angle APB + \angle ABQ = 90^{\circ} + 90^{\circ}$$

$$\angle PBQ = 180^{\circ}$$

Hence, PBQ is a straight line

: P, B and Q are collinear.

#### Answer 17.

AB and AC are diameters of circles with centre O and O1 respectively.

 $\therefore$  ∠ADB = 90° ---(1) (Angle in a semi dirde is a right angle)


Similarly,  $\angle ADB = 90^{\circ} ---(2)$ 

Adding (1) and (2)

$$\angle$$
ADB +  $\angle$ ADC = 90 + 90

Hence, BDC is a straight line.

# Answer 18.



AB be the diameter of the circle with centre O.

= 90° (Angles in a semicirde is a right triangle)

$$= 180 - 90 = 90^{\circ}$$

ind AADC

given)


'ADC (90°each)

(Common)

£∆ADC (RHS)

- DC (CPCT)

#### Answer 19.



We know that the diagonals of a rhombus bisect each other at right angles.

Also, AD is the diameter of the circle with centre O.

From (1) and (2), we get, The circle drawn with any side of a rhombus as a diameter, passes through point of intersection of its diagonals.

#### Answer 20.

In cyclic quadrilateral ABCD,

$$\angle BAD + \angle BCD = 180^{\circ} - (1)$$

Opposite angles of cyclic quadrilateral

Also, 
$$\angle BCD + \angle BCE = 180^{\circ} - (2)$$
 (Linear pair)

From (1) and (2), we get


$$\angle BAD = \angle BCE$$

In Δ EBC and Δ EDA

$$\angle BAD = \angle BCE$$
(proved above)

$$\angle BEC = \angle DEA (common)$$

#### Answer 21.



of: In cydic quadrilateral DECB

EC + ∠DBC = 80° - (1) (Opposite angles of cyclic quadrilateral)

o, 
$$\angle$$
AED +  $\angle$ DEC = 80° - (2) (Linear pair)

m (1) and (2), we get,

$$3C = \angle AED - (3)$$

- AC (given)


'ABC = ∠ACB - (4) (angles opposite to equal sides of triangle)

$$m(3)$$
 and  $(4) \Rightarrow \angle AED = \angle ACB$ 

; these are corresponding angles.

E || BC

#### Answer 22.



In cyclic quadrilateral ABCD

Also,

 $\angle$ BCF= $\angle$ BAF - (2) (Angles in the same segment)

Using (1) in (2) we get,


∠EAB+∠BAF=90°

 $\angle FAE = 90^{\circ}$ 

EF is the diameter of the circle,

∴ angle in a semi circle is a right angle

#### Answer 24.



Since AD, BE and CF are bisectors of  $\angle A$ ,  $\angle B$  and  $\angle C$  respectively.

$$\therefore \angle 1 = \angle 2 = \angle \frac{A}{2}$$

$$\angle 3 = \angle 4 = \angle \frac{B}{2}$$

$$\angle 5 = \angle 6 = \angle \frac{C}{2}$$

$$\angle ADE = \angle 3 - - - - (1)$$

Also  $\angle ADF = \angle 6 ----(2)$  (angles in the same segment)

Adding (1) and (2)

$$\angle ADE + \angle ADF = \angle 3 + \angle 6$$

$$\angle D = \frac{1}{2} \angle B + \frac{1}{2} \angle C$$

$$\angle D = \frac{1}{2}(B + \angle C) = \frac{1}{2}(180 - \angle A)(\angle A + \angle B + \angle C = 180^{\circ})$$


$$\angle D = 90 - \frac{1}{2} \angle A$$

Similarly,

$$\angle E = 90 - \frac{1}{2} \angle B, \angle F = 90 - \frac{1}{2} \angle C$$

# Ex 17.3

#### Answer 1.



OA  $\perp$  AP (radius is perpendicular to tangent at the point of contact)

In right ΔOAP,


$$OP^2 = OA^2 + AP^2$$

$$AP^2 = 5^2 - 3^2$$

$$AP = 4cm$$

The length of the tangent is 4cm.

# Answer 2.



 $\mathsf{OA} \perp \mathsf{AP}$  (radius is perpendicular to tangent at the point of contact)

In right ∆OAP,

$$OP^2 = OA^2 + AP^2$$

$$AP^2 = 17^2 + 15^2$$

$$AP = 8$$


The radius of the circle is 8cm.

# Answer 3.


$$XP = XQ$$
 $AR = AP$  {Length of tangents drawn from an external point to a circle are  $BR = BQ$  equal}

 $XP = XQ$ 
 $XA + AP = XB + BR$ 
 $XA + AR = XB + BR$  {Using (1)}

# Answer 4.



# Answer 5.



PA = PB = 20 Units ---(1) {Length of tangents drawn from an external point

to a circle are equal}

Perimeter of APCD

$$= PC + CD + PD$$

$$= PC + CQ + QD + PD \{Using (1)\}$$

$$= PA + PB$$

$$= 2PA$$

$$= 2(20)$$

# Answer 6.

Proof:- AF = AE ----(1) {Length of tangents drawn from an external point

$$CE = CD ----(3)$$

Adding (1), (2) and (3)

$$AF + BD + CE = AE + BF + CD$$

#### Answer 7.

To prove:- AQ= 
$$\frac{1}{2}$$
 (Perimeter of  $\triangle$  ABC)

Proof:- 
$$BQ = BR = 5 - r ---(1)$$
  
PC = CR = 12 - r ---(2)


drawn from an external point to a circle are equal)

Perimeter of 
$$\triangle$$
 ABC = AB + BC + AC  
= AB + BP + PC + AC  
= AB + BQ + CR + AC Using (1)  
= AQ + AR  
= 2 AQ

2 AQ = Perimeter of ΔABC

$$AQ = \frac{1}{2}$$
 (Perimeter of  $\triangle$  ABC)

#### Answer 8.



Let the sides of parallelogram ABCD touch the circle at points P, Q, R and S.

$$AP = AS - (1)$$

PB = BQ - (2) (Length of tangents drawn from an external point to a circle a equal)

$$DR = DS - (3)$$

$$RC = CQ - (4)$$

Adding (1), (2), (3) and (4)

$$AP + PB + DR + RC = AS + BQ + DS + CQ$$


$$AB + CD = AD + BC$$

2 AB = 2 BC  $\Rightarrow$  AB = BC (Opposite sides of a parallelogram are equal)

$$\therefore$$
 AB = BC = CD = DA,

Hence, ABCD is a rhombus.

#### Answer 9.



To proof:- QT = TR

Proof: Let the circle touches sides PQ and PR at points A and B respectively.

$$PA = PB$$
 $AQ = QT$ 
 $BR = TR$ 

(Lengths of tangents drawn from an external point to a circle are equal)

Given,  $PQ = PR$ 
 $PA + AQ = PB + BR$ 
 $AQ = BR$  (Using (1))

 $\Rightarrow QT = TR$ 

#### Answer 10.

In △AOP = △BOP

AP = PB (lengths of tangents drawn from and external point to a circle are equal)

OP = PO (common)

∠ PAO = ∠ PBO = 90° (radius is ⊥ to tangent at the point of contact)

∴ △ AOP ≅ △BOP (By RHS)

△ AOP = △BOP (By CPCT)

In △AMO and △BMO

AO = OB (radius of same circle)

∠ MOA = ∠ MOB (Proved above)

OM = MO (Common)

∴ △AMO ≅ △ BMO (By CPCT)

∠ AMO = ∠ BMO


∠ AMO + ∠ BMO = 180°

∴ 2 ∠ AMO = 180°

Hence, OP is the perpendicular bisector of AB.

∠ BMO = ∠ AMO = 90°

#### Answer 11.



Let DP = x cm

In AAPC and ADPB

∠ PAC = ∠ PDB (angles in the some segment)

∠ APC = ∠ DPB (vertically opposite angle)

.: Δ APC ~ Δ DPB (AA corollary)

$$\frac{AP}{DP} = \frac{PC}{PB}$$
 (similar sides of similar triangles)

$$\frac{5}{x} = \frac{2.5}{3}$$

$$\Rightarrow x = \frac{15}{2.5} = \frac{150}{25} = 6cm$$

# Answer 12.

Let TQ = x cm

In ΔPTR and ΔSTQ

∠ TPR = ∠ TSQ (angles in the same segment)

∠ PTR = ∠ STQ (vertically opposite ∠'s)


∴ ∠ PTR = ∠ STQ (AA corollary)

$$\frac{PT}{ST} = \frac{TR}{TQ}$$
 (similar sides of similar triangles)

$$\frac{18}{6} = \frac{12}{x}$$

$$= x = 4$$

# Answer 13.



Let 
$$OD = OC = r (say)$$

$$PO = 14.5$$
,  $CP = r + 14.5$ 

$$PD = 14.5 - r$$

In  $\triangle$ BPD and  $\triangle$ APC

$$\angle BPD = \angle APC$$
 (Common)

$$\angle$$
ABD +  $\angle$ DBP = 180° ---(1) ( Linear pair)

Also, 
$$\angle ABD + \angle ACD = 180^{\circ} ---(2)$$
 (Opposite angles of a cyclic quadrilateral)

From (1) and (2)

∴ ∆BPD ~ ∆CPA (AA corollary)

$$\frac{8}{r+14.5} = \frac{4.5-r}{15}$$

$$120^{\circ} = 14.5^2 - r^2$$

$$r^2 = 210.25 - 120$$

$$r^2 = 90.25$$

$$r = 9.50$$

Radius of the circle is 9.5cm.

# Answer 14.

Let PT = x cm

Since, PAB is a secant and PT is a tangent to the given circle, we have,

$$PA \cdot PB = PT^2$$

$$\Rightarrow$$
 4.9 = PT<sup>2</sup>

# Answer 15.

Let 
$$PT = x cm$$

Since, PAB is a secant and PT is a tangent to the given circle, we have,

$$PA \cdot PB = PT^2$$

# Answer 16.

Let PT = x cm

Since, PAB is a secant and PT is a tangent to the given circle, we have,

$$PA \cdot PB = PT^2$$

$$\Rightarrow 4 \cdot 9 = PT^2$$

$$\Rightarrow PT^2 = 36$$

$$\Rightarrow$$
 PT = 6cm

#### Answer 17.

Let OD = OC = x cm (radius of same cirde)

Since, PCD is a secant and PT is a tangent to the given circle, we have,

$$3 \cdot (3 + 2x) = 6^2$$

$$\Rightarrow$$
 9 + 6x = 36

$$\Rightarrow \quad x = \frac{27}{6} = \frac{9}{2}$$

Radius of the circle is  $\frac{9}{2}$ cm, diameter is 9cm

#### Answer 18.

$$R_1 = 4cm, R_2 = 12cm$$

$$PQ = 15cm$$

$$AB^2 = PQ^2 + (R_2 - R_1)^2$$

$$\Rightarrow AB^2 = 15^2 + (12 - 4)^2$$

$$\Rightarrow AB^2 = 225 + 64$$

$$\Rightarrow AB^2 = 289$$

The diameter between the centre is 17cm

# Answer 19.

To find: PQ

$$R_1 = 3cm, R_2 = 8cm$$

$$AB = 13cm$$

$$PQ^2 = AB^2 - (R_2 - R_1)^2$$

$$\Rightarrow PQ^2 = 13^2 - (8 - 3)^2$$

$$\Rightarrow$$
 PQ<sup>2</sup> = 169 - 25

$$\Rightarrow$$
 PQ<sup>2</sup> = 144

Length of direct common tangent is 12cm

#### Answer 21.

```
In right ABAC,
BC^2 = AC^2 + AB^2
AC^2 = 13^2 - 5^2
AC^2 = 169 - 25
AC^2 = 144
AC = 12
Let OP = OQ = r (say) (radius of same circle)
\angle OQP = \angle OPQ = 90^{\circ} (radius is \perp to tangent at the point of contact)
.. OPAQ is a square.
AQ = AP = OP = OQ = r
BQ = BR = 5 - r ---(1) {length of tangents drawn from an external point
PC = CR = 12 - r - (2) to a circle are equal}
BC = CR + BR
13 = 12 - r + 5 - r [ from (1) and (2)]
2r = 4
r = 2
Thus, radius of the circle is 2cm.
```

# Answer 22.

$$\angle$$
OAP =  $\angle$ OBP = 90° (radius is  $\bot$  to tangent at the point of contact)   
 In right  $\triangle$ OAP, 
$$OP^2 = OA^2 + AP^2$$
 
$$OP^2 = 5^2 + 12^2 = 25 + 144 = 169$$
 
$$OP = 13cm$$

In right ∆OBP,

$$OP^{2} = OB^{2} + BP^{2}$$
  
 $BP^{2} = 13^{2} - 3^{2}$   
 $BP^{2} = 169 - 9 = 160$   
 $BP = 4\sqrt{10}cm$